

10/523062

DT12 Rec'd PCT/PTO 02 FEB 2005
✓ PCT

1

Method for amplification of nucleic acids of low complexity

- 5 The present invention relates to a method for the amplification of nucleic acids.

Description

10 This invention relates to the fields of genetic engineering, molecular biology and computer science, and more specifically to the field of nucleic acid analysis based on specific nucleic acid amplification.

15 The matter of the present invention is a method for amplifying nucleic acids, such as DNA by means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to
20 DNA pre-treated with bisulfite. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to optimize the primer design for a PCR if the template DNA is of unusually low complexity. Also, for the
25 optimal primer design it was considered that the treated template DNA is single stranded.

The amplification of nucleic acids relies mainly on a method called polymerase chain reaction (PCR). The PCR is based on the activity of the enzyme DNA polymerase, which is elongating primer molecules, which bind to the template DNA by adding dNTPs and hereby copying the template sequence (Saiki RK, Gelfand DH, Stoeffel S, Scharf SJ, Higuchi R, Horn T, Mullis KB and Erlich HA (1988).
35 Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. Science 239 : 487-491). The

primer molecules are designed to specifically hybridize to those regions of the template DNA that define both ends of the amplificate. The forward primer binds to the 5' end of the sense strand of the amplificate, whereas 5 the reverse primer binds to the 5' end of the reverse strand, hereby defining the starting points of the polymerase reaction and eventually determining the length of the amplificate.

10 Before the polymerase starts the template DNA gets denatured, this is usually done by a short cycle of heating the reaction mixture up to about 95°C, then cooling it down to the annealing temperature determined by the melting temperature of the primer molecules used and finally 15 allowing the polymerase to elongate the annealed primers at its ideal working temperature for some minutes. This cycle is repeated several times each starting with the denaturation step. The primer molecules hybridize to the single stranded DNA. The forward primer is the starting 20 molecule for a copy of the sense strand and the reverse primer is the starting molecule for a copy of the anti-sense strand.

These first copies will be of unspecific length, limited 25 only by the polymerase's activity. However in the following cycle, the forward primer will also bind to the first copy of the anti-sense strand, the polymerase will take that copy as a template and will elongate the primer only as far as there is template DNA. Hereby the length of the 30 second copy gets limited to the length defined by the first nucleotide of the second primer. In the following cycles more and more pieces of template DNA compete for the primer molecules and eventually the DNA amplificate of defined length will be the main product.

However, in the case of a bisulfite treated DNA the template DNA is single stranded. The bisulfite or similar treatment alters the original sequences on both strands such that these are not complementary to each other after 5 the treatment. As a result no complementary strand to the target sequence exists. A first primer molecule binds to the one end of the single stranded target sequence. The polymerase elongates said primer and copies said target sequence. The second primer molecule cannot bind to the 10 complementary, so called anti-sense strand, as it would in a standard PCR. Therefore the second primer molecule is designed to bind to the first copied sequence instead. More specifically it will bind to that part of the copied 15 nucleic acid which is the complement to the other end of said target sequence.

The results of a PCR are highly depending on the choice of the ideal primer. The choice of a primer molecule must respect constraints permitting a correct amplification by 20 PCR, fulfilling hybridization temperature conditions and auto- or hetero-hybridization prevention.

In other words, as any PCR requires two primer molecules to amplify a specific piece of DNA in one reaction the 25 melting temperatures of both primers need to be very similar in order to allow proper binding of both at the same hybridization temperature. That is why most primer design programs require the user to define a preferred melting temperature or a permitted range of melting 30 temperatures. This requirement becomes the limiting factor when designing primers for a so called multiplex PCR, as all primer pairs in use need to have the same or at least very similar melting temperatures. Additionally primers have to be very specific, in order to only amplify those 35 pieces of DNA that are the target.

By providing the means for designing extremely accurate primer pairs for DNA hybridization procedures this invention relates to the so called PCR primer design. More specifically the body of this invention relates to the 5 specific requirements of primers and therefore of primer design when using template DNA that consists of essentially only three different nucleotides and is single stranded. This is the case when using bisulfite treated DNA as a template, as it contains no cytosine other than 10 the methylated cytosines in a CG dinucleotide and a rest of insufficiently treated and therefore untransformed non-methylated cytosines. The invention relates specifically to the primer design when using bisulfite treated DNA as template.

15

It would be obvious to an individual skilled in the art that the use of the primers as specified in this invention are not limited to nucleic acid amplification. Said primers can be used for several purposes, such as amplification, but also for nucleic acid sequencing or as blocking oligonucleotides during analysis of bisulfite treated DNA. Therefore the use of said primers is not limited to nucleic acid amplification but extends to all 20 standard molecular biological methods.

25

Pairs of these primers are used to specifically amplify DNA from a small amount of sample DNA that consists of bisulfite treated DNA originating from a limited source of DNA like a bodily fluid or tissue sample.

30

DNA can occur methylated or non-methylated at certain positions and this information is relevant for the status of a genes transcription. The methyl group is attached to the cytosine bases in CpG positions. The identification 35 of 5-methylcytosine in a DNA sequence as opposed to unmethylated cytosine is of greatest importance for example

- when studying the role of DNA methylation in tumorigenesis. But, because the 5-Methylcytosine behaves just as a cytosine for what concerns its hybridization preference (a property relied upon for sequence analysis) its positions can not be identified by a normal sequencing reaction. Furthermore in a PCR amplification this relevant epigenetic information, methylated cytosine or unmethylated cytosine, will be lost completely.
- This problem is usually solved by treating the genomic DNA with a chemical leading to a conversion of the cytosine bases, which consequently allows to differentiate the bases afterwards.
- A tool most useful for analyzing DNA methylation is the bisulfite conversion of DNA that converts cytosine bases into bases showing a hybridization behavior as thymine bases. Hereby the DNAs complexity is reduced by a fourth.
- Bisulfite conversion is the most frequently used method for analyzing DNA for 5-methylcytosine. It is based upon the specific reaction of bisulfite with cytosine which, upon subsequent alkaline hydrolysis, is converted to uracil, whereas 5-methylcytosine remains unmodified under these conditions (Shapiro et al. (1970) Nature 227: 1047). However, in its base pairing behavior, uracil corresponds to thymine, that is, it hybridizes to adenine; whereas 5-methylcytosine doesn't change its chemical properties under this treatment and therefore still has the base pairing behavior of a cytosine, that is hybridizing with guanine. Consequently, the original DNA is converted in such a manner that methyl-cytosine, which originally could not be distinguished from cytosine by its hybridization behavior, can now be detected as the only remaining cytosine using "normal" molecular biological techniques, for example, by amplification and hy-

bridization or sequencing. All of these techniques are based on base pairing which can now be fully exploited. Comparing the sequences of the DNA prior to and after bisulfite treatment allows an easy identification of those bases that have been methylated.

In the scope of this invention when it says "a nucleotide (...) was converted by the treatment..." this conversion is meant to be able to differentiate between methylated and un-methylated cytosine bases within said sample, as for example the conversion of un-methylated cytosine bases to bases which hybridize to adenine by the treatment with bisulfite.

An alternative method is to use restriction enzymes that are capable of differentiating between methylated and un-methylated DNA, but this is restricted in its uses due to the selectivity of the restriction enzyme towards a specific sequence.

An overview of the further known methods of detecting 5-methylcytosine may be gathered from the following review article: Rein T, DePamphilis ML, Zorbas H, Nucleic Acids Res. 1998, 26, 2255.

In terms of sensitivity, the prior art is defined by a method, which encloses the DNA to be analyzed in an agarose matrix, thus preventing the diffusion and renaturation of the DNA (bisulfite reacts with single-stranded DNA only), and which replaces all precipitation and purification steps with fast dialysis (Olek A, Oswald J, Walter J (1996) A modified and improved method for bisulfite based cytosine methylation analysis. Nucleic Acids Res. 24: 5064-6). Using this method, it is possible to analyze individual cells, which illustrates the potential of the method.

To date, barring few exceptions (e.g., Zeschnigk M, Lich C, Buiting K, Doerfler W, Horsthemke B (1997) A single-tube PCR test for the diagnosis of Angelman and Prader-Willi syndrome based on allelic methylation differences at the SNRPN locus. Eur J Hum Genet. 5: 94-8) the bisulfite technique is only used in research. Always, however, short, specific fragments of a known gene are amplified subsequent to a bisulfite treatment and either completely sequenced (Olek A, Walter J (1997) The pre-implantation ontogeny of the H19 methylation imprint. Nat Genet. 3: 275-6) or individual cytosine positions are detected by a primer extension reaction (Gonzalgo ML and Jones PA (1997) Rapid quantitation of methylation differences at specific sites using methylation-sensitive single nucleotide primer extension (Ms-SNuPE). Nucleic Acids Res. 25: 2529-31; WO 95/00669) or by enzymatic digestion (Xiong Z, Laird PW (1997) COBRA: a sensitive and quantitative DNA methylation assay. Nucleic Acids Res. 25: 2532-4).

Another technique to detect hypermethylation is the so called methylation specific PCR (MSP) (Herman JG, Graff JR, Myohanen S, Nelkin BD and Baylin SB (1996), Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands. Proc Natl Acad Sci USA. 93: 9821-6). The technique is based on the use of primers that differentiate between a methylated and a non-methylated sequence if applied after bisulfite treatment of said DNA sequence. The primer either contains a guanine at the position corresponding to the cytosine in which case it will after bisulfite treatment only bind if the position was methylated. Or the primer contains an adenine at the corresponding cytosine position and therefore only binds to said DNA sequence after bisulfite treatment if the cytosine was unmethylated and has hence been altered by the bisulfite treatment so that it hybridizes to adenine.

With the use of these primers amplicons can be produced specifically depending on the methylation status of a certain cytosine and will as such indicate its methylation state. The present invention, however, does preferably not include CpGs in the primer sequence.

Another new technique is the detection of methylation via Taqman PCR, also known as MethylLight (WO 00/70090). With this technique it became feasible to determine the methylation state of single or of several positions directly during PCR, without having to analyze the PCR products in an additional step.

In addition, detection by hybridization has also been described (WO 99/28498).

Further publications dealing with the use of the bisulfite technique for methylation detection in individual genes are:

Grigg G, Clark S (1994) Sequencing 5-methylcytosine residues in genomic DNA. Bioassays 16: 431-6; Zeschchnigk M, Schmitz B, Dittrich B, Buiting K, Horsthemke B, Doerfler W (1997) Imprinted segments in the human genome: different DNA methylation patterns in the Prader-Willi/Angelman syndrome region as determined by the genomic sequencing method. Hum Mol Genet. 6: 387-95; Feil R, Charlton J, Bird AP, Walter J, Reik W (1994) Methylation analysis on individual chromosomes: improved protocol for bisulphite genomic sequencing. Nucleic Acids Res. 22: 695-6; Martin V, Ribieras S, Song-Wang X, Rio MC, Dante R (1995) Genomic sequencing indicates a correlation between DNA hypomethylation in the 5' region of the pS2 gene and its expression in human breast cancer cell lines. Gene 157 : 261-4; WO 97/46705; WO 95/15373; WO 97/45560

For all those methods mentioned above, which are based on PCR amplification of bisulfite treated DNA, the biggest challenge is to design primers that are specific.

5

THE PROBLEM AND ITS SOLUTION

There are a number of programs available on the market that offer to design primer pairs in order to amplify a piece of DNA in a PCR. Usually they require as input the
10 template DNA sequence, the preferred melting temperature TM, the desired length of the amplicate and optionally the preferred length of the primer molecules.

However if a primer is required to bind specifically to
15 bisulfite treated DNA, the design of the primer molecule is especially difficult and those tools known in the art are not competent to design primers that lead to specific products. The following problems occur when dealing with
bisulfite treated DNA instead of standard DNA:
20

First, the sequence complexity of the bisulfite treated genome is reduced dramatically. Complexity in this context is meant to be a measure for the similarity of a given sequence to a random or stochastic sequence; the
25 more complex a sequence is the more it is similar to a random sequence. A reduced complexity of the genome means there are less degrees of variation. Where there are essentially only three different nucleotides rather than four, the probability of a sequence to occur twice in a
30 given length of sequence is much higher. For example, a primer molecule of 20 nucleotides in length is likely to be unique in the human genome, if it is not part of a repeat sequence: The human genome is known to consist of about 3×10^9 bases. There are $4^{20} \approx 10^{12}$ different ways
35 to form sequences of a length of 20 nucleotides, assuming equidistribution of the bases, which makes multiple oc-

currences of a given 20-mer (oligonucleotide of 20 nucleotides) extremely unlikely. However since there are only $320 \approx 3 \times 10^9$ different 20-mers possible over a 3-letter alphabet, this multiple occurrence cannot be excluded. In addition a bisulfite treated sequence, enriched in thymine in the sense strand and enriched in adenine in the reverse complementary strand, will contain more repeats and regions of general low complexity.

- 10 Another way to enhance or guarantee uniqueness of primer and/or oligo molecules is to estimate their expected frequency in the genome based upon a Markov model of order n for the human genome or to check their uniqueness explicitly by counting their exact occurrence. The estimation
15 based upon the Markov model relies upon the determination of the probabilities of all 4^n n-mers (oligo molecules of n nucleotides) in the human genome or in all amplificates which are used in the hybridization and the conditional probabilities of all four bases given these n-mers. The
20 primer pairs will be constructed from forward and reverse oligos which lie within an appropriate distance to each other and which have minimal individual expected occurrence elsewhere in the genome.
- 25 A second challenge in primer design for bisulfite treated DNA is that the melting temperature TM of a bisulfite DNA primer of a certain length is typically lower than the melting temperature TM of a standard primer containing cytosines. This is due to the fact that every cytosine in
30 a bisulfite treated DNA is - after amplification by PCR - replaced by thymine. Cytosine binds its corresponding base guanine via three hydrogen bonds, whereas thymine binds its corresponding base adenine via two hydrogen bonds only, leading to a generally weaker binding, a
35 lower TM.

A third problem arises from the fact that bisulfite treated sequences are not only lacking cytosines but are also thymine-rich. Thymine also hybridizes unspecifically with guanine. This makes mismatching (unspecific binding of a primer to a sequence not identical) of a primer designed for bisulfite treated DNA much more likely than mismatching of a standard primer consisting of four different nucleotides.

It is the aim of this invention to overcome these problems, which are specific for primer based amplification of bisulfite treated DNA.

For a so called "multiplex PCR" it becomes especially difficult to design primer pairs. This expression is used to describe an experiment in which several different pieces of DNA are amplified simultaneously, in one reaction vessel and at the same time. Obviously this saves a lot of effort and time and is as such a basic requirement for high throughput assays based on PCR amplification. An overview on the state of the art concerning multiplex PCR is given by Henegariu et al. (Henegariu O, Heerema NA, Dlouhy SR, Vance GH and Vogt PH (1997) Multiplex PCR: Critical Parameters and Step-by-Step Protocol. BioTechniques 23: 504-511), who offer a step-by-step protocol on how to tackle multiplex PCR problems. However, the possibility of a special primer design is not mentioned in this article.

To ensure that the multiplex PCR works and the multiple products are amplified indeed usually a gel electrophoresis of the reaction mixture is performed. The products get separated due to their different sizes. Unfortunately, the ability of agarose gel electrophoresis to distinguish the products is slightly limited. However, it is possible to test for different product sizes with the

means of a fragment analyzer, which is much more accurate and able to distinguish product sizes of one base difference. Hence different product sizes are no longer a requirement to be considered in the primer design for a
5 multiplex PCR.

In patent WO 01/94634 a method for a multiplex PCR using at least two primer pairs is described that consists of basically a two step amplification procedure wherein one
10 step is referred to as pre-amplification. After pre-amplification (by means of PCR) with a number of primer pairs the sample gets divided into as many portions as there are primer pairs. At least one (and preferably only one) of the previously used primer pairs is added. This
15 method doesn't relate in any way to the selection or design of primer molecules described herein.

In an article by Shuber et al. (Shuber AP, Grondin VJ and Klinger KW (1995) A simplified procedure for developing
20 multiplex PCRs. Genome Res 5 (5) : 488-493) regarding multiplex PCR, the authors suggest to use primers, which contain a 3' region complementary to sequence specific recognition sites and a 5' region of a defined length of 20 nucleotides each. The authors claim that they could
25 establish identical reaction conditions, cycling times and annealing temperatures for any PCR primer pair following those requirements.

In several recent papers successful multiplex PCRs have
30 been established. For example, Becker et al. have reported the development of a multiplex PCR reaction for the detection of multiple staphylococcal enterotoxin genes, which uses individual primer sets for each toxin gene (Becker K, Roth R and Peters G (1998) Rapid and specific detection of toxigenic *Staphylococcus aureus* : use
35 of two multiplex PCR enzyme immunoassays for amplifica-

tion and hybridization of staphylococcal enterotoxin genes, exfoliative toxin genes, and toxic shock syndrome toxin 1 gene. J. Clin. Microbiol. 36: 2548-2553). This has been developed even further by Monday and Bohach, by increasing the number of primer pairs applied in one reaction up to about 10 in order to have one assay to amplify all of the characterized enterotoxin genes. This still required a unique established primer pair for the detection of every individual gene (Monday SR and Bohach GA (1999) Use of multiplex PCR to detect classical and newly described pyrogenic toxin genes in staphylococcal isolates. J. Clin. Microbiol. 37: 3411-3414).

In another paper by Sharma et al. a method for a one-vessel-multiplex PCR is described wherein each of six chosen primer pair consists of one identical universal forward primer, based on a highly conserved region of those genes of interest and one reverse primer, specific for each individual gene. As such the assay leads to a rapid amplification of a family of genes, which all have a conserved region in common. It is designed to detect presence or absence of certain genes in an unknown mixture. No further information is given about the primer design, apart from saying that they were designed by alignment of published DNA sequences. This is certainly not the only requirement though, as one big limitation of the method is the need of getting PCR products of different sizes in order to identify those in the end (Sharma NK, Rees CED and Dodd CER (2000) Development of a single-reaction multiplex PCR toxin typing assay for *Staphylococcus aureus* strains. Applied and Environmental Microbiology 66 (4) : 1347-1353).

In the patent application WO 01/36669 a method is described which uses a similar approach for the controllable amplification of a higher number of

sequences in selecting one randomly chosen reverse primer that hybridizes unspecifically and a number of specific forward primers to amplify a group of sequences. As the reverse primer is labeled all products formed will be
5 labeled as well. By hybridizing said amplicons towards immobilized detection oligos, which are able to differentiate the products, it will be easy to see which products have been amplified and herein the presence or absence of said sequences in the mixture can be
10 determined.

The big disadvantage in all these methods is that every primer pair needs to be established individually first to ensure that a PCR product of the expected size was produced and that no additional or nonspecific products are
15 generated. Once the specificity of the primer pairs had been determined, PCR conditions, buffers, and primer concentrations need to be optimized to establish conditions under which the primer molecules can be combined into one
20 single PCR reaction without affecting the ability of the primer pairs to generate a gene specific amplicon.

A more recently published approach by Nicodeme and Steyaert describes the conditions required for multiplex
25 PCR and suggests an algorithm to automatically select for primer pairs (Nicodeme P and Steyaert JM (1997) Selecting optimal oligonucleotide primers for multiplex PCR. Proc. Int. Conf. Intell Syst Mol Biol; 5 : 210-213). In this approach the conditions for pre-selecting primer pairs
30 for a successful one locus amplification (singleplex PCR conditions) are rather broad. The three basic requirements are the pairing distance between a forward and a reverse primer, the condition of non-palindromicity of a primer, and the condition that the 3' end of a primer
35 must not be reverse complementary to any of the other primers sequence. This selection is done with the help of

a typical primer design program called PRIMER. However, PRIMER is a two step program, and in this approach the new method to design primers for a multiplex PCR takes the output from step 1 as input, which is a list of possible forward and a list of possible reverse primers for every amplicon.

The only further selection criteria for the multiplex PCR primers are the absence of the reverse complementarity of their 3' end towards the other primer sequences in the experiment. A second critical factor considered here is the GC versus AT ratio. To some extent it is this ratio that determines the melting temperature of a primer pair. The authors suggest to limit the GC/AT ratio to be inside a given range which would enable the simultaneous hybridization of several primer pairs at one reaction temperature. The final requirement is the electrophoresis distance, determined by the tool that is used to differentiate the PCR products in, for example, a gel electrophoresis. This most common method requires the products to be of different sizes. The whole concept of this method also requires to have a pool of possible primer pairs for each amplicon.

The design of suitable primers for a multiplex PCR on bisulfite treated DNA is an even greater challenge. The low complexity of the DNA, being reduced to essentially three different bases rather than four different bases, requires an extra careful selection of primers to avoid mismatching and unwanted amplification.

In the scope of this invention the word "mismatching" corresponds to the situation when the alignment of two sequences which are essentially complementary reveals positions in one of the sequences where the nucleotide base does not align with its corresponding base but a differ-

ent one. The corresponding or complementary base pairs are adenine and thymine, cytosine and guanine, uracil and adenine. For example, a cytosine that aligns with a thymine in its otherwise complementary sequence creates a
5 mismatch of one base or nucleotide.

Accordingly "base mismatches" refers to the situation of a base mismatching with another as explained above, respectively "one or more base mismatches" refers to one or
10 more bases (in a given sequence) that cannot be aligned with their corresponding bases.

Also, when the alignment reveals single nucleotide gaps in one of the aligned sequences this is understood under
15 the term "mismatch" in the scope of this invention.

A 'gap' is to be understood as follows: If an alignment reveals that, in order to get the highest number of corresponding base pairs aligned, some bases are lacking a
20 corresponding base in its otherwise complementary sequence, this is called a gap. Such a gap can have a length of one or more nucleotides.

To solve the problems mentioned above we invented a
25 method consisting of several steps that is applicable for the amplification of nucleic acids in singleplex as well as in multiplex PCR experiments.

SUMMARY OF THE INVENTION

30

The method is comprised of the following steps:
Firstly, the nucleic acid sample containing the region of interest, which is to be amplified, is isolated. Secondly, this nucleic acid sample is treated in a manner
35 that differentiates between methylated and un-methylated cytosine bases within said sample. Thirdly, a reaction

5 mixture is set up containing a) the treated template nucleic acids, carrying the region of interest (also called: target nucleic acid) that is to be amplified, b) specified oligo-nucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer.

10 Said specified oligo-nucleotide primers are characterized in that their sequences each reach a predefined measure of complexity (as described in detail below) every possible combination of two primer molecules in said reaction mixture has a melting temperature below a 15 specified threshold temperature none of the possible combinations of two primer molecules in said reaction mixture leads to the amplification of an additional unwanted product as determined by virtual testing for amplification.

20 In the last step of the method said amplified target nucleic acid is detected by means commonly used by one skilled in the art.

25 The invention is composed of a method for the amplification of nucleic acids comprising the following steps of isolating a nucleic acid sample, treating said sample in a manner that differentiates between methylated and unmethylated cytosine bases within said sample, amplifying 30 at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that a) each primer molecule sequence reaches a predefined 35 measure of complexity, b) every combination of any two primer molecules in the set has a melting temperature be-

low a specified threshold temperature and c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template and the last step of detecting said amplified target nucleic acid.

More detailed description of the method:

10

The method is comprised of the following steps:

15

In the first step of the method, the nucleic acid sample, which contains the region of interest that is to be amplified, must be isolated from tissue or cellular sources. Such sources may include at least one cell, but usually several cells, cell lines, histological slides, bodily fluids, or tissue embedded in paraffin.

20

In a preferred embodiment of this invention the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.

25

For example a certain kind of organ sample from a patient or an animal can be used to extract genomic DNA by the usually applied methods. Preferably, in this invention DNA is extracted from a tissue sample or a biological fluid like blood, serum, urine or other fluids. 'Bodily fluid' herein refers to a mixture of macromolecules obtained from an organism. This includes, but is not limited to, blood, blood plasma, blood serum, urine, sputum, ejaculate, semen, tears, sweat, saliva, lymph fluid, bronchial lavage, pleural effusion, peritoneal fluid, meningeal fluid, amniotic fluid, glandular fluid, fine needle aspirates, nipple aspirate fluid, spinal fluid, conjunctival fluid, vaginal fluid, duodenal juice, pancreatic juice, bile and cerebrospinal fluid. This also

includes experimentally separated fractions of all of the preceding. 'Bodily fluid' also includes solutions or mixtures containing homogenized solid material, such as feces.

5

The nucleic acids may include DNA or RNA. Isolation may be by means that are standard to one skilled in the art, this includes for example extraction of DNA with the use of detergent lysates, sonification and vortexing with glass beads. An example is the extraction of DNA from a piece of a plant, like a leave or fruit. Once the nucleic acids, like genomic double stranded DNA, have been extracted they are used in the analysis.

10 15 In a preferred embodiment of this invention the nucleic acid sample is comprised of plasmid DNA, BACs (bacterial artificial chromosomes), YACs (yeast artificial chromosomes) or genomic DNA.

20 25 In another especially preferred embodiment of this invention the nucleic acid sample is comprised of human genomic DNA. It is preferred that the nucleic acids are of human origin.

30 35 In the second step, this nucleic acid sample is treated in a manner that differentiates between methylated and un-methylated cytosine bases within said sample. Cytosine bases which are unmethylated at the 5'-position are converted to uracil, thymine, or another base which is dissimilar to cytosine in terms of hybridization behavior. This will be understood as 'treatment' hereinafter. The method most commonly used so far is the so called bisulfite treatment.

35 This step is of essential meaning to the process as it translates the methylation pattern of said nucleic acids

into a pattern that is something like an imprint of the methylation status itself. It contains essentially the same information but the pre-treated nucleic acids are no longer sensitive to amplification via PCR. Amplification
5 via PCR does not differentiate between methylated and un-methylated cytosines and therefore leads to the loss of this level of information. The original methylation status however can be deducted whenever the described pre-treatment had been performed prior to the amplification step. Hence any means suitable to differentiate between a methylated and an un-methylated cytosine base are applicable, as long as the modified bases are still capable of being amplified by enzymatic means after treatment.

15

It is a preferred embodiment of this invention that said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite. A treatment of genomic DNA as described above is carried out with bisulfite (hydrogen sulfite, disulfite) and subsequent alkaline hydrolysis which results in a conversion of non-methylated cytosine nucleobases to uracil or to another base which is dissimilar to cytosine in terms of base pairing behavior.

25

In the third step of this method, a reaction mixture is set up containing a) the treated template nucleic acids, comprising the region of interest (also called target nucleic acid) that is to be amplified, b) specified oligonucleotide primers, c) an enzyme capable of amplifying said nucleic acids in a defined manner, for example a polymerase, d) the necessary nucleotides required for the nucleic acid synthesis and e) a suitable buffer. The template nucleic acid contains at least one target nucleic acid, which is amplified in the reaction. One primer
30 molecule of the at least one primer pair in the reaction mixture is capable of binding to the 3' end of one speci-

35

- fied target nucleic acid. The first primer binds to the 3' end of the target sequence, this primer is elongated and a complementary sequence to the target sequence is made. The polymerase stops to elongate unspecifically.
- 5 The next cycle starts by thermally denaturing the now double stranded template nucleic acid into single stranded template nucleic acids. This is followed by the next phase of annealing when both primer molecules specifically bind to the target nucleic acid and its complementary strand. The second primer is identical to the 5' end of the target molecule. It doesn't bind to the target sequence itself but to said complementary nucleic acid to the target sequence, as soon as this is denatured from the template.
- 10
- 15 The process is finished by the actual amplification phase at a slightly lower reaction temperature, during which the enzyme, for example the polymerase elongates the primer as a complementary sequence to the target nucleic acid. The polymerase elongates this second primer by using the first copy as template until the end of said copied nucleic acid is reached. That way an identical copy to the original single stranded target nucleic acid is created. Hence, the length of the amplicon is determined by choosing the two primers.
- 20
- 25
- 30 The elongation products, being complementary to each other and hereby building a double stranded version of the target nucleic acid, serve as additional targets for the primer molecules binding in the next cycle of amplification.
- 35 Essentially step 3 of the method is comprised of amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules.

5 Said primer molecules used in said method are characterized in that they, in addition to fulfilling all the usual requirements towards a PCR primer as will be specified in more detail later, also fulfill the following requirements:

10 Firstly, the sequence of each primer molecule used in step 3 of this method reaches a predefined measure of complexity.

In a preferred embodiment of this method the primer molecules are reaching a certain value of linguistic complexity. A notion and a measure of linguistic complexity has
15 been introduced by Trifonov in 1990 and has been used for analysis of nucleotide sequences before (Trifonov, EN (1990) Making sense of the human genome. In Structure & Methods. Vol 1 pp 69-77 (eds. Sarma, RH and Sarma MH, Adenine Press, Albany, US)). The linguistic complexity
20 technique allows a calculation to be made of the structural complexity of any linear sequence of characters irrespective of whether the text is cognized or presently undeciphered. The sequences are compared exclusively from the point of view of their structural complexity with no
25 reference to the meaning of the texts. In 1997 Trifonov published how the linguistic complexity of nucleosomal sequences is defined (Bolshoy, A; Shapiro, K; Trifonov, E and Ioshikhes I. (1997) Enhancement of the nucleosomal pattern in sequences of lower complexity. NAR 25 (16):
30 3248-3254). Quote: "The linguistic complexity measure exploits the major distinguishing feature between natural nucleotide sequences and uniformly random ones: the repetitiveness of the natural sequences, i.e. the frequent repetition, not necessarily a tandem one, of some oligonucleotides ("words"), while others are avoided. (...) Complexity can be directly calculated as the extent to
35

which the maximal possible vocabulary (all word sizes considered) is utilized in a given strength of sequence (...)."

5 In another preferred embodiment of this method said measure of complexity is set by the so called Shannon entropy (Shannon, C E, (1948) A Mathematical Theory of Communication, University of Illinois Press, Urbana). This is the most common measure to assess the information content (in
10 a technical, non-semantic meaning) of linear information carriers. It attributes the maximal value (which can be chosen to be 1 without restrictions) to sequences where all symbols (characters) occur at equal probability and a value of 0 to sequences consisting of just one repeated
15 symbol (character, letter). A derived and more general measure is the higher order Shannon entropy which attributes maximal value to sequences where all its subsequences occur at equal probability and a value of 0 or close to 0 to sequences consisting of periodic repetitions of short subsequences. The practical determination
20 of the (higher order) Shannon entropy however is limited by the finite lengths of sequences which often does not permit a precise estimation of the probability distribution of their constitutive symbols.

25 Further possible measures are for example the Lempel-Ziv complexity (Lempel, LB and Ziv, J (1976) On the complexity of finite sequences. IEEE Trans. Inf. Theory IT-22, 75-81), the grammar complexity (Ebeling, W; Jimenez-Montano, MA (1980) On Grammars, Complexity and Information Measures of Biological Macromolecules. Mathematical Bioscience 52, 53-71), the algorithmic complexity (Chaitin, 1990) and the conditional entropy.

35 Secondly, said primer molecules are also characterized in that every possible combination of any two primer mole-

cules, in the set, has a melting temperature below a specified threshold temperature. That way the accumulation of dimers caused by the binding of two primer molecules to each other in said reaction mixture is excluded.

5 The number of primer pairs used in that step can be any between one and n, leading to one or n amplificates respectively (n being a natural number).

As mentioned in the text the word "dimer" refers to a
10 secondary structure formed by the hybridization of two primer molecules to each other.

As referred to in the text 'melting temperature' refers to the temperature at which 50% of the nucleic acid molecules are in duplex and 50% are denatured under standard reaction solution conditions.

Some primer design tools disqualify a primer if, besides the target sequence, a second identical sequence can be found in the template. However, due to the higher probability of a bisulfite primer to mismatch with non-identical bisulfite treated DNA, it is an embodiment of this invention that only those primers are allowed to be used in said amplification method, for which no sequence homology can be found, to the extent that even those sequences that are different and/or mismatching in several nucleotides are excluded. However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template in a distance allowing for the amplification of an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an in silico virtual PCR carried out in order to assess the suitability of primer molecules prior to in vitro PCR. In
20 the scope of this invention this testing will be called
25
30
35

'virtual testing' and it will be referred to as "virtually tested" or "virtually testing".

Thirdly, the primers used in step 3 of this invention are
5 characterized, in that every possible combination of two
primer molecules, in said reaction mixture, does not lead
to the amplification of an additional unwanted product,
when virtually testing for amplification using the
treated and the untreated nucleic acid sample as tem-
plate, even under conditions allowing for at least one
10 base but not more than 20% of the total number of bases
per sequence mismatching per primer. In the scope of this
invention it is to be understood that those primer mole-
cules are considered to bind to the template for which a
15 template sequence exists that is in at least 80% of its
nucleotide sequence identical to the target sequence the
primer originally has been designed for. For example, a
primer molecule of 50 nucleotides length is considered to
still hybridize to a template sequence that differs in
20 less than 11 nucleotides (= is identical in at least 80%
of its nucleotide sequence) from the according target se-
quence. If a match is considered to be possible it has to
be tested whether this match would lead to the amplifica-
tion of an unwanted product. This can be done with the
25 use of a program similar to e-PCR (see below).

Especially preferred is an embodiment of said method
wherein the ability of said primer molecules to amplify
an unwanted product is tested by means of in silico PCR,
30 taking as template nucleic acid the coding strand of the
treated sample, the non-coding strand of the treated sam-
ple and both of the strands of the untreated sample. It
is especially preferred to perform the virtual testing
with a tool like electronic PCR on the pretreated, pref-
35 erably bisulfite treated, template sequence consisting of

the treated sense and the treated anti-sense strand, and on the unconverted template.

Furthermore it is preferred that this treatment is bisulfite treatment and hence the nucleic acid template is the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome. Preferred is an embodiment of said method wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, hereby taking as template nucleic acid the bisulfite converted coding strand of the human genome, the bisulfite converted non-coding strand of the human genome and both of the strands of the untreated human genome.

It is preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer.

It is also preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer.

It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer.

It is a preferred embodiment of this invention that the number of mismatches allowed for when virtually testing

the amplification of unwanted products according to step 3 c) of the invention is less than seven.

5 It is especially preferred that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than five.

10 It is another preferred embodiment of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than three.

15 It is especially preferred in the scope of this invention that the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is one.

20 It is also included in the scope of this invention to consider such primer molecules as being sufficiently similar to facilitate their binding to the template sequence, for which a template sequence can be found that differs in the number of nucleotides but is otherwise identical to the target sequence. When the alignment of 25 the primer and the template sequence leads to a gap of up to 20% of the nucleotides of one sequence, preferably of the primer sequence, this shall still be considered to be sufficient for binding and hence potentially leading to the amplification of an unwanted product. Therefore these 30 primers also need to be tested with the means of virtual PCR (for example with a program like e-PCR). Only if this test reveals the virtual amplification of an unwanted product caused by the combination of two primers, the according primer pairs are excluded from the set of selected pairs.

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 20% of the number of nucleotides of the primer molecule.

It is also preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 10% of the number of nucleotides of the primer molecule.

It is preferred that the number of nucleotides creating one gap, in one of the sequences, when aligning the primer molecule sequence with the template sequence, allowed for when virtually testing the amplification of unwanted products according to step 3 c) of the invention is less than 5% of the number of nucleotides of the primer molecule.

Both of these situations, mismatching due to an alternative nucleotide or no-matching due to a missing nucleotide, are meant to be covered in the expression describing those primer molecules that will eventually be selected : "said primer molecules are characterized in that every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template".

It is also preferred that the primer molecules that exceed a pre-specified melting temperature when binding to the template have to be virtually tested for amplification of unwanted products using the treated and 5 the untreated sample nucleic acids as template according to step 3 c) of the method.

The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite 10 DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually into its bisulfite treated version before performing a similarity 15 search against the primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two no longer complementary strands this virtual hybridization test needs to be done against both bisulfite converted strands. In addition in most cases the template 20 DNA is contaminated with unconverted genomic DNA. To also exclude unwanted amplification on the unconverted DNA as template, the same hybridization test has to be performed 25 a third time using the whole human genome sequence as a template.

Therefore it is a preferred embodiment of this invention that the ability of said primer molecules to amplify an 30 unwanted product is tested by means such as electronic PCR.

In the last step of the method said amplified target nucleic acid gets detected by any means standard to one 35 skilled in the art.

In a preferred embodiment of this method the set of primer molecules is comprised of at least two primer molecules but not more than 64 primer molecules, given the number is a multiple of 2; in other words, the set is 5 comprised of 1-32 primer pairs.

In another preferred embodiment of this method the set of primer molecules is comprised of between 2 and 32 primer molecules, given the number is a multiple of 2; in other 10 words the set is comprised of 1-16 primer pairs.

In a preferred embodiment of this method, said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, 15 wherein said nucleotide is complementary to a nucleotide of the target sequence that, as a result of the treatment performed in step 2) of the invention, changed its hybridization behavior.

20 It is a preferred embodiment of this method, that said primer molecule comprises at least one nucleotide within the last three nucleotides from its 3' end that is complementary to a nucleotide of the target sequence that was converted by the treatment performed in step 2 of the 25 method to another base exhibiting an alternative base pairing behavior.

In an especially preferred embodiment said nucleotide is 30 a cytosine prior to the treatment that converts unmethylated cytosines. In a preferred embodiment said treatment is bisulfite treatment. Said primer molecule comprises at least one nucleotide within the last three nucleotides from the 3' end of the molecule, wherein said nucleotide is complementary to a cytosine, that was converted by bisulfite treatment to another base exhibiting the base 35 pairing behavior of thymine.

This is to exclude binding of said primer molecules to
the remaining untreated or un-sufficiently treated nu-
cleic acids, which might still serve as template nucleic
5 acid in the PCR.

Furthermore it is a preferred embodiment of this inven-
tion that said primer molecules do not form loops or
hairpins on their own or with each other.

10

In another preferred embodiment of the method said primer
molecules do not form dimers with each other.

15

In the text the word 'hairpin' is taken to mean a sec-
ondary structure formed by a primer molecule when the 3'
terminal region of said nucleic acid hybridizes to the 5'
terminal region of said nucleic acid forming a double
stranded stem structure and wherein only the central re-
gion of the primer is single stranded.

20

As described in the text the word 'loop' refers to a sec-
ondary structure formed by a primer molecule when two or
more nucleotides of said molecule hybridize thereby form-
ing a secondary structure comprising a double stranded
25 structure one or more base pairs in length and further
comprising a single stranded region between said double
stranded region.

30

The binding of a primer molecules 3' end to any part of a
second primer molecule in the set needs to be avoided.
Otherwise the polymerase would extend the first primer
using the second primer as template, which would lead to
a new unwanted product, an extended primer, or rather a
primer-hybrid, which would serve as the preferred tem-
35 plate for the next round of the polymerase chain reaction

and thereby prevent a sufficient amplification of the wanted product.

Therefore it is another preferred embodiment of this
5 method that each of said primer molecules is character-
ized in that the last at least 5 bases at the 3' end of
said primer molecule are not complementary to the se-
quence of any other primer molecule in the set.

10 It is also preferred that said primer molecules do not
bind to nucleic acids which prior to treatment of step 2
contained a 5'-CG-3' site. This would lead to a binding
of the primers to bisulfite treated nucleic acids, spe-
cifically depending on their cytosines methylation
15 status. A CG corresponding primer would bind to the
treated methylated version only, whereas a primer corre-
sponding to TG would bind to the treated unmethylated
version of these nucleic acids only. It is therefore pre-
ferred that said primer molecules do not contain nucleic
20 acid sequences complementary or identical to nucleic acid
sequences which prior to treatment of step 2 contained a
5'-CG-3' site.

In a preferred embodiment of this method said primer
25 molecules are of a specified size range.

It is especially preferred that these primers are com-
prised of 16-50 nucleotides.

30 In a preferred embodiment of this method said primer
molecules do not comprise sequences that are complemen-
tary to regions of the target nucleic acids that con-
tained specified restriction enzyme recognition sites
prior to the treatment that altered the unmethylated cy-
35 tosines base pairing behavior. It is preferred that said
primers are complementary to target sequences which prior

to the treatment performed in step 2 of the invention did not contain specified restriction enzyme recognition sites.

5 By selecting for the right primer molecules also the amplificates sequence is determined. That is why it has to be taken into account to only use those primer molecules that lead to amplification of nucleic acids containing a reasonable high number of CpG sites to be analyzed. Due
10 to the treatment of step 2 of this invention these CpG sites, depending on the methylation status of the cytosine, are converted and will therefore either appear as CG dinucleotides or as TG dinucleotides in the amplificate.

15

It is preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than eight 5'-CG-3' sites also referred to as CG dinucleotides.

20

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than six 5'-CG-3' sites also referred to as CG dinucleotides.

25

It is also preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than four 5'-CG-3' sites also referred to as CG dinucleotides and finally it is especially preferred that said primer molecules amplify regions of nucleic acids that prior to bisulfite treatment comprise of more than two 5'-CG-3' sites also referred to as CG dinucleotides.

35

Said primer molecules lead to amplificates within a specified size range.

It is a preferred embodiment of this sequence that said primer molecules lead to amplificates which are comprised of at least 50 bp but not more than 2000 bp.

5

Especially preferred are primer molecules that lead to amplificates which are comprised of at least 80 bp but not more than 1000 bp.

10 Furthermore a method is preferred wherein said primer molecules lead to amplificates of treated nucleic acids which prior to the treatment which altered the unmethylated cytosines base pairing behavior did not contain restriction enzyme recognition sites. Said primer molecules
15 lead to amplificates that are amplified regions of the treated nucleic acids which prior to the treatment performed in step 2) of the method did not contain specified restriction enzyme recognition sites.

20 A further subject of this invention is a method on how to produce said primer molecules. The main step of producing a primer molecule is determining its sequence. In the following the phrase "primer design" will be used instead of primer production, whenever it is referred to the step
25 of determining said specific primer sequences. Designing primer molecules is a process which as such is well known to scientists skilled in the art. The programs usually used for this purpose are such as PRIMER3 or OSP (Rozen S and Skaletsky H (2000) PRIMER3 on the WWW for general users and for biologist programmers. Methods Mol Biol 132: 365-386; Hillier L and Green P (1991) OSP: A computer program for choosing PCR and DNA sequencing primers. PCR Methods and Applications 1: 124-128). Other primer design systems (like described in EP-A 1136932) are often based
30 35 on those commonly known programs.

An embodiment of this invention takes advantage of using a program like PRIMER3 first, to then add a number of steps that finally result in an advanced method of designing primers that are specifically useful for amplifying sequences of low complexity.

In the first step of this method for designing specific primer molecules for nucleic acids of low complexity, primer pairs that amplify single products are selected by applying standard tools of primer design known in the art, like for example the program PRIMER3 (Rozen, S and Skaletsky, H (2000) Methods Mol Biol 132: 365-386).

In the second step of the method said primer pairs are tested whether or not one of its primer molecules when hybridizing to any other primer molecule in the set exceeds a specified threshold melting temperature TM. If this is the case the primer pair that comprises of said primer is excluded from the set of potentially combined pairs.

In the third step of the method the number of previously selected primer pairs, is reduced to a smaller number by implementing as new criteria a measure for the primer sequence's complexity. Primer pairs that consist of a primer molecule which does not meet said criteria are excluded.

The basic problem of finding a primer specific enough to give only one product on the little complex bisulfite DNA, is finally solved by testing each potential primer pair for hybridization across the whole bisulfite converted human genome. This requires translating the whole human genome sequence information virtually (as in "in silico") into its treated, for example bisulfite treated, version before performing a similarity search against the

primer pairs, which is based on a method like the so called e-PCR (Schuler G.D. (1997) Sequence Mapping by electronic PCR. Genome Research 7(5): 541-550). However, as the bisulfite conversion results in two different versions of the double helix whose sense and anti-sense strands are no longer mutually complementary, this in silico amplification needs to be performed on both bisulfite converted versions of the genome. In addition in most cases the template DNA is contaminated with unconverted genomic DNA. It cannot be excluded that single cytosines or longer runs of DNA remain unconverted or are only converted incompletely by the bisulfite treatment. To also exclude unwanted amplification of the unconverted DNA as template, the same hybridization test has to be performed a third time using the whole human genome sequence as a template.

As this is quite some effort and requires time (CPU time) this is the fourth and last step of this design method, that is absolved prior to the final testing in a "wet", lab based, experiment.

In addition to improve the specificity of said primer molecules the stringency of the selection criteria is increased: Some standard primer design tools disqualify a primer if in the template sequence, a second identical sequence, besides the target sequence, can be found. That way mispriming at rather stringent hybridization conditions is avoided. This mispriming would not necessarily lead to an additional unwanted product, but would lead to the dilution of the primer molecules available for amplification. This selection has been performed in step one already (for example by PRIMER3). However, due to the higher probability of a bisulfite primer molecule to mismatch with non-identical bisulfite treated DNA, there is still a chance for said primer

molecules to misprime even when up to 20% of the nucleotides of the primer sequence differ. Therefore it is claimed in this invention to only use primer molecules for which not even a weak sequence homology can be found.

5 However, this would exclude primer molecules unnecessarily. Therefore they are only excluded if two primer molecules match to the template and amplify an unwanted product. This test is performed by means as, for example, the Electronic PCR. Electronic PCR (e-PCR) is an

10 in silico virtual PCR carried out in order to asses the suitability of primers prior to in vitro PCR.

In the fourth step of the method on how to design these primers it is therefore tested whether there are any regions of the template nucleic acid, said template being comprised of the sense and the anti-sense strand of the treated and the untreated nucleic acids, that are identical in sequence with the primer molecule to more than 80% and if those primer molecules are able to

15 amplify an unwanted product. If this is the case, the primer pair comprising said primer molecule is excluded from the selection.

The template nucleic acid is comprised of the treated template nucleic acid and the untreated template nucleic acid. The treated nucleic acid in itself is comprised of a two strands which after treatment are not complementary to each other anymore. This virtual testing for example can be performed as described by Gregory Schuler in his

20 article (cited above) about sequence mapping by "Electronic PCR". The primer pairs remaining can be used to specifically amplify regions of nucleic acids of low complexity, which is the aim of this invention. Hence step 4 of the design method is the virtual testing of

25 each possible primer pair combination, under pre-specified conditions at a stringency allowing for one or

more base pair mismatches, as to whether no unwanted nucleic acids are amplified. Said virtual testing is carried out upon both untreated and treated nucleic acids. The wording "possible combinations" refers to all 5 combinations that are possible within a set of primer pairs to be used in one amplification reaction vessel.

In a preferred embodiment an additional step is added following the virtual testing, which is testing in a lab 10 based single PCR assay all those pairs that remained, whether the desired amplicate can be obtained or not. If that is the case, the chosen pairs can be used to specifically amplify those regions of nucleic acids of low complexity according to the method as described 15 before.

In a specially preferred embodiment the first step of the design method is characterized as selecting a pool of possible primer pairs per amplicate by means of a standard PCR primer design program using said nucleic acids 20 as template that have been masked for repeats and SNPs considering the following factors: length of amplicate, length of primer, melting temperature of the primer molecule, dimer formation parameters, loop formation parameters, exclusion of unidentified or 25 ambiguous nucleotides in the primer sequence, exclusion of restriction enzyme recognition sites.

In a preferred embodiment of this invention this measure 30 of complexity is a measure of linguistic complexity as defined by Bolshoy et al. (see above). Those primer pairs are excluded from the previously selected ones, which comprise of one primer that doesn't reach a set level of this linguistic complexity.

In another preferred embodiment of this invention this measure of complexity is a measure of Shannon entropy (as described before).

5 In an especially preferred embodiment of this design method, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs which consist of a primer molecule that comprises of at least one CpG site, is carried out.

10

In an especially preferred embodiment of this method according to the design of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining pairs when one of its primer molecules 15 does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment, is carried out.

20

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step, of excluding primer pairs from the remaining primer pairs which amplify a nucleic acid that did not prior to treatment with bisulfite 25 contain a minimum of two CpG sites, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding primer pairs from the remaining primer pairs when one of its primer molecules contains more than 5 bases at its 3' end that are complementary to any other primer molecules sequence in the set, is carried out.

35

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one 5 primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of mismatching nucleotides of 20% of the number of nucleo- 10 tides of the primer molecule, is carried out.

In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the 15 remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for a number of 20 nucleotides creating one gap, when aligning the primer 20 molecule sequence with the template sequence, of up to 20% of the number of nucleotides of the primer molecule, is carried out.

25 In an especially preferred embodiment of this method according to the production of said primers, prior to performing step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer 30 molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of the amplification method under conditions allowing for four or less mismatching base pairs, is carried out.

35 In an especially preferred embodiment of this method according to the production of said primers, prior to per-

forming step d) the additional step of excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when
5 virtually testing according to step 3 c) of the amplification method under conditions allowing for two or less mismatching base pairs, is carried out.

The following example is intended to illustrate the invention :
10

Example

Here we present experimental data that shows that multiplex PCRs designed with a tool according to this invention are more successful compared to multiplex PCRs not
15 designed in this manner.

It is the aim of the experiment to amplify 40 different nucleic acids. The genomic regions of interest are given
20 in the sequence protocol (SEQ ID 41-80). These genomic sequences were translated into their bisulfite converted versions and served as templates for amplification of specific regions with the primer sequences described as
25 follows.

Primer molecule pairs used for single PCRs were originally designed with the use of the standard primer design program PRIMER3 (as mentioned in the description). The
30 criteria used in that step will not be discussed in detail. This selection however provides several possible primer pairs per amplicon. Following the present invention these primer pairs were selected further, according to the following criteria:

- The restriction enzyme recognition site to be excluded from the genomic nucleic acid (which subsequent to bisulfite conversion becomes the template for the PCR amplification step) is : GTTTAAAC.
- 5
- The minimum length of the primer molecule is 18 nucleotides. The maximum length is 27 nucleotides. Ideally the primer consists of 22 nucleotides.
- 10
- The minimum required measure of linguistic complexity is 0.2.
- 15
- The minimum melting temperature of a primer molecule is 54°C and the maximum melting temperature is 57°C. The ideal melting temperature however is 55°C.
- The minimum length of an amplicate is 100 bp and the maximum length is 500 bp.
- 20
- The minimum number of CpG sites, that were present in the region of the nucleic acid, prior to bisulfite treatment, that was amplified is 4.
- 25
- The number of mismatch bases allowed for when virtually testing the primer pairs according to the invention for amplification of an unwanted product with the help of e-PCR (Electronic PCR) is 2.
- 30
- The use of this invention, that is the use of either the design method, being the subject of the invention, and/or performing the steps of said method as described above (assuming a set size of 1) leads to the selection of the following 40 optimized primer molecule pairs:
- 35 TABLE 1:

primer sequence	amplificate identifier	SEQ ID	number indicating primer	starting position of primer in the bisulfite converted sequence of the ROI
			direction	
AATCCTCCAAATTCTAAAAACA	2025	81	0	1816
AGGAAAGGGAGTGAGAAAAT	2025	82	1	2138
GGATAGGAGTTGGGATTAAGAT	2044	83	0	2070
AAATCTTTTCAACACCAAAAT	2044	84	1	2483
AACCCTTCTCAAATTACAAA	2045	85	0	1340
TGATTGGGTTTAGGGAAATA	2045	86	1	1687
TTGAAAATAAGAAAGGTTGAGG	2106	87	0	1481
CTTCTACCCCAAATCCCTA	2106	88	1	1764
TGTTGGGATTGGTAGG	2166	89	0	2226
CATAACCTTACCTATCTCCTCA	2166	90	1	2437
TTTAGATTGAGGTTAGGGT	2188	91	0	101
ATCCATTCTACCTCCTTTCT	2188	92	1	598
GGAGGGGAGAGGGTTATG	2191	93	0	133
TACTATACACACCCCCAAACAA	2191	94	1	506
TTTGGAATGGGTTGTAT	2194	95	0	1628
CTACCCCTAACCTCCATCCTA	2194	96	1	1996
TTGTTGGGAGTTTAAGTTT	2212	97	0	1711
CAAATTCTCCTCCAAATAAT	2212	98	1	2063
GTAATTGAAGAAAGTTGAGGG	2267	99	0	1709
CCAACAACAAACAAACCTCT	2267	100	1	2004
GGAGTTGTATTGTTGGAGA	2317	101	0	1110
TAAAACCCCAATTTCACTAA	2317	102	1	1388
TTTGTATTAGGTTGGAAGTGGT	2383	103	0	1
CCCAAATAATCAACAAACAACA	2383	104	1	285
GATTTTGGAGAGGAAGTTAAG	2387	105	0	789
AAAACAAAAACCAAAACCCATA	2387	106	1	1169
TGGGGTTAGTTAGGATAGG	2391	107	0	1353
CTTAAAAACACTAAAACCTCTCAA	2391	108	1	1750
TTTTGTATTGGGGTAGGTTT	2395	109	0	547
CCCAACTATCTCTCCTCTATAA	2395	110	1	1094

primer sequence	identifier	amplificate	SEQ	number indicating primer in the bisulfite converted sequence of the ROI	starting position of primer in the bisulfite converted sequence of the ROI
		ID	primer direction		
ATTAGAAGTGAAAGTAATGGAATT	2401	111	0	381	
TCAATTCCAAAAACCAAC	2401	112	1	795	
GGGATGGGTTATTAGTTGTAAA	2453	113	0	1867	
CCTTCACACAAAACTACAAAAA	2453	114	1	2139	
TAATTGAAGGGGTTAATAGTGG	2484	115	0	1861	
AAAACCAAAACCAAAACTAAAAA	2484	116	1	2252	
AGTGGATTGGAGTTAGATGT	2512	117	0	1016	
AACAAAATAAAACTCTCCCA	2512	118	1	1446	
TAGGGAAAAGTTAGAGTTGAG	2741	119	0	1413	
CCCATTAAACCCACAAAAA	2741	120	1	1888	
ATTTTAGTTGTGAAATGGGAT	2745	121	0	1685	
TCTTAACCAATAACCCCTCAC	2745	122	1	2097	
GTGGGTTTGGGTAGTTATAGA	2746	123	0	1679	
TAACCTCCTCTCCTTACCAA	2746	124	1	2163	
TAGGATGGGAGAGTAATGTTT	2747	125	0	972	
ACAACCTTATCCAACCTCCATTC	2747	126	1	1448	
TCCCACAAAAACTAAACAATTA	2749	127	0	1370	
AGGTTTTAGATGAAGGGTTT	2749	128	1	1789	
TTGGAGGGTTAGTAGAAGTTA	2751	129	0	88	
CCCAATAATCACAAAATAACA	2751	130	1	567	
ATACAAACCTCAAATCCTATCCA	2752	131	0	228	
AGGGAGAAGGAAGTTATTTGTT	2752	132	1	712	
GGAAGATGAGGAAGTTGATTAG	2755	133	0	1000	
CCTACAAACCCTATCCTCTAAAAA	2755	134	1	1371	
TTAGTAGGGTGTGAGTGTGTTT	2831	135	0	1313	
CAAACAAAACCTCTATCTAACCC	2831	136	1	1499	
TTATAGGGTTGAGTTGGGAT	2850	137	0	2100	
TAAACAAACAACAAATCTTCCA	2850	138	1	2400	
TGAAAATGAAGGTATGGAGTTT	2852	139	0	1262	
TTAAAACCATATAATCCCTCCA	2852	140	1	1583	

primer sequence	identifier	SEQ ID	number primer direction	starting position of primer in the bisulfite converted sequence of the ROI
TATGTTGGTTTGTTGAGA	2859	141	0	1093
AACCCCATCACTTTATTCTT	2859	142	1	1491
GGGTGTAGAAGTGTAGGTTT	2861	143	0	2385
TTTCTCCCTAACACAATAAC	2861	144	1	2732
TCCCCTCCAAC TATATCTCTC	2864	145	0	884
TGAGAGTGTAGGGAAAGTTT	2864	146	1	1175
AAAACCAAAACATAAACCAAAA	2867	147	0	1312
GATTAGGAGGGTTGTTGAGAT	2867	148	1	1701
AATGGTTGATGATTTGGTTT	2961	149	0	2039
ACTCTCTCCCTATACCCCTAA	2961	150	1	2311
AGTTAGAAGAGGAGTTAGGATGG	3511	151	0	1340
TAATTTCCAATACCCATTTC	3511	152	1	1711
TGTTAGTAGAGTTAGGGAGGTT	3532	153	0	1135
ACACTACCTATCCTTACCCAC	3532	154	1	1592
TTTTGTTTTATGGGGTGTAT	3534	155	0	1909
TTAAATATCCCTCCTAACCA	3534	156	1	2385
TGGGTAGTATTTGTTGGTTT	3538	157	0	956
CCTAAAAACTCTCTCATCCTCA	3538	158	1	1414
AGTGGTTAGGAGTATTGGTTA	3540	159	0	659
AACTCCCTCCATCTACAATATC	3540	160	1	1064

These primer pairs lead to the amplification of specific regions (amplifies Seq IDs 1- 40) of the bisulfite converted sequences of the genomic ROIs (Seq IDs 41- 80) of interest. The ROIs can be identified by the four digit number that specifies the ROI and the corresponding amplicate - as indicated in the following table.

10 TABLE 2:

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
1	amplificate	2025	bisulfite sequence	41	ROI	2025	genomic sequence
2	amplificate	2044	bisulfite sequence	42	ROI	2044	genomic sequence
3	amplificate	2045	bisulfite sequence	43	ROI	2045	genomic sequence
4	amplificate	2106	bisulfite sequence	44	ROI	2106	genomic sequence
5	amplificate	2166	bisulfite sequence	45	ROI	2166	genomic sequence
6	amplificate	2188	bisulfite sequence	46	ROI	2188	genomic sequence
7	amplificate	2191	bisulfite sequence	47	ROI	2191	genomic sequence
8	amplificate	2194	bisulfite sequence	48	ROI	2194	genomic sequence
9	amplificate	2212	bisulfite sequence	49	ROI	2212	genomic sequence
10	amplificate	2267	bisulfite sequence	50	ROI	2267	genomic sequence
11	amplificate	2317	bisulfite sequence	51	ROI	2317	genomic sequence
12	amplificate	2383	bisulfite sequence	52	ROI	2383	genomic sequence
13	amplificate	2387	bisulfite sequence	53	ROI	2387	genomic sequence
14	amplificate	2391	bisulfite sequence	54	ROI	2391	genomic sequence
15	amplificate	2395	bisulfite sequence	55	ROI	2395	genomic sequence
16	amplificate	2401	bisulfite sequence	56	ROI	2401	genomic sequence
17	amplificate	2453	bisulfite se-	57	ROI	2453	genomic se-

SEQ ID	Class	Identifier	Kind of DNA		SEQ ID	Class	Identifier	Kind of DNA
			quence					quence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
18	amplificate	2484	bisulfite sequence	58	ROI	2484	genomic sequence
19	amplificate	2512	bisulfite sequence	59	ROI	2512	genomic sequence
20	amplificate	2741	bisulfite sequence	60	ROI	2741	genomic sequence
21	amplificate	2745	bisulfite sequence	61	ROI	2745	genomic sequence
22	amplificate	2746	bisulfite sequence	62	ROI	2746	genomic sequence
23	amplificate	2747	bisulfite sequence	63	ROI	2747	genomic sequence
24	amplificate	2749	bisulfite sequence	64	ROI	2749	genomic sequence
25	amplificate	2751	bisulfite sequence	65	ROI	2751	genomic sequence
26	amplificate	2752	bisulfite sequence	66	ROI	2752	genomic sequence
27	amplificate	2755	bisulfite sequence	67	ROI	2755	genomic sequence
28	amplificate	2831	bisulfite sequence	68	ROI	2831	genomic sequence
29	amplificate	2850	bisulfite sequence	69	ROI	2850	genomic sequence
30	amplificate	2852	bisulfite sequence	70	ROI	2852	genomic sequence
31	amplificate	2859	bisulfite sequence	71	ROI	2859	genomic sequence
32	amplificate	2861	bisulfite sequence	72	ROI	2861	genomic sequence
33	amplificate	2864	bisulfite sequence	73	ROI	2864	genomic sequence

SEQ ID	Class	Identifier	Kind of DNA	SEQ ID	Class	Identifier	Kind of DNA
34	amplificate	2867	bisulfite sequence	74	ROI	2867	genomic sequence
35	amplificate	2961	bisulfite sequence	75	ROI	2961	genomic sequence
36	amplificate	3511	bisulfite sequence	76	ROI	3511	genomic sequence
37	amplificate	3532	bisulfite sequence	77	ROI	3532	genomic sequence
38	amplificate	3534	bisulfite sequence	78	ROI	3534	genomic sequence
39	amplificate	3538	bisulfite sequence	79	ROI	3538	genomic sequence
40	amplificate	3540	bisulfite sequence	80	ROI	3540	genomic sequence

5 The second task in this example is to select from these
 40 primer pairs those pairs which can be combined in five
 multiplex PCRs to amplify eight targets simultaneously.

10 The following steps, as disclosed in the invention, are
 performed for selection of those subsets:

15

- The melting temperature of any combination of two of those primer molecules hybridizing to each other taking part in one multiplex experiment must be below 20°C.

20

- The last seven nucleotides from the 3' end of every primer molecule in a subset is used to check if those are complementary and/or binding to any other primer molecules' sequence used in the set.

- The number of mismatch bases allowed for when virtually testing the primer pairs for amplification of an unwanted product is 2. For this step every possible combination of 16 primer molecules in one subset is checked for its ability to amplify an unwanted product. This is done by means of e-PCR (electronic PCR).
5
- 10 Having performed all these steps results in the selection of three different optimized sets of primer molecule pairs that can be used in multiplex PCRs. These sets are in the following described as a set of numbers. Each number refers to a specific amplicon and therefore also
15 to a single primer pair (out of the list given above) which proved to be able to specifically amplify said nucleic acid in a single PCR experiment.

TABLE 3:

<u>optimized set 1</u>								
8plex1	2194	2191	2391	2025	2961	3540	2861	2188
8plex2	2484	2106	2401	2850	3532	2044	2512	2852
8plex3	2453	2741	2867	2755	2267	2387	2864	2317
8plex4	2859	2383	2752	2747	2751	3511	2212	2746
8plex5	3534	2395	2745	3538	2749	2166	2831	2045
<u>optimized set 2</u>								
8plex1	2166	2212	3511	2383	2745	2859	3534	2861
8plex2	2749	2191	2751	2395	2961	2512	2831	3538
8plex3	2850	2025	2188	2317	2391	2852	3540	2194
8plex4	2106	2387	2867	2864	2401	2747	2746	2453
8plex5	2044	2484	2267	2755	2752	2741	2045	3532
<u>optimized set 3</u>								
8plex1	2194	2391	2191	2749	2745	3538	2861	2961
8plex2	2166	2188	2859	2212	2864	2746	2383	2752
8plex3	2484	2401	2850	2852	2512	2755	2106	2044
8plex4	2867	2453	3532	2025	2741	2267	2317	2387
8plex5	3511	3534	2751	2747	2395	3540	2831	2045

Without the use of said invention, the selection would have been performed randomly and tested for successful application later. Three randomly chosen subsets are shown here.

5

TABLE 4:

random set 1								
8plex1	2191	2194	2267	2741	3534	3511	2749	2747
8plex2	2391	2484	2867	2852	2453	2512	2025	3538
8plex3	2746	2212	2755	2045	2044	2188	2961	2864
8plex4	2831	2383	3540	2859	2861	2395	2401	2317
8plex5	2106	2751	2387	2745	2752	3532	2850	2166
random set 2								
8plex1	2045	2106	2212	2745	2044	2749	2752	2391
8plex2	2025	2831	2401	3540	2395	2484	2453	2961
8plex3	2194	2859	2746	2512	2267	2864	2861	2751
8plex4	2383	2166	2747	2387	3532	2741	2867	2852
8plex5	3534	2755	2850	2317	2191	3538	3511	2188
random set 3								
8plex1	2484	2850	2741	2747	2755	2745	2025	2746
8plex2	2383	3534	2861	2751	2749	2391	2188	2191
8plex3	2194	3538	2512	2961	2864	2867	2831	3532
8plex4	3511	2045	2387	2212	2166	2267	3540	2401
8plex5	2395	2317	2859	2453	2852	2106	2752	2044

The sequences of all of those amplificates and the according primers are given in the sequence protocol (primers SEQ IDs 81-160; amplificates SEQ IDs 1-40). SEQ IDs refer to the internal numbers used in these tables as is shown in TABLES 1 and 2.

- 5 To show if the use of the design method described herein
 was superior to the common method of selecting primers
 for simultaneous amplification randomly said multiplex
 PCRs were performed. This example hereby demonstrates the
 advantage of the method which is subject of the invention:
 10
 15

A total of 40 amplificates (with lengths ranging from 187 - 499 bp) were partitioned into five 8-plex PCRs using either of two strategies.

5 First: the grouping was based on the invention using said "optimised sets" ("designed group").

10 Second: the grouping was done without using the selection criteria established by this invention using the "random sets" ("control group").

15 Whether such grouping can improve the success rate of mPCRs was subsequently tested experimentally by comparing the number of true and false positives and false negatives for each of the two classes.

20 Each of the five mPCRs (multiplex PCRs) contained 8 primer pairs specific for 8 amplificates with one primer of each pair being labeled with a Cy-5 fluorescent tag.

25 Only fragments that performed successfully in sPCR (singleplex PCR) using bisulfite-modified human DNA from whole blood were included in this study. Isomolar primer concentrations were used in a 20 μ l PCR reaction volume and cycling was done for 42 cycles using a 96-well microtiter plate thermocycler.

30 Group assignments for the "optimized" and "random" groups were done in triplicate and all mPCRs were run at the same time such as to minimize experimental variation in PCR performance.

35 A mixture of the amplificates that were expected to be generated in a specific mPCR reaction but were generated in eight corresponding sPCR reactions was called sPCR-pool. Electrophoresis of sPCR-pool amplificates and mPCR amplificates was done simultaneously using the ALFexpress

system (Amersham Pharmacia). In order to obtain the best comparability for mPCRs with their respective sPCR standard, these products were electrophoresed next to each other on the gels.

5

Figures 1 and 2 show examples of these results as electropherograms, given as ALFexpress output files.

10 Success or failure scoring for each mPCR was based on assessing the number of generated or absent fragments compared to their respective pool of sPCR fragments. Only fragments with peak areas equal or larger than 8% of the largest peak within one electropherogram were included into the analysis.

15

Figure 1 illustrates a result of an 8-plex PCR based on a primer combination from the "optimized set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the optimized sets of primer combinations. By comparing these graphs it becomes visible that, in this specific example, there is only one false negative (FN) and three false positives (FP), whereas there are eight true positives (TP).

20

25 Figure 2, however, illustrates a result of an 8-plex PCR based on a primer combination from the "control set". The top graph in the figure shows peaks of size standards only. The second graph in the figure shows the electrophoresed mixture of the products from 8 singleplex PCRs. The third graph shows the products resulting from a multiplex PCR employing one of the randomly chosen sets, as is the state of the art. This graph clearly shows that, 30 there are eight false negative and six false positive

35

peaks, whereas there is only one true positive. Hence, for this specific example we have demonstrated the superiority of the design method.

- 5 A more comprehensive view on the results is given in **Figures 3 and 4**.

10 By applying the Wilcoxon rank sum test for the determination of false positives or false negatives as follows, it becomes evident that the optimized set resulted in a more reliable amplification experiment:

```
data:      False negatives (FN)
p-value = 0.02602 rejection of null hypothesis
15    null hypothesis (H0): true if median of designed set
equal or greater than of control set alternative hypothesis (H1): true if median of designed set less than of
control set

20    data:      False positives (FP)
p-value = 0.06711 rejection of null hypothesis
null hypothesis (H0): true if median of designed set
equal or less than of control set
alternative hypothesis (H1): true if median of designed
25    set greater than of control set

data:      True positives (TP)
p-value = 0.02146 rejection null hypothesis
null hypothesis (H0): true if median of designed set
30    equal or less than of control set
alternative hypothesis (H1): true if median of designed
set greater than of control set
```

35 Figure 3 illustrates a summary of several such comparisons (as described in detail above). Six diagrams are shown, that illustrate the numbers of false positives

(FP), false negatives (FN) and true positives (TP) for a number of 18 experiments. In the top row of figure 3 the results for experiments that employed the design method are shown whereas in the lower row results from experiments are shown, that did use the conventional method of random selection.

At the x-axis the occurrence of an event (like a false positive) per 8plex is given whereas the values of the y-axis indicate the frequency of an event like this occurring within the number of experiments performed.

For example, in the diagram title FN, a y-value of 0 indicates that the event did not occur in a single experiment, a y-value of four indicates that the according number of occurrences given as the x-value was found in four experiments (out of the 18 experiments considered for these analyses). The x-value indicates what kind of occurrence is counted; a x-value of three in this diagram indicates the occurrence of three false negatives. A data point with an x-value of 0 and an y-value of 9 means, that in the set of mPCR results considered, nine experiments showed 0 false negatives.

Figure 4 gives all of the data from the 18 multiplex PCR experiments of this example in one table. The letter A, heading the four columns presented on the left side, is indicating the results from multiplex PCRs of the designed group using the five optimized sets of primer pairs that have been designed and selected according to the invention. The letter C is indicating the results from multiplex PCRs of the control group using the five randomized sets of primer pairs.

The first column lists the identifying numbers of the experiments, the second column gives the numbers of true

positives (TP) within this experiment, the third column gives the numbers of false positives (FP) and the last column gives the numbers of false negatives (FN).

- 5 The average false negative rate ($\bar{\theta}$ FN) of the optimized group is significantly lower than in the control group. Complementary the average true positive rate ($\bar{\theta}$ TP) is significantly higher. The average false positive rates ($\bar{\theta}$ FP) of the two sets do not differ from each other significantly.
- 10

This is due to the high deviation of false positives observed between individual ALFexpress analysis runs. Those 36 sets of amplicates have been analyzed on two separate gel runs. These runs were not designed to simply duplicate the results, but could be used to analyze whether the average TP, FP and FN rates are similar, independent of the run, and the sets chosen. Only three of those sets have been duplicated, as indicated by the letters a and b for sets 11, 21 and 23. It turned out that the rate of true positives as well as the rate of false negatives averaged over 18 sets per run were highly reproducible, 6.83 versus 7.33 and 1,44 versus 1.39 respectively. However, the rate of false positives was determined as 4.11 in the first run and 7.61 in the second run.

15

20

25

Taken together, it could be concluded that the overall success rate of amplifying 40 fragments within 5 groups of 8plex PCRs was significantly increased when the primer grouping was based on the method being subject of this invention compared to an arbitrary primer grouping. The improved success rate of only 11% failures versus 24% in the random control group clearly becomes relevant when much larger numbers of mPCRs have to be established as is the case in a high throughput laboratory.

30

35

10/523062

DT12 Rec'd PCT/PTO 02 FEB 2005

Sequence listing

<110> Epigenomics AG

5 <120> Method for amplification of nucleic acids of low complexity

<160> 160

<210> 1

10 <211> 322

<212> DNA

<213> Artificial Sequence

<220>

15 <223> 2025

<400> 1

	aatcctccaa attctaaaaa cataaaaata acgcaaccca aaaacaaaaa acccctccgc	60
20	ccattaatta ctatacacta acgaaacttt cccgacccac aacgacgaaa ataaaaacaa	120
	tcgctaacgc taaaaaacat caaaaacact acccaaccca aatatcgccg ccgttccac	180
	aaaactctac taaacggcgc cgccgcccgt accaccgcct ctaatccaaa ccacccccc	240
	ccaaataaaac cccgaaatcc taactcaaat atatatctct ccctccctct ccctccattc	300
	gtcattttct cactcccttt cc	322

25

<210> 2

<211> 413

<212> DNA

<213> Artificial Sequence

30

<220>

<223> 2044

<400> 2

35

ggataaggagt tgggattaag atttcggtt agttcgtat ttttcgtat ttttagtat 60

	cgttgcgtat tttcgtatt ttttcggg ttattacgtt ttttatgtga ttcgtttggg	120
	taacgtcgaa tttagtcgct tagcgttgta gtgaattttt tttttaatt gtaataagtc	180
	gttttttaag gtaattacgt tttttttgtt tttttttaa aaaataaaaaaaa taaaaaaattt	240
	atagaaaaaaa attcgcgagt ttagaaaaaa gaagtaattt gtagaagggtt ttaattaagg	300
5	taaagagttt taaggcgaag ttaagaaaaat gtaggtattt aaaaaatgtt ggtaattttt	360
	ataagggttt ttggggagag gtatataagag ggattttggt gttaaaaaag att	413
	<210> 3	
	<211> 347	
10	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> 2045	
15	 	
	<400> 3	
	aaccctttct tcaaattaca aaccttctta cttcaaaacc tcgactccaa caccaatccg	60
	acaaaaaaaaac ccaatctaataa aaaaatcgct cccttcctac cattctctat tccattaacc	120
20	tatccgtaa taaacgtaaa actaattcctc caaaattacc ttattaatta acttacatat	180
	ttattatcta tctatcccac caaaatacaa atttccgaaa aacaaaaattt taaaaaaatc	240
	tatccgttttcc tatataattt tcccatatcca aacaccgtac ccgacacaaaa ctAAAatccc	300
	aatacacatc tcgaaacgaa aaaaaccgtat ttccctaaaa cccaaatc	347
25	<210> 4	
	<211> 283	
	<212> DNA	
	<213> Artificial Sequence	
30	<220>	
	<223> 2106	
	<400> 4	
35	ttgaaaataa gaaagggtga ggttagagagg ataataatagt ttttagttat ttttttagtat	60
	tttgttaatt ttttttaatt ttttagttata aattcgcgat ataacgtttt ttttttaaag	120

	aggtcgcgtt ttttttgtgg tggttttag ggattcgttt tagtttttt ttcgtttta	180
	gttttatata ttgggattat taggtattta agatttattt ttttaggtgg tatttttagc	240
	gtaggttgtt atttagttt ttttaggga tttgggttag aag	283
5	<210> 5	
	<211> 211	
	<212> DNA	
	<213> Artificial Sequence	
10	<220>	
	<223> 2166	
	<400> 5	
15	tgtttggat tggtagggt tatcggggtt gggggggcg ggtttgtgg taaggcgggc	60
	ggaggcgtgg attttcgtt cgatgatagg gttggaggag gaagggcg ggtaagaag	120
	ggaaaggtgg gaagagttt atcgggtta taaattgggt gaagcgttga gtttttagta	180
	tttcgtttt aggagatagg taaaggttat g	211
20	<210> 6	
	<211> 497	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> 2188	
	<400> 6	
30	tttagattt aggttttagg gttaaaggat tattttttt tttacgttg gttcggaaa	60
	ggtaagtttc gggcgggagc gtacgtcggt ttttcgtt cgttacgtt	120
	atttttgtt tttatccgc gtttttttag gtttttttc ggtgaatcgg atgtttgtt	180
	agttttttat tttacgtttt cggtcgggt tcgggtttt cgtaaagtgc ttgttatttc	240
	ggagggtta gttacgtgggt tttcggaggt tggtcgggtt ggcgtgggc gcggtaggag	300
35	ttgggcgcgt acggttatcg cgcgtggagg agatattgtt ttgtcgcgtt ggggttcgg	360
	ggcgttttt tacgtcgtag gtaacgggg cggcgggttgc ggtatttgc tatcggaggt	420

	tttttttttt ttttttgtt gttgttggtt tgtatTTAGT tcgggggagg atagaagaaa	480
	aaggaggtag aatggat	497
	<210> 7	
5	<211> 373	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
10	<223> 2191	
	<400> 7	
	ggaggggaga gggttatgcg attttatttt tggttagggt cggggagggt tttgttttc	60
15	gggagtttg ttcgggttt ttggcgttag gttgttggg ttttaggttag gaacgagagg	120
	gtgagggtta tatgtggttc ggccgtttag gcgggttgt agcgTTTA ttgttccgt	180
	tgttaggggt tgcggcgacg cggttagtta gtagcgagt tagtcgcgt agatTTATT	240
	gatgagtttt gatTTTTAGT atTTTTTTA agttaagaag agTTTACGCT atTTTCGGT	300
	tgttttattt tagttttttt gtttagttt tttagtttta tttttttcg ttttgtttg	360
20	gggtgtgtat agt	373
	<210> 8	
	<211> 368	
	<212> DNA	
25	<213> Artificial Sequence	
	<220>	
	<223> 2194	
30	<400> 8	
	tttggaaat gggTTTATC gagaggTTCG attagTTTA gggTTTAgT gagggggTAG	60
	tggAAATTAG CGAGGGATTG AGAGTTTAT AGTATGTCG AGTTGTATGT TAGAGAAAAA	120
	gtcggggAGAT AAAGGAGTCG CGTGTATTAA ATTGTGTCGTC GTAGTCGTAG TTATTAAAGT	180
35	gtcggatttg tgagtatttt gcgttttag tttcggata gaagttggag aatttttttG	240
	gagaattttt CGAGTTAGGA GACGAGATTt TTAATAATT ATTATTTTT tttgcgtttt	300

	ttatggcg ttcgttggga taaacgatag ttatagttt tttgacgata ggatggaggt	360
	taaggta	368
	<210> 9	
5	<211> 352	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
10	<223> 2212	
	<400> 9	
	ttgttggag ttttaagtt ttgtgagaat ttgggagtt ggtatgtta gattagttgg	60
15	gttatttcaa ggttagtagt tcggtaggg tttatcgaaa gtttattcgt atatattagg	120
	taatttaatt ttttatttg tgtatagaa gtagtaggaa gtgagttgtt tagaggtagg	180
	agggtttatt ttttgttaaa ggggggatta gaattttttt atgcgagttg tttgaggatt	240
	gggatgtcga gaacgcgagc gattcgagta gggttgtt gggatcgctc gggtaggat	300
	tcggAACGTA ttcggaaaggt ttttgtaaag tatttatttg gaaggagaat tt	352
20	<210> 10	
	<211> 295	
	<212> DNA	
	<213> Artificial Sequence	
25	<220>	
	<223> 2267	
	<400> 10	
30	gtaatttcaa gaaagttag gggaggcggt agatgtttt atttattagg gaaaacgtgg	60
	acgttttttgc ttgttatttt gtgaattgtg tgtatTTAGT tattttgag taaatatttg	120
	gagcgaggaa tttttagtgc tgtagggagg gcggtaggg gtagttgaaa gtcggttaaa	180
	gttttcggag gggttgtt aggaaatatg attggtagtt acgagagagt taggggttgg	240
35	acgtcgaggaa gagggagaag gttttcgggc ggagagaggt tttgttagt tggttgc	295

<210> 11
<211> 278
<212> DNA
<213> Artificial Sequence

5
<220>
<223> 2317

<400> 11

10 ggagttgtat tgttgggaga tttgggtgta gatgatgggg atgttaggat tattcgaatt 60
taaagttgaa cgtttaggta gaggagtgga gtttgggaa attttagtc gtttaaagc 120
gtatttttt gtatatttt tcggtgttgg gcgttagggaa ttttggaaat aaaagatgta 180
taaagtattt aggtttgaga ttttggatt tcgaaatatt gagaatttat agttgtat 240
15 ttagagttt atggtagttt agtgaaaatt ggggtttt 278

<210> 12
<211> 285
<212> DNA
20 <213> Artificial Sequence

<220>
<223> 2383

25 <400> 12

tttgtttagt gttggaagtg gtcgttagtt ttctgttaa ttttattttt tgaaaaagt 60
gaatttagtt gtattttta gcgtgatgg tgagggttag 60
aaatggatg ttatccgc ggggttcgtt ttctcgagg tgtttatttc gtattttt 120
30 tgtaaaacga gggagcgtta ggaaggaaatt cgtttgtaa agttatttgtt tttggattt 180
agtttttattt taatgttttc gtgttgttgc tgttgattta tttgg 240
285

<210> 13
<211> 380
35 <212> DNA
<213> Artificial Sequence

<220>

<223> 2395

5 <400> 15

	tttttgtatt	gggttaggtt	tcggtaggtg	tatggagga	agtacggaga	atttataagt	60
	ttttcgattt	tttagtttag	acgttgttgg	gttttttcg	ttggagatcg	cgtttttttt	120
	aaatttttgt	gagcgttgcg	gaagtacgcg	gggttcgggt	cgttgagcgt	tgtaagatag	180
10	gggagggagt	cgggcgggag	aggaggggc	ggcgtcgggg	cgggtttga	tatagagtag	240
	gcgtcgcggg	tcgtagata	gtcggagatc	gtagttcgg	gttcgggtta	gggtttat	300
	gttttcgtag	cgtcggttcg	cgttttttgc	tcgtagttat	cggtgagtgt	cgcggttttg	360
	agattttcgg	gtcggatgcg	cggcggtttt	agtttgcag	cgtttgtttg	tttcgttttgc	420
	ggttgttcgg	gttttttggg	ttttcggcg	gttgcgtacgg	gttaaggcgt	ttcgtttcgg	480
15	gcgttttcg	cgggtgtcga	tttaggttgt	tcggagttcg	gagttatag	aggagagaga	540
	tagttgg						547

<210> 16

<211> 414

20 <212> DNA

<213> Artificial Sequence

<220>

<223> 2401

25

<400> 16

	attagaagtg	aaagtaatgg	aatttcgatg	taaatataat	attatttttt	tgttagagtt	60
	ttttgagtat	aataaatttg	aattgtgtta	atgttggag	aaaaaaattta	aaagaagaac	120
30	ggagcgaata	gtagttttt	cgttcgttga	ttagaaatag	taggacgata	tttttcgat	180
	tggaggagag	cgtttgcgtt	cgtattttagt	tggcggtcgt	ttttttgttt	tttttttagt	240
	cgtttttttt	tttttttttc	gcgttttagt	tattcggaa	ggtattgcgg	tagttggtt	300
	ttgattgggtt	gttttgaaaag	tttacgggtt	attcgattgg	tgaattcggg	gttttttagc	360
	gcggtgagtt	tgaaattgtt	cgtatTTGgt	ttaaaagtgg	gtttttggaa	attg	414

35

<210> 17

<211> 272
 <212> DNA
 <213> Artificial Sequence

5 <220>
 <223> 2453

<400> 17

10 gggatgggtt attagttgta aatcggtggaa ttttttttga tataatgaaa agatgagggt 60
 gtataagttt tttagtaggg tgatgatata aaaagttatc ggagtatttt ataaggtata 120
 aatttttaga gatagtagag tatataagtt tttaggataa gagttagggaa gaaatttatcg 180
 gaaggaattt ttttattgtg tgtaaatatg attttaagt tggtcgtgggt tttttggta 240
 gtttttttga tttttgttgtt tttgtgtgaa gg 272

15 <210> 18
 <211> 391
 <212> DNA
 <213> Artificial Sequence

20 <220>
 <223> 2484

<400> 18

25 taattgaagg ggttaatagt ggaatttggt tgggtgtttt ttaaattttt tttttgggtt 60
 ttgttttggg ttttttttgg aagggattttt ttttcgtttt tgtaataaga tttttataaa 120
 agtataagattt ttttatttttta tttcgcggta tttgtatcgg gttttattgg ttttaggagt 180
 tgaatattttt ttttaggtata tataagggtggg atataaataaa gggttttggaa attattttt
 30 ttttattacg atagtaattt aaaatgtttt ggaagatgggt cgtgattttt ggagttttaa 240
 atatattttt gataatgtttt gtagtttgta agttttttt ttttattttgt tttaaatgtt 300
 agtatttaat ttttagttttg gttttgggtt t 360
 391

<210> 19
 35 <211> 430
 <212> DNA

<213> Artificial Sequence

<220>

<223> 2512

5

<400> 19

	agtggatttg gagtttagat gtaatataat gattgatatt ggtatagtat atttattttg	60
	tttttgtaaa taaaatggta tatgtatgt ttttttttgt tttttgtat ataaaataat	120
10	atttgtttt atttattatg tatttatgtt tttttttgt atgttaggag ttaagtattt	180
	tgtatgtatt aatttattttt gttttataaa taattttat atgttaggaat tattatagtt	240
	attttatgaa tgagtgcagg aaggtattga gacgttaagt aatttgtta aggttacgta	300
	gttagtaagt ggttagagtaa gaatttattat gttttataaa gtttaggaaa aagtttgaaa	360
	gaattaaaat gttaatagcg gggattttaa ggaagtattt aagaggttat gggagaagtt	420
15	tttattttgt	430

<210> 20

<211> 475

<212> DNA

20 <213> Artificial Sequence

<220>

<223> 2741

25 <400> 20

	taggggaaaa gtttagagttg agaggttggg gcgcgacgag tttggatatc gggcgggat	60
	ttaagttttt ttctgttagt taataattgt gttttttta ggaaggcgtg aggaaatgtt	120
	ttaattaatt tttgtatttt tttttggaa ttgggttgtt atttttttat ttattgtaaa	180
30	ttttataatt tatttagggg ttttttagt gttttttt agcggttcg gtgtttat	240
	attagtgttg tttttttttt ttctgttagt tgcgttttag ttttagttt ttttttcg	300
	gtgtttttt aaatcggtttt attatttcg gtttaggga ggcggaatcg tgtttgg	360
	tcgggtttttt taagaggcgt cggttttatt ttttttagag tcgcgggttg acgcgagatg	420
	atagtaacga gttcggtatg tttatgtaaa taagcggtttt tttgtgggtt aatgg	475

35

<210> 21

<211> 412
 <212> DNA
 <213> Artificial Sequence

5 <220>
 <223> 2745

<400> 21

10	attttagttt gtgaaatggg atttaggatt tagtagagg tgcgtttcg gtttggggat	60
	cggagtattt gtgcgttcg gtaacgtagg aagatagcgt tattgatatt ttagagatta	120
	gcgggtatcg tttggaggcg ttttattat ttggcggtt cgggttcgcg ttttatcgcg	180
	ttataagatt tacgttcgaa ttacgtgatt agggtcgtgg ttcgtttcg tttcgcgtc	240
	gcgcgtcgtt ttcggtaggg gcggaaagcg gaagtgtggg agggtttgcg gggcgggttt	300
15	aggagggttcg cgggaggatg gagtagtgag cgggtttggg cggttttgg tagcgttatg	360
	gagacggat agttgaggaa ttcgtcgctt cggtgagggg ttattggta ag	412

<210> 22
 <211> 484

20 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 2746

25

<400> 22

30	gtgggttttg ggtagttata gaagttatcg ctggcgccgg gaggaggggg atcgatcg	60
	tttatgtttc gggtagttt atttttttg ttgcgaagg gttttgttc ggcgggagga	120
	gagaggcgcg ttttattcgg gttttttat atttgcgtc gtttgggtcg atttcgcgg	180
	tttcgttcgg cgtttttagtc gatttcggt tagttcggtt tttatggcg cggtagtag	240
	ggcgggttag ggcggcgccc cgcgatattg ggaggaagtg cgggtcggtt gttcggcg	300
	gttaaggaag ttgttaaaa tgaggaagag tcgcgggttc ggcgggttag gttatttcgg	360
	cggcggttag agagcgagga ggagcggtg gtttcgcgtt gcgttcgtt tcgtttatt	420
35	tggcgttaggt aggtgtggtc gcgttttta ttcggtcggg atttttttgt aaggagagga	480
	ggtt	484

<210> 23
 <211> 476
 <212> DNA
 5 <213> Artificial Sequence

<220>
 <223> 2747

10 <400> 23

taggatgggg agagtaatgt tttcgagtag aatagggtgg ggtttttaga ttatTTTTT	60
tttttatacg ttggTTTTt tttatcgatt ttatTAAGT tttttggga gtatTTtaga	120
gaagagttac gtttaggtcg ggTTTGGTT gttggTTA cggcggAAtt tttAGTATTa	180
15 cgtttcgtac gtcgggTTA aagtATGTT agtGAAGGAG taggtatTTA ttGTTAGATG	240
gagTTATTTT tttAGATTTG gggTTTTTt ataACGATGG ttATGTTGG tatGGAAGTT	300
ttttAGAAG ttaATAGTAG gaaATAAGGG ttaATAGTAT ttaATTGTGG agtaAGGTT	360
aaATTTAGT tttGTTATTT aatCGTTcg aATTGTTT tttATTGTag aggCGAAAAG	420
gttaATATTA ttttATTTcg gagGGTTATC gtggagaATG gaAGTTGGAT aAGTTG	476

20

<210> 24
 <211> 419
 <212> DNA
 <213> Artificial Sequence

25

<220>
 <223> 2749

<400> 24

30

tcccacaaaa actaaacaat tattacaaat tcAAAAAACC ccgaccaatt tttcaaaaat	60
ttctccTccT ctTTTccccC taaaactcgT aataCTTTA ctctactttc aaaatacatt	120
aaatctccTA ctTTATAACT acTTAAAAC caACAAATAC tctaataatat ataattcaaa	180
ttatacaaAT ttcacgaata aatttaatct tatttttAA attaattaaa aaACAAATAA	240
35 tatttaaaaa aatattaACT tataattatt tcaccCTTT tactttAAAC atTTTATTa	300
cttctcgacc tttaactaa aatCAAATAT atactttAA catttttAA aataAAAATA	360

	tccctttaat ttaataaaaa aacaaaattc tacataaaaa aacccttca tctaaaacc	419
	<210> 25	
	<211> 479	
5	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> 2751	
10	 	
	<400> 25	
	tttggagggt ttagtagaag ttatTTAGG ggagggTTcg ataggaagga aggtaggTTT	60
	gtcggaggGGG tatataggag tttttttt cgttatAGTg tttagggTTA attgttttag	120
15	tttttaggtt gggtaatAG gatggatAG tttaggcggA aggaaATTG tggggaggGA	180
	tatTCGTAG atagaAGTAG ggATATGGGG tggggAGAGG taggaAGAGT TGTcGGGTTG	240
	ttgagTTGGC GTTTTTTAG tagATTTAGG AGGGGCGGTG ataggAGGTt ATTtTTTTT	300
	tatTTcGTa GTTTGGTT ttttggTT tggtaatAG tattattattt attattattG	360
	ttgttGTTcg ttAGTTGGG ttttagatAT attaaaaAA aattatcggA agatacgtAT	420
20	agtattggta GTTTTAAAAA gaattaATTt ttTTTTGtg ttTatTTTGT gattattgg	479
	<210> 26	
	<211> 484	
	<212> DNA	
25	<213> Artificial Sequence	
	<220>	
	<223> 2752	
30	 	
	<400> 26	
	atacaacCTC aaATCCTATC caaACCCCCA aaACATCACA CTGAAACTT ATTCTACATA	60
	tttttacttt tacCTCCAC taataCTAAT tCTTCCGTAA aacaACCTAA ATCCCTCAA	120
	atacttaATA tttttCTCA aataCTACCA taaaACCAAa TCTCCACCGT CTTAAAACAT	180
35	tccttttAA aaataaaaaaa tatataTCGC tcctttATA taatttACAT tCTATCTAA	240
	ataatttaAC catCACCGTA attCATTCAA ATCTATTAA ATCCTACCCA TCTCAACTTC	300

aatccatttc attctttaa atctaatcga caattacctc caacaacttc atcacaaatc actcacaaaa ataaccttaa tcctaaaatt tatttacgaa aaacacactt actaaatata taacaaatat acaaaaaaca caaaaataaaa caacaaatct aaaaacaat aacttccttc tccc	360 420 480 484
5	
<210> 27	
<211> 371	
<212> DNA	
<213> Artificial Sequence	
10	
<220>	
<223> 2755	
15	
<400> 27	
ggaagatgag gaagttgatt agatattaag gatgagcgga tgatthaata ggaaaaatgg ttaagatttg gttggtagg tgaaagataa agtcgaggag tggttatgggt gtggtataga agaagggtta gaggacggtt ttttttattt ttttatgttt gagttttttt ttttgtgaaa tggggataat aagagtgcgtt atataggaa ttgtttag gattaaatga gataatgtat	60 120 180 240
20	
gtgaaacgtt ttgggtttagt gtttttagt aaatgggtac gatttgcggga gtggggattt gaatttacgt ttggcgggat gtttaagttt gttttttagt cgttagggag ttttagagga tagggttgtat g	300 360 371
25	
<210> 28	
<211> 186	
<212> DNA	
<213> Artificial Sequence	
30	
<220>	
<223> 2831	
35	
<400> 28	
ttagtagggg tgtgagtgtt ttgatttagaa ttatTTTT ttgttagaat ttgatgtat tcgaatgttt ttatTTTGT ttgaagggtt taaataataa attaggtttt gtcgtgttat tatgggggtt gttatatttt gtatttagga aataggtacg gtaggggtga gatagaagtt	60 120 180

	ttgttt	186
	<210> 29	
	<211> 300	
5	<212> DNA	
	<213> Artificial Sequence	
	<220>	
	<223> 2850	
10	<400> 29	
	ttatagggtt gagtttggga tcgaggttag agtcgtcggg ttgggagtga gggagatggg	60
	aataaggtcg tcgggtggcg agggagatcg agggattcg gggatttggg aggtttgggg	120
15	cggcgcgggtt tggcgggtt gggatcggtt ttcgggtta gacgttcgcg atgttggat	180
	tttttgttat tttttatgg ggttttaggg gttcggtttt ggtagtttg gagttttcg	240
	aggtgggagg atcgggcgga ggtggaggaa gttttttttt ggaagattt gttttgttt	300
	<210> 30	
20	<211> 321	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> 2852	
	<400> 30	
	tgaaaatgaa ggtatggagt ttgggtttaa aagaaatttt ttttaaaaat taaaataataa	60
30	tattagagta aagtttttag ggcgagataa ggagttgtaa taaaataaagc gaaattcga	120
	gaagcgtttaa tgttttaaag ggttaatgtat tatataataat ttacgttagt aacgtgtttaa	180
	aatatattaa cgtatTTTT ttttttaat aaagtaggaa agcggatttt gtatgagggg	240
	cgggttgtcg atttagtagt tttttcgga tagttcggtt tgatTTTT tgggtggcgtc	300
	tggaggatt atatggttt a	321
35	<210> 31	

<211> 398
 <212> DNA
 <213> Artificial Sequence

5 <220>
 <223> 2859

<400> 31

10	tatgtttgg tttgtttga gataagat cgtttgtcg tttaggttgg taaaagata	60
	gggttttagt cgggtgcgg ttttacgtt tgtaatttta gtatggg aggtcgaggc	120
	gggcggatta tttgagggtc ggagttcgag attagttgg gttaatatgg cgaaacgtt	180
	tttttattaa aaataataaa aattatttag gcgtgggccc gcgtatttgt aatttagtt	240
	attcgggagg ttgaggtagg agaattatgg aatttagga ggttagacgtt gtatgtgagtc	300
15	gagatcgctt tattgtat tagttggc gataaggaa gatttcgtt taaaaaaagg	360
	aaaaaaaaaaa aaaagaaaaag aaataaaaagt gatggggt	398

<210> 32
 <211> 347
 20 <212> DNA
 <213> Artificial Sequence

<220>
 <223> 2861

25

<400> 32

30	gggtgttagaa gtgttagt ttttttcgt tgggggtggg agtttggta ggtagttt	60
	atttttttta agttcggtt tgggttcgg gtttagttc gtattatgt ttcgttaga	120
	ttatttttgt gggtttagt tgttggatt tggggggaa aaagaatgtt cgggtcggt	180
	gataggtaa ggttaatacggtt tgggtgtat ttccgggtt tagtttaag attttgaaa	240
	gcgggtttgt agtggattta tttaataga tggggggaa ttgagttga taaaagagtt	300
	agaaatgatt ggagaatgtt ttgggtta ttgtgttaag gggagaa	347

35 <210> 33
 <211> 291

<212> DNA
<213> Artificial Sequence

<220>

5 <223> 2864

<400> 33

tccccttcca actatatctc tcacccaaaa ataacttcta actctcgat tcatctaaaa 60
10 ctccctccctc catataccaa caattaacta taacccctcc aaaaacgctc catctccaaa 120
tatactccca catccaaacc acgaacccct cacccgatca catacttcat acacctataa 180
ctccgcactc cccaaatata cctctaacgt acaactattt ccccttcccc cgattataac 240
cctataactc gccacataaca actataacta aaacttccct aaaacactct c 291

15 <210> 34
<211> 389
<212> DNA
<213> Artificial Sequence

20 <220>
<223> 2867

<400> 34

25 aaaacccaaaa cataaaaccaa aaacccaaact cgaaccgaaa acaataaccg caacgcccga 60
aaactaaacc cacgacgcgc taacaacgctg aaccgaacta cgaaaacgat cacgtcaacg 120
tccgttccaa accgactaac aatctccgtt ctacattaac gtcaacactc ccgttaaaaa 180
taatacatct ctcccatacc aaaaaaactt aaatactact aaaaaccaac cctccgaata 240
ctacccaaacc gacgctcacc cgcaccccttc atcttccctt ctccttacc ccaaaacaac 300
30 cgaaaatata taattaaatt ccccttaccc ataaaaaaaaac caaaaataaa aaactaacga 360
cctactcgat ctcaacaaac ctccttaat 389

<210> 35
<211> 272
35 <212> DNA
<213> Artificial Sequence

<220>
<223> 2961

5 <400> 35

aatggttgat gattttggtt tttttcgctc gtcggagagc ggtgttccgg aggccgcgga 60
ggaggattcg gcggtcgttt ttttggttta gtaggagagc gagattttagt gtataagagaa 120
cgacgagggt ttcggggtat ttgtcggtat ttatgcgggtt ttcgcgtat cgggttttac 180
10 gagtgggggt gagtttagcgc ggggtttgga gaggggttta gggcgcgtat tcggggatt 240
tcggtcgggg ttttagggta taggaaagag ag 272

<210> 36
<211> 371

15 <212> DNA
<213> Artificial Sequence

<220>
<223> 3511

20 <400> 36

agttagaaga ggagtttagga tgggttccgg gtagtttaat agtatagttg aagtttaat 60
tattatgtta atagttttt ggttttatat attttatggg aagagaaaaaaa taaaaaggtt 120
25 tttatttgta tattttttta tttttgatata aagaagtata atttttttta tatgatttat 180
gtttatattaa tacgttattt tgaaattttat taataaaaattt ttttaagcgt tagaaaattt 240
tttagtggttt tttttatattt tttttatattt tttttgtgtt attaattttg tttttttttt 300
tttagaagggtt gtcggaatag taaaatattta ttgatatgtt ataattattt gaaaatgggt 360
attggaaaaat t 371

30 <210> 37
<211> 457
<212> DNA
<213> Artificial Sequence

35 <220>

<223> 3532

<400> 37

5	tgttagtaga gttttaggga ggtttattt ttatttta tttaaagttt tatttgttgg ggtggggggtt ttgttgaa ggggaagggtt taaggttgtt tttagcgtgt ttttttattt tgattgtttt tggcgccccg ggggtgtttt tgttattttag ttgtataacg gtttaggaagg gtttaaatta ttttttagggt taatthaagg tcgttttttg ggtttgata tttttgtgtt gagtgcggat cgggagaggt tggtgaagat aggaggggat aaatggggga cgaaggggtt	60 120 180 240 300
10	cgaggggggg gattgaagga ttgggttaa gtcgggagtt ttcgaggcgc gagttaaaac gtatttggat ttgttagtt ttaaattttg ttttattgt tgtaagttt ttagatcgag gatttcggg ttgaggggtgg ggtaaggata ggtagtg	360 420 457

<210> 38

15 <211> 476
<212> DNA
<213> Artificial Sequence

<220>

20 <223> 3534

<400> 38

	tttttgtttt tatgggtgt atattaagt agttgaaata gatagtgaat aaataaaaaaa	60
25	ggataataat tttaaataat aatgatgtta tcggtaggt gtgggggtt atgtttataa	120
	tttttagtatt ttggaaagtt aagttaaagcg gattatttga ggtaggagt ttaagaatag	180
	tttggtagt atggtaaat ttatTTTA taaaaatataaaaattgt tagatatggt	240
	ggtatataatt tgtaatTTTA gttatTTGGG aggttgacgt aggagaattt tttgagttcg	300
	ggagggtagg gttgtgtga gttaagattt gataggTTT tagtattatt gtatTTTtaga	360
30	ttgggtgata gagcgagatt ttgttaaaaa aaaaaaaagt ataaatagat tttaataggg	420
	taatatgata gggaggggagg gataggggag taggggtggtt aaggaaggga tattta	476

<210> 39

<211> 458

35 <212> DNA

<213> Artificial Sequence

<220>

<223> 3538

5 <400> 39

	tgggtagtagat	ttttgttggt	tttttttat	attataaggt	tacgttagagt	tggcggaggg	60
	ttatggttt	atttatgtta	ggtgtttta	atttggtaag	gaaatgtaat	ttacgtgaat	120
	ttaataggt	agtgaagtat	cgttttttt	tgattttagg	tagggtgaag	aaaatggat	180
10	agtagtacgg	ggtgccggta	taaacgtata	atttgtttt	tttagacgta	gagttgtggg	240
	gttgcggaa	tgttaggagg	aggtaaagaaa	gggcggttt	atggggggtt	tgttagggtgg	300
	gataagtttta	agaggtttt	atatttagt	ttggtggggg	aggtgagttt	ttggtttatac	360
	gagggggttt	tttttgcgtt	tcggaaatat	tgtagttttt	attttatcg	tttttcgtt	420
	gcggggattt	aggggcgtga	ggatgagaga	gttttttag			458

15

<210> 40

<211> 405

<212> DNA

<213> Artificial Sequence

20

<220>

<223> 3540

<400> 40

25

	agtggtttag	gagtatttgg	ttatttcgg	aaaaatcgg	tttggtaaag	gtttttcga	60
	gggtacgcgt	tttcggata	gtgaggtagg	atttaaattt	tttcgttaat	attatatttt	120
	tcgtattttt	gtagtgtttg	tattttagg	tttttatttt	tttcgtatt	tttagggag	180
	aagtttcga	cgttttattt	tttttggaaag	ggtgttgcgtt	ttagagattt	ttaggttaat	240
30	ggttaattt	tagtgttttt	aggggagagg	gggggtgtaga	aaaatagttt	gggttataaa	300
	agaggtgcga	gggttgcgtgag	atttcgagg	tatcgacggg	aagcgagacg	gagaatagga	360
	ggtaggacg	ggttggaggt	ggggatattt	gtagatggag	ggagt		405

<210> 41

35 <211> 2501

<212> DNA

<213> Homo Sapiens

<400> 41

5	ccagttccag tcccgggtcc tgtggccgca ctgccggcga ccctgcggag agcgagtctt	60
	agatacccaag tccccagcccc cgagttgtta ttccctcgct gtagttaaga aggaggagat	120
	caattaaggg catcttagaa gtaggcgtt cccgctgcct ccttgagca cggaggccac	180
	caacccccccta gggggaaagag atgtagcgcg aggcaaaaa gtcgtgtcaa gaaatttcga	240
	cgcttctggg gactgaggac aaaggtgcgg acacgacccc ggggtacctg gagttccgtg	300
10	actcgcgcca cggacggcac acctagggc taatttctgc tctgcctcaa agaacctcaa	360
	gctagagtcc ttgcctccgc ccacagcccc gggatgccgc tgctgcgcct accgcacagg	420
	cagcgcggacc cccggctgca gcagatcgcg cgctgcgcgt tccaccggga gatgggtggag	480
	acgctaaaaa gcttcttct tgccactctg gacgctgtgg gcgcaagcg ccttagtccc	540
	tacctctgct gagctgaacg ctcaggcaca gtggaaactga aacccgggtc tgcgggatgt	600
15	gagagctgtt gaggtcacgc gtaattgggt gtgatggagg ggcgcctgttc gtgatgtgt	660
	cagggttcat gcaaggcaggat catcgtcgat cgagttgtgt gatgcgaccg cccgagagac	720
	tcggaggcag gcttggaca cgttttagt aacacccatg gatactctt tggccagat	780
	ctgttttttta gtgtctgtga ttcaagatgg gcacatgtt ggagacagta atgggtttgg	840
	gtgtgtgtaa atgagtgtga ccggaaagcga gtgtgagttt gatctaggca gggaccacac	900
20	agcactgtca cacctgcctg ctcttagta gaggactgaa gtgcgggggt ggggtacgg	960
	ggccggaaata gaatgtctt gggacatctt gcacaaacagc agccggaaagc aaagggggcag	1020
	ctgtgcaaac ggctcaggca ggtgatggat ggcaggtagt gaagggggag gtccagaggt	1080
	ctggatggag gcttccgcattt ctgtacccat caactccacc ctcaggccca gcaggtcatc	1140
	ggccccctcc tcacacatgt aatggatctg aaggtaccc cgggacagtc cggggagatg	1200
25	gagattcggaa aagtatccat ggagatctt cagaatcccc tgtgcggacc agggaaactct	1260
	tgttagatccc tgccttatctg agggccaggc gctgggctgt ttctcacaat attcctcaa	1320
	gatgagattt tggccccat ttcaaaatgt agtacactga gcctctgtga agttacttgc	1380
	ccatgatcac acaaccaggaa attggggccaa ctgttaatttga actcctgtct aacaaatgtt	1440
	ttgctcccaag ctccgtcttct tttccac gagccctggc cctctgtggg taataccagc	1500
30	tactggagtc agatttcttgg gcccagaac ccacccttag gggcattaac cttaaaatc	1560
	tcacttgggc aggggtctgg gatcagatgtt ggaaggtcc ctacaatctt ggaccctttc	1620
	cgccaaatcg taaaaccagg ggtggatgg ggcagggtt caaaaccagg ccggactgag	1680
	aggtgaaattt caccatgacg tcaaaactgcc ctcaaaattcc cgctcacttt aaggcgtta	1740
	cttggatggatcc ccccccacat ccccccacat ttcccatcaat gaccaatgt caaatacaag	1800
35	tgggacggtc ctgctggatc ctccagggttc tggaagcatg agggtgcacgc aacccagggg	1860
	caaaggaccc ctccgccccat tggttgcgtt gcaactggcgg aactttcccg acccacagcg	1920

	gcggaataa gagcagtcgc tggcgtgg aggcatcaga gacactgccc agccaagtg	1980
	tgcggccgc ttccacaggg ctctgctgga cgccgcccgc gcccgtgccca ccgcctctga	2040
	tccaaaggcac ctccccccag gtgagccccg agatcctggc tcaggatatat gtctctccct	2100
	ccctctccct ccattcgta ttttctcaact ccctttccctc ctctccctct ctctccgtta	2160
5	gtctcttcat cagatagtct ctgttagtcc gcgatttata ccaggctcggt gccctagggtt	2220
	ggatcggaca gtctcaatcc cccggctcgcc tcttcctgcgt cggctgcggaa ctccagtctt	2280
	actctctcgcc actgcacaca ggcttaggcc agtctcgggc cactcaggct ccccaggac	2340
	cgcgcacaga gcctgaggca agagaaactt tccgcagacg gtgcgatcag ggacggcg	2400
	tggagccccag cagtccaggaa gaaattggtt cagaacctgg aacagagcgg atgggtggca	2460
10	aataggcacg acgactgagg gacaaggcgc cctaaactgc a	2501

<210> 42

<211> 2501

<212> DNA

15 <213> Homo Sapiens

<400> 42

	agatttactc aaatttaaga atgagaatac aaatccacat cttgaagtgt ttcacagaaaa	60
20	ggtcttatctt aatgtctgga gtatataattt caatgaacat tcattttattt ttatttctct	120
	ccattcctga atcaagcaat cttgaatcta aagttgtat gattagact gaaaagacca	180
	ctggactatt aattgtgtga ctttggaca gtaactttct gcaccttagt ttgtttacat	240
	gttatacatg aagggttgaag tctgattctg ctctgtgact atcattctaa acatctgtg	300
	aaatcaaattt tcagtgtttg gaatggtagt acaataaatt tactaagaat aaataattca	360
25	ctgcaaaaac acattgattt ccaaattgtg taactgacag ttatattact gcagaggc	420
	gataaataac aaaagaaaatg aaagatgcac atggtgagaa ctgaaattat cctgacaagt	480
	cttctacctg tttatcactt aaaatcaatg accatgctga atgcctacaa attacaaaat	540
	ataaaaagaaa tcttataaaat gcgcatgtac aggagtctaa gttactaaaa gttttaagc	600
	ataagttaa accaaaactaa tcaaagaagt tgagagggaa aattggctt catcttataat	660
30	cactactgtt ttgaggtcct atgtttaata taattttcta agtagaggct tcagagagaa	720
	gagttgtgag gatacttca tattttgtta gaaggaaaag tttgcctatcc attcttagtat	780
	cccttagtgtt atactgatgt gcaccttgga tttatattgt tcctattgtta taaactcata	840
	cttgcattca aagaaaagga aaatccaaag tccctttt ctaaggggac agaaatcctt	900
	tgtgtcaact gtttgaccct tttctctgtta aggtcctattt ggaaatctt tgtaacacaa	960
35	tgcaggggac tcttccatgt gttgatgctg tttacacagt ggggtggcc tgactgaaga	1020
	aaaaaaaaatcg catatacgca tgaaagatta tggtcttatt tccggaaagc atgaaagggtg	1080

	attgatactt ccaagaagtc cctgttactc aggaaaatta tcaaataattc tactcagaga	1140
	tacttgaaaa gactgaagga aaggaagaac gaagaaagca gaatctagac ttatgtgggg	1200
	agagatttgt ggcagaggaa aagtattctc tttgaatccg acaagggatt tgccctgggg	1260
	aatttcctgt ccagccccc attaccaggg tctttgaag ccgggctccc cattgggcag	1320
5	ttccctggga gtgcagtggg gaattcttac actttccctc taggtccccg aaggatctcg	1380
	ttttctcagt gtctcttca gggtggcagg agccttgagc ctgacacttc ccttgcgtgg	1440
	gacaggcaag ctctgtggc gcgtaaacac gctgttaacca agttcttgc tgatttaca	1500
	gttttgcgtg ctcccgagaa gaagtgtatcg tactcaatttgc tctattgtgc gcctgcccc	1560
	taagagcctg ggggctccct tcccttaacc cagaacttagc tgcacgggg gcggggaaat	1620
10	gggggtgggg aaggagtggg agggcagtgg tttccgcgag cagagcgatg ttactgagtg	1680
	agtccctgaa tggggagcgc tgctgtcccc aagccgatttgc gtacttcttgc tcaggaagaa	1740
	acgccaagag gtgggagtgcc ctggggaggg aggcaggcgg tccctaccgc aggcgcgggg	1800
	agctgcctt ccgccttcc gcctgcgttcc caagcctggaa ctcttaggag tggctgaagc	1860
15	tgcggagcgc ttttggagcc tgtgaatgaa ccctcccttcc ctccctccctc cttcttctcg	1920
	ctgagtctcc tcctcggctc tgacggtaca gtgatataat gatgatgggt gtcacaaccc	1980
	gcatttgaac ttgcaggcga gctgccccga gccttctgg ggaagaactc caggcgtgcg	2040
	gacgcaacag ccgagaacat taggtgttgttgc ggacaggagc tgggaccaag atcttcggcc	2100
	agccccgcat cctccgcacat cttccagcac cgtccgcac cctccgcacat cttcccccggg	2160
	ccaccacgct tcctatgtga cccgcctggg caacgcccggaa cccagtcgc cagcgtgc	2220
20	gtgaattttc cccccaact gcaataagcc gccttccaag gtaatcacgt ttctttgtt	2280
	ccccccctaa aaaacaaaaaa caaaaaactt atagaaaaaa accccgcgagc ttagaaaaaa	2340
	gaagcaatttgc gttagaaggct ttaattaagg caaagagctg taaggcgaag ttaagaaaaat	2400
	gttaggcactt aaaaaatgca ggtaactttc ataaggcgtt ttggggagag gcatacagag	2460
	ggaccttgggt gttgaaaaag attcagacaa aagaaacccca g	2501
25	.	
	<210> 43	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30		
	<400> 43	
	tgtgggtcat taatgcaatg ttatattaaga ctaggatttg gctggggcga gtggctacg	60
	cctgtaatcc cagcactgtg ggaggccgag ccgggaggat cacctgaggt caggagttca	120
35	agaccagcct gaccaacatg gtgaaaccac gtctctacta aaaataaaaa attagccggg	180
	catagtcaca tgcctgtat cccagctact gggtagcctg aggcaggaga atcgcttgaa	240

	ccggggaggc ggaggcggag tttcagtga gccaagattt cacaactgca ctccagtctg	300
	ggccacaaga gcgaaaaccc gtctaaaaaa aaaaaaaaaaag actaggattt gacataaggc	360
	ctgaggggtta ttctttgtt ttgtttgcc ttgtttcaa gaggccaaaa tcttcacagt	420
	tgaaaatttc tggtgaacca cagagatgg aaccaactca gtttagaaag cctggggatt	480
5	tgaacaacgg tatggatcg aaatctttc atctgtcagt tttcatcatt ctggcagta	540
	aaatagattt cccttagga gctttcacc gtttggggtt ctccagcagt gggatgtggg	600
	aatcaaccc ttcttcgtct ccacccaaac attaggtggg agcaagggtt gggaaatgaga	660
	gaaagtggat agaggctcc agtggatatg gatctttgtt gttagaccgc acagtcccta	720
	gaaatctcat gcaagcaaca taggtactgt tatattttctt agtggccacc tttaaaaag	780
10	taaacaggtg aggccggcg cggtcgac gcctgtatcc ccagcacttt gggaggccca	840
	ggccggccgg tcacgaggc aagagatgg aaccatcctg gtgcacacgg tgaaaccccg	900
	tctctactaa aaataaaaaa attagctggg catggtgacg cgcaactgta gtcctagcta	960
	ctggggaggc cgaggcagga gaatcactt aaccctggag gtggagggtt ccacgctcca	1020
	ctacactcca gcctggcgac agagtggac tccgtctcaa aaaaaagaaaa gtaaacaggt	1080
15	gaaattaatt ttaataatat atttgttta acccaacgta tccaaaatac tatcatttga	1140
	aagtgtatg aatataaaaaa tattcatgag atattttca ttctctatc catactgtct	1200
	tggactctaa tgtgtatTTT acacttacag cacaattaat ttgggacttag ctacatttca	1260
	gctcaacaat agccaatagc atatggata gcgcaataa actctgcgtc tctgttgctt	1320
	ctttgggtctt cggagacctc aaccctttctt tcagattgca aaccttcttgc cttcaagcc	1380
20	tcggctccaa caccagtccg gcagagggaaac ccagtctaat gaggtacgct cccttcgtc	1440
	cattctctat tccattaacc tgttcgtgg taaacgtagg actgatectc caaaattacc	1500
	ttattaatta gcttacatat ttattatcta tctgtcccac cagaatgcag gtttccggaa	1560
	ggcagggatt taaaaaaaaatc tgtttggttc tatgtgattt tcccatacca agcaccgtgc	1620
	ccggcacaag ctgggatccc agtacacatc tcgggacgga agaaccgtgt ttccctagaa	1680
25	cccagtcaga gggcagctt gcaatgtgtc acaggtgggg cgccgcgtt ccggcggac	1740
	gcactggctc cccggccggc gtgggtgtgg ggcgagtggtt tgggtgcggg gtgtgcgcgg	1800
	tagagcgcgc cagcgagccc ggagcgcggc gctgggagga gcagcgcgcg ccgcgcagaa	1860
	cccgcagcgc cggcctggca gggcagctcg gaggtgggtt ggccgcggcc ccagccccgt	1920
	tgcagggtcc ccattggccg cctgcccggcc gcccctccgccc caaaaggccg caaggagccg	1980
30	agaggctgct tcggagtggtg aggaggacag ccggaccgag ccaacgcggg ggactttgtt	2040
	ccctccgcgg agggactcg gcaactcgca gcggcagggt ctggggccgg cgcctgggag	2100
	ggatctgcgc cccccactca ctccctagct gtgttcccgc cgccccccgg ctatgtctccg	2160
	gcgcgtggcgc ctatgtcgg ctcccgacag cgctccggag ggaccgggggg agctcccaagg	2220
	cgccccgggtt agtagccagg cgccggctccc cggccccccc gaccccccgc gccagctttt	2280
35	gctttcccaag ccagggcgcg gtggggtttgc tccggcagttt gcctcgagca actggaaagg	2340
	ccaaggcggc gggaaacttg gttcgccggaa gaagtgcgcgtt cgcagccggg aggctcccc	2400

	agccccgcgg gcccggtgag aacagggtggc gccggcccgaa ccaggcgctt tgtgtcgaaaa	2460
	cgcgaggatc tggagcgaac tgctgcgcct cgggtggcccg c	2501
	<210> 44	
5	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 44	
10	 	
	gatgtaaaaa gagaataat tgaaaaagac tggagtacat atactatcta cagtgtctgt	60
	ttaaagaaaa caacattcta gcacaccttt ctacccttga ctaagattac tgtaatgaga	120
	gcaccagtac ccctgagtaa ccgaaaaggc atttggaaa ctgagctttt ggtgtttata	180
	tgaacattct gtcttcagg acctgcctt atttattcaa gactcataact gctgtatatg	240
15	gtgttgtata cattaggggt agttggtag cagtaactga tatagaaaaat tttaaatgta	300
	aaaaacactg gggagtgaac ctttccatta tatatatata tatatatata tatatatata	360
	tatatatata tatatatata tataaattca catcaggatg agtttctgtt taggcaatgt	420
	tggaaaacgc tatttcatt tttttttttt aacaaatatt taacaaacat ttataaggca	480
	cttaaatcca tgctggctct tacaaaatgtt gactcatttc tcataaccac cttggggtag	540
20	aaacggagag gctaaacaat ctgcaggcga tgcttcacta ctaaatgcag gtggcagcct	600
	tgccctgttct ctctgttgg ctaggaacac aggtcttacc tattgagctg ggctgttag	660
	aactctgttgc tggagacatc tgccctggg gcagaagcct ctgcttttc cccctccctcc	720
	catcttactc catgtctcag agagctctga atcccacttg gagaatcaca cttaaaccct	780
	ctaaaaacacct aatgatgaat aaaaataaagt tctctagaac ttctggagaa aaaagtaata	840
25	aagctaccag gttaaatgac tgaaattcct gagagaaaaac aacatgtgtg tgttctcta	900
	gaaaggggggc ccaataactga ataccaggaa gtcctatagt aaatggaatg tgactctatg	960
	tgggatccgg cggtccattt tcatccgaat gcatgtctgc tgcttcagtg ggaagggtgc	1020
	ttgcacacca ggtaccact ccctgggtgc atgtgctatg cagtc当地aaag acagaaccag	1080
	aatggtgag cccatgagcc tgctggaccc agcccctccg aggtccggag tgacaaccag	1140
30	tgccgtattt cttagatcaaa cctgaaccccc tcctacaggg aaaagatttc caggggattt	1200
	tgaaagttcc aacattttac agggagaag gaagataagc aggatatgaa agaagagttc	1260
	atgttataca gccctggctt ccactgacgc taacactgga ttcagctttt gacactgata	1320
	atctgttgcc accaaatgga aaacgtaaac aagatattct aagtgtggtt agagaatatg	1380
	caacacaagg aacaaggcaga acattttct ctggaatctg acataatgga ctgtactttc	1440
35	acagacagca ctgatgttag atgtacgtga aataggctaa actgaaaaata agaaaggctg	1500
	aggcagagag gataatatac ctccagcata tctccagca cttgttaat ttctctcaac	1560

	ctccagccac aaatccgaga cacaacgctc ttccctccaaa gaggtcgccc cttctctgtg	1620
	gtggttctca gggatccgcc ccagtcctt ctccgttccc agccccacac actggatca	1680
	ccaggcaccc aagatcccac ctctcagggtg gtatcttcag cgccaggctgc cactcagccc	1740
	ccctccaggg atctggggca gaaggcgaat atcccagagt ctcagagtcc acaggagtt	1800
5	ctctgaaggg cgaggcgcgg gctgcatcag tggaccccca caccccaccc gcaccccaag	1860
	cgctccaccc tggggccggg gccgtcgct tccttccgg ctcggatcg atctggact	1920
	ccgggaattt ccctggcccgg gggctccgg gctttccagc cccaaaccatg cataaaaggg	1980
	gttcgcggat ctggagagc cacagagccc gggccgcagg cacccctcg ccagctttc	2040
	cgctcctctc acagcccca gaccgcctg ctgagcccca tggccgcgc tgctctctcc	2100
10	gccgccccca gcaatccccg gtcctgcga gtggcgctgc tgctctgtc cctggtagcc	2160
	gctggccggc ggcgcagg tgggtaccgg cgccctgggg tccccgggccc ggacgcggct	2220
	ggggtaggca cccagcgcgg acagcctcgc tcagtcagtg agtctttct tccctaggag	2280
	cgtccgtggc cactgaactg cgctgccagt gttgcagac octgcaggga attcacccca	2340
	agaacatcca aagtgtgaac gtgaagtccc ccggacccca ctgcgccaa accgaagtca	2400
15	tgttaagtccc gccccgcgct gcctctgcga ccggccgggt cccagaccct cctgctgccc	2460
	caaccctgtc cccagccga ctcctgcct cacgagattc c	2501

<210> 45

<211> 2501

20 <212> DNA

<213> Homo Sapiens

<400> 45

25	ggcgacagag caagactccc tcttaaaaaa aaaaaaaaaa aaagattctg agtcaaagt	60
	tcataaggta atgcattttg tcataccacaa gacaaatcggttac gttaaaccct tttatctata	120
	aaatagagat aacaatagtt cctgcttcta gggttgttgtt gggattaaa gacttagaat	180
	aatgttcagc ctctaatcag tgctgtcaca actgtctgat acaattgtat tatatttgt	240
	tactttgttag attgatatta aatcatactt taaaaatag gtgcctaatg	300
30	ttccactcaa ttaccttaaa acatgtttaa ttatgtctct atcctactct tataacactt	360
	ctataaaaac ttttacata tagcgtccac ttttggttca gtttctttagg aaaataactt	420
	tgagagtca gctatctgaac caaagaaaca ttaacattac cagactatat tgggattttt	480
	gagactggct tttatcaatt ctttagctac gggctttgtt catcatctt accagtgacc	540
	taagtgtcaa acccaaatgc cttgtatctg tccctttaaa gagatgcagc atctgctcct	600
35	ttcttactgt ttccatttcc tctgcatgc ctcctttac aaccataaat atccaggctt	660
	cttaggtttt aaacggggca tctctcaacc cccacattct tttccttgggt tattcccttc	720

	cctccaacag ttcaattcac ctagatcccc acgcctgaaa ttatcctaga tgtcctagag	780
	gcgccctcatc attacaatgg tacattattc tccactcctt tacatgtcac gccagcttc	840
	aaactgaaaaa tctgagcggtt catccctggt gcatcacctt taaattccag atctccaaaa	900
	tccagggtca tgtaacccta aaaaattttt accctcttctt ctccactgcc cttgttcagg	960
5	ccttatctct tccagcagct gttccaaagg cctactctgt tttccttcg gagtgctaac	1020
	ctccaccgaa gcctccaccc agttgcaat tctgccccat gcctgataat ttgctcgtgc	1080
	gttgacatac ataaaatttc taagacaaaa atttttaat aatggtaaat gaaccttggg	1140
	aactgcatac agatcataca gatccataat aagagaaaaag gtcccagatt aacacggaaa	1200
	actttccatt taactaacat ttgcaactggt aaacttcatc aagcaagacc ctacttaatc	1260
10	ccacattacc ttctactgaa gaggttgtgg tcattctctg gaaatatctg aattcattcc	1320
	tacaagttag agaaacagcg ttactcgaaa cattatccct tgggctcgag ctctaaggca	1380
	cctgacaaac ggagcgctgt gggtaggggt gaggtgtttt ctccagggtt gggactttgc	1440
	cctgggcgag ggcggccgag ggcaaagacc tcaccggca gcagaatccg ggcagaaatc	1500
	agcaactggg cctccgcgc agcagaaaaag gggaaatccag tcggggccca cccttcctgc	1560
15	cagcgcagac cgcaagtctg gccccatcct ctcggccggga gtcggcctgg cgctcccgc	1620
	ccaggtaccc cgaccgtggg cagcctgcgc cgggtgggtt cccatcgccc cggccggca	1680
	gatacctgag cggtgccag ggcaggtccc cgttcttgcc gatgcccattt ttctgggaca	1740
	cagcgcacat gcagtttagc gaaccaacca tgacagcagc gggaggacct ccgagcccgc	1800
	tcgttacagc agaacgcgcg gtcaagtttgc ggcgaaattt gtggccgcgc cccttcctgc	1860
20	tccctatttg tgcaggcgag gcccccccccc cccgccccgg cgcacgcagg gtcgcggcgt	1920
	gctcgccccc gcagacgcct gggaaactgcg gccgcgggtt cgcgccttc gccggccct	1980
	gccgcggggc tgccatcctt gccctgccat gtctcgccgg aagcctgcgt cggcggccct	2040
	cgctgcctcc agtcagcccc ctgcggaggca agcggttttgc agccgatttt tccagtctac	2100
	gggaagcctg aaatccaccc cctcctccac aggtgcagcc gaccagggttgg accctggcgc	2160
25	tgcagcggcc gcagcgcffff cagcgcggcc cttccgcggc cagctgcgcgc cgacgtagt	2220
	aggttctgtc tgggactggg cagggccatc gggctgggg gggcgccgt tggggtaag	2280
	gcggcggag gcggtggaccc tccgcggat gataggcgtt gaggaggaaag gggcgccgt	2340
	aagaagggga aggtggaaag agcccgccg gggctacaaa ttgggtgaag cgctgagggtt	2400
	ttagtacttc cgtttgagga gataggcaaa gtttatgcag gtttttaatg gcaggcctga	2460
30	gacaggaact caggtctcct gactccatt ctgatgaggg g	2501

<210> 46

<211> 1092

<212> DNA

35 <213> Homo Sapiens

<400> 46

	aagctcccc ttcatcatcc aagaaggcat tcaggtctt ctgtgctagg ccccaggtaa	60
	agtgcgtggac tacccagtaa ttggggttcag tagcaggatg gcctcagatt gaggtcccag	120
5	ggccaaagga ccactcctct cctcagcgct ggtccggaa aggcaagctc cgggcgggag	180
	cgcacgcgc gccccgaag cctggctccc tcgccacgcc cacttcctgc ccccatcccg	240
	cgcctttcca ggtcttctcc cggtgaaccg gatgctctgt cagtctcta ctctgcgtcc	300
	tccggccggg cccgggtccc tcgcaaagcc gctgccatcc cggagggccc agccagcggg	360
10	ctcccgagg ctggccgggc aggctggtg cgccgttagga gctggcgcgc cacggctacc	420
	gcgcgtggag gagacactgc cctgccgcga tgggggcccgg gggcgctcct tcacgccgta	480
	ggcaagcggg gccggcgctg cggtaacctgc ccaccggag ctcccttc ctttcctgc	540
	tgctgctgct ctgcattccag ctccggggag gacagaagaa aaaggaggtt gaatggatcc	600
	ccttggcctt cccctgtggt cggggcggg ccagggtggg ccgcgttgcc caggcagccc	660
15	tgcgtgttg ctaggcagcc tggtcggccgg cgtggcgat gccggcgctg gggcgggagc	720
	cgcgagggtg ggaggccctg gggcgttcc gggacgtgga gttacgtggg ttctgacttg	780
	aaaaacgacg gcaaagcgtg ttctgactg cttctgagca cctcacaccc ttcagaccca	840
	gggcgcctt attcccgact ggaagcccg ctttagagca tggtgccact aaaagggttg	900
	tgttggatgt gaaaataccct ttggaaagta ttataagcc tgcaggaaat atgtttctt	960
20	tatccctta ctctgctccc ttcatccatcc atttcaagaa gcaacagaac ctgtgcagag	1020
	tgtgtttaa gttacactgt atgttattt ttgttatgt tgaactcggt gtatacttgt	1080
	gagaataagc tt	1092

<210> 47

<211> 2501

25 <212> DNA

<213> Homo Sapiens

<400> 47

30	cgaaatgaaa cctcgccag gaggccgcgg acctggacac cggcgccac ctccctcacc	60
	tctgacccag gtttcctccc ggcgctgcga gctccgggg aagggttaga gccggcagcc	120
	ctccccagcc cggggagggg agagggttat gcgacccac ctctggctag ggcggggag	180
	gcctttgctt cccgggagcc ctgcccgggc tccttggtcg cagggctgct gggtcccagg	240
	caggaacgag agggtgaggc ccacatgtgg cccggcggcc cagggcgct tgcagcgtcc	300
35	tcactgtccc ggctgccagg ggctgcggcg acgcggccag tcagcagcga gttcaggtcg	360
	cgcagatttt attgtgagc tctgactttc agcactttcc ctaagtcaag aagagtctag	420

	cgtacccttc ggctgcttca tttcagcctc cctgcctcag ctcttcagcc ctattcccc	480
	tgcgcctgtc ctgggggtgt tacagcagcc caggccttcc ttctccttcc cggctccgtg	540
	gcccgaagcc gccgagagag ctcgggacag cgcaggacca ggcagccgct cgctcctg	600
	tcaccttaac tgcaggctcc gaggggcgcc tttggagtgt actgagggtgt gtcctaatcg	660
5	tgccgcattc aacaaatgga cttctggtgt gtggtcagaa gagaaaagcc atttacttac	720
	tttcctcccc gggtttctgg caacagctga aggggagctg cttccgtgaa ctgagcagac	780
	ccaggagagg gagtcgtggt gcggagacac acgcaccaca cacagatgac cggtggcaca	840
	cacgacacac gctgacatac cgacatcgcc agtgggacac acacacacac acacacacac	900
	acacacacac acacagagag agagagagaa tccctcccaag cattggtcat ccgcgggggg	960
10	acccaggctt ccactcccccc tccccttta tctccctgg ctteccctcc tctcgccgc	1020
	tgcgaaaagc agccgcactt agtcaacaaa tggcacgtgg gagaagttgg tgagtgtttg	1080
	gtgaggactc ttcaggcgtt ttcacaagaa ccctctgtac acaaagtaag tggcgtgttt	1140
	actcgggcct ctccagccag agctgtgcct ctgctccgct ggcacccgca gcttccgaaa	1200
	ggagaaagga gagaagaaag ggccgggaga gcgggggtgaa ggatttggac aggccctgga	1260
15	ggcttggcgt ggggaggcct ctggcctcgt ttagttctcg gcccggcaac ctccctctcg	1320
	cctaggcttc gccgcggcct ccgcagctgg aatggagctg ccaggaccca gtgacgctcc	1380
	cgcccccttc ctcttcttcc aaggggcccag gtgggctggg gtgcggccgc cgctgtgctc	1440
	tgtgtcttgg ggccccggct gggatggggt gggggcgggg gggggcgggg cggcaggcca	1500
	cgctgtcctg gagttggcaa gaaaggacag cacagaaact tgcaccctcc gaggactggg	1560
20	agtcccgagt ccagcttagg gggagtgggg ggcgcacccc caacccagaa accttcactt	1620
	gaccgctcaa gttcgccgca gcagggcggg ccgcggcggaa tctcgccgtg cgccggacgg	1680
	ggagatgcag gcgagcgcga gagcccgccc tcgggggccc tgcgcgggg agaggagccg	1740
	ggacccaccc gcgaggccga aaacaagtgt attcatattt aaacaaacgg accaattgca	1800
	ccaggcgggg agagggagca tccaatcgcc tggcgcgagg cccggcgct gcttgcata	1860
25	aagcaatatt ttgtgtgaga gcgagcgggtg catttgcattt ttcggagtg attagtgggt	1920
	ttgaaaaggaa aaccgtggct cggcctcatt tcccgtctg gttcaggcgc aggaggaagt	1980
	gttttgcgttgg aggatgtatga cagaggtcag gttcgctaa tggccagtg aggacgggtg	2040
	gaggcgcaggc cgggcggccgg cacacacaca ttaacacact tgagccatca ccaatcagca	2100
	taggtgtgct ggctgcagcc acttccctca cccacactct ttatctctca ctctccagcc	2160
30	gctgacagcc cattttattt tcaatctctg ttccttcccc aggaatctga gaattgtct	2220
	cacacaccaa cccagcaaca tccgtggaga aaactctcac cagcaactcc tttaaaacac	2280
	cgtcatttca aaccattgtg gtcttcaagc aacaacagca gcacaaaaaa ccccaaccaa	2340
	acaaaaactct tgacagaagc tgtgacaacc agaaaggatg cctcataaag gtgagtcgc	2400
	ttctttcttc tcgctttattt tttattgcaa tattcagaca ggtctcccc ttcctcccc	2460
35	cttccttcctt cccctctcgc cggtccccctc ccccaactgct a	2501

<210> 48
 <211> 2501
 <212> DNA
 <213> Homo Sapiens

5

<400> 48

	tgatgggtgc acaactctga gtacatgaaa aatcaatgaa ctgatacttt gagtgagctg	60
	tatgatactg gaattacacc tcaataaaagc atggtaactg ttttaagata ggctggaaag	120
10	agaaaaggcctg aaaacaacaa taatgatatt aataaatttag tttacttctc tagtctcata	180
	tacttctgtg cccacacttg ctccctgttctt attcataatg gtccccttc agttgccata	240
	ttatatcctg ccatttgatg cccggtaac attctatacc tgcttcccag aattctctt	300
	acctttccctc tatctgccta acttccacat atctaaaatt aatcagagta aactattac	360
	tagaacaacc aactccaaat cctagtaacc taacatgata aaggttgtt tctcactcat	420
15	atagccccctc cccagatgat cgaggggtcc aggctcctta cctctagtgg ctccccacc	480
	ttctggagtc ttctgcattc ttatacatg gttgagataa actatgagtc attagcacag	540
	ctagaccttg aggtcctaca agaaaatttg caaatcattc actctgtttt gaacaaggta	600
	tatthaagat gatgtaaaaa taccaatgg tcttgggtca aatacagttt atgactgtgt	660
	atctaaaata tatattgcaa tattttccc ttttctact gacttcatga atttagcggg	720
20	gatccatttt ataagctcaa agataattac tttcagact aagaatattt agggtaaaaa	780
	gtactgttca acatctctac tgaggatgtt atgatgtac acactgtata agctggagct	840
	aaaggaaact ttccttaaag tgctattac taaaatttg aacacattcc ttaagacaaa	900
	tcgaagtgtg gcacacaaca tccaaaacttc catcatagat acagagggtt taccatctcc	960
	cactccaaa tttcttgtc acgctgagga tactcaagag gaggcggaca tgggtcg	1020
25	agcaggagaa acttgaaagc attcactttt atggaactca taagggagag aatttcttat	1080
	tttagtatcg tccttgatac atttattttt taaaagata atgtagccaa atgtttcct	1140
	ctgtgttaaa tctttacaaa actgaaatct taaaatggtg acaaaaattc tacttctgat	1200
	agaatctatt cattttcca attagatagg gcataattct taatttgc当地 aacaaaacgt	1260
	aatatgctta tgaggttcca tccaaagaa cctgctattt agagtagcat tcagaataac	1320
30	gggtggaaat gccaaactcca gagttcaga tcctaccggta aattgggtta gggaggggct	1380
	ttggccgggg cctccctaga ggaggaggcg ttgttagaaa gctgtctggc cagttccacag	1440
	ctgtcaactaa tcggggtaag ccttgggtta tttgtgcgtg tgggtggcat tctcaatgag	1500
	aactagcttc acttgtcatt tgagtggaaat ctacaacccg aggccgttag tgctcccgca	1560
	ctactgggat ctgagatctt cggagatgac tgctgcccgc agtacggagc cagcagaagt	1620
35	ccgacccttc ctggaaatgg gctgtaccga gaggtccgac tagccccagg gttttagtga	1680
	gggggcagtg gaactcagcg agggactgag agcttcacag catgcacgag tttgatgcca	1740

	gagaaaaagt cgggagataa aggagccgcg tgcactaaa ttgccgtcgc agccgcagcc	1800
	actcaagtgc cggacttgtg agtactctgc gtctccagtc ctggacaga agttggagaa	1860
	ctctcttgg aactccccg agttaggaga cgagatctcc taacaattac tacttttct	1920
	tgcgctcccc acttgccgct cgctggaca aacgacagcc acagttcccc tgacgacagg	1980
5	atggaggcca agggcaggag ctgaccagcg ccgcctccc ccgcggccga cccaggaggt	2040
	ggagatccct ccggtccagc cacattcaac acccacttcc tcctccctct gcccctatat	2100
	tcccgaaacc ccctccctct tccctttcc ctccctccctg gagacggggg aggagaaaag	2160
	gggagttccag tcgtcatgac tgagctgaag gcaaagggtc cccgggtcc ccacgtggcg	2220
10	ggcggcccccgc cctccccgaa ggtcgatcc ccactgctgt gtcgcccagc cgcaggtccg	2280
	ttcccgggga gccagacctc ggacaccttgc cctgaagttt cggccataacc tatctccctg	2340
	gacgggctac tcctccctcg gcctgccag ggacaggacc cctccgacga aaagacgcag	2400
	gaccagcagt cgctgtcgga cgtggagggc gcataattcca gagctgaagc tacaagggtt	2460
	gctggaggca gcagttctag tccccagaa aaggacagcg g	2501
15	<210> 49	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 49	
	tacttcata aaaggatctt tgacttgta agtgtgtcgc atgcataactt ttcatgttac	60
	accacaagtgc ccacttagca actccactag acagggcagt gttcagcat ggggtgggt	120
	gccccctgac aggctttaa aaggccggta tgccaatgca cattccaaca ctatccacaa	180
25	aaaggagact ggagcagtgc tcctccctgc attggcaag gagactctcc ctccctgcct	240
	aaccacttgc ctgcctgtt ttgtggaga attacaagta aatgctacag aggcaagtgg	300
	gaaaaaaaggg tgtttaatt cctctccaga gttccctta tttgatgtat gttgcacatc	360
	ttaaaacaagt tgtgaaaaat ggctgcaggg tagattggct ctcccttta aagctctcca	420
	tccggctggg tttatttgta aatactgcat ctatccttct tagtgtttta ggactggctg	480
30	gaaagactct tcctccgtta gggtgggtca gtgtgagaga tctaaaaat cattttccct	540
	taaaaattact gtattttaat aaaaggattt ggcaggggct ggaatgagag aaaactggtc	600
	cttcaaaatg taaaactgtc atacttaaac cagttacaa aatatgcgtt taattatgt	660
	gtgggatgtg ttaggtgtt tgatgagaga ggcaaccaac atggctattt ggggtgcaag	720
	gatgtggaa caggcaagta atttcacat tggactttca tcctaggag ctgggttcta	780
35	gtcacagctc tgagctgtgt gaccttgggt aggtctcatc tccccgggtt tttgtttcac	840
	cagttgaaca gtatgaggat gagtcacagc taacatttgc tccatgatat ttacccagca	900

	ccataacaagt gttatttctg tcctcccagt taacactgac gtgggttagta ttatatgcc	960
	attttacaga tgaggaaact gaagcctgaa gaagttaaat acttatccca gaacacacag	1020
	ctggtaagtgcagacctgg aatttggaaatc tagttcagtt tgattccccca acccatgctc	1080
	ttgaccacta tactgtttt tcaagtccag atctgaaatc tcattttctg tgtggctgtg	1140
5	tgtttggac agggtaacc aattcctgac tactctatat gctgcataga acctggagag	1200
	gattttcaa agttaatgaa tctcgaaaagc tggattgcag agcaaacgag tgcatgtcaat	1260
	tcagccaggg gcttgcaaga gggagaaaaga gaaaaagact gtggaatgga aagttccca	1320
	acccaaggct ttcccaaggg gtagccattc tctgttctac agtttagggc ttgcattgtgc	1380
	tttttctgga gtggaaaaat acataagtta taaggaattt aacagacaga aaggcgcaca	1440
10	gaggaatttta aagtgtggc tggggggcga ggcgggtggc gggaggcgag cgggcgcagg	1500
	cggAACACCG ttttccaaAGC taagccggc caaataaaaaa ggcgtaaagg gagagaagtt	1560
	ggtgctcaac gtgagccagg agcagcgtcc cggctcctcc cctgctcatt ttaaaagcac	1620
	ttcttgtatt gtttttaagg tgagaaatag gaaagaaaac gccggcttgt ggcgtcgctg	1680
	cctgcctctc tggctgtctg ctttgcagg gctgctgggaa gtttttaagc tctgtgagaa	1740
15	tcctggagtttgc tggatgtc agactatggc ggtcatttgc aggttagcag cccgggtagg	1800
	gttcacccgaa agttcactcg catatattag gcaattcaat ct当地tgcatacaga	1860
	agtagtagga agtgagctgt tcagaggcag gagggtctat tcttgc当地 aaaaaaaaaaaaaa	1920
	agaattccca catgcgagct gtttggggccatggatgccc agaacgc当地 cgatccgagc	1980
	agggtttgtc tgggcaccgt cgggttagga tccggaaacgc attcggaaagg cttttgc当地	2040
20	gcatttactt ggaaggagaa cttggatct ttctggaaac cccccc当地 ggctggatttgc	2100
	gccgagcaag cctggaaaat ggttaatgat catttggatc aattacaggc ttttagctgg	2160
	cttgc当地tgc当地 ataattcatg attcggggct gggaaaaaaga ccaacagcct acgtgc当地	2220
	aaaggggcag agtttgc当地 gtttgggtgg acttttctat gccatttgc当地 tccacaccta	2280
	gaggataagc acttttgc当地 acattcagtg caagggagat catgtttgc当地 tgtatggatg	2340
25	ttctgtcagtttgc当地 gagtc当地tgggcaaaatcctgg atttctacac tgcatgtccg tcttc当地tgc当地	2400
	tgctccagga gaaagctctc aaagcatgct tcagttggatt gacccaaacc gaatggcagc	2460
	atcggcacac tgctcaatgt aggttattt tttcccttc t	2501
	<210> 50	
30	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 50	
35	ggaggataga aatataaattt aaagaatgac acaaataattt ataaaagttac agctgttaaa	60

	agaaaagcat atgggccaa gagaacgtgt aatacaagat ctactcatgg aggtgaggga	120
	aagcttgc cc atcaaagaag ttatgattca atccacgaag accaggagtt ggctgggtga	180
	agaaaaaaag gtcagagggaa ggaagtccac actggggaa gctctaagca taaagggttag	240
	gaggattaca gaggcatatt cacgaaattt ggagaaggct ttcagtaagc aaggagaagc	300
5	caa atgaaag tttacgggag agttggaggc ttgaagacac gttcaaggat ctggtttta	360
	tcttctctt atctcaagag cagtgaaag ccattaaatg attttaatca gaggttggt	420
	ataactagtt ttgtatTTTaaaagctgaa ttca gctc gtttgagaaa ctgagtgaaa	480
	gagcccagaa cggccgtggc tgagggtgac tcgtggaga ctcc tacaca agccatggca	540
	gtggcatggg ctgg tggcag aagaggaaat aggagaaga ttggaaactc aatcttcctc	600
10	cattgacaaa gtcactccag ctttggcaag gcaattaatt ggtggaaag aagatgccta	660
	gccctcctga tttcactgca ctttctgcat cttcaacatg agtactgggaa agtggcaaaa	720
	catccagagg cagcttgggt gctaggtgga gcatgagttt aaattccagg atgaagcaaa	780
	tgaacactta gaatgacagg aaagatttgg gagttgggtt tgggggaggg ctatttac	840
	ttattccctg gagaccctgg cacaaccct tgcctctgca atcttcctc caggtaaagg	900
15	aattcattaa atgaattgct agaagatcta ctgaccagag ggctgtacag aatcatatct	960
	ttgagagtgg gaagttagtt gatcacatag tttattatcc aatcaggaca tatctgaaag	1020
	agaaaggggg ttcttattaaat atttaaacta caaaacatgt acaccaggaa tgtctggc	1080
	aaatctgggtt gccctagcaa gaaaggaaat ttgaaagttt atactgttct gctccatgt	1140
	taccccggtt gcacatgaga gggtaagtat tcttttctt cacctgcatt aagggataa	1200
20	aagcacaaggc attcaggtga ctcccaaccc acttttaattt ttacagtttc tgctatactc	1260
	tatacattct gaaaattaca tttcccacca ctatca ttc gtgataggtt atcatttaca	1320
	attactca gactcagtcc cggaaagagg cggtgcaaaa tggacgctc tatccaggt	1380
	ctcattagaa atgcagaatc tctcctgccc tcctagaccc actgaattttag aatctgcatt	1440
	ttaaataag atttccaggt gatcaatatg tacattaaaa cttgagaaaa acctctagac	1500
25	ttcgacctaa agaaaacat tttacaactt gacagtgtat gcacatacat acatgcata	1560
	agacacaact gaagcacaaa tttaatgaag tagaatttac cgttactatt ttatttggga	1620
	aagaaatgtt ctcgcactc aatagattgg agtatttact cctggatctc aacttgcatt	1680
	ttgaaaacgc atctctaaag cacctaggag caatctgaa gaaagctgagg ggaggcggca	1740
	gatgttctga tctacttaggg aaaacgtgga cttttctgt tgtaactgtt gtaactgtt	1800
30	gcacttagtc attcttgagt aaatacttgg agcgaggaac tcctgagttt gttggaggg	1860
	cggtgagggg cagctgaaag tcggccaaag ctctcgagg ggctggctt gaaaacatga	1920
	ttggcagcta cgagagagct aggggctgga cgtcgaggag agggagaagg ctctcggc	1980
	gagagaggct ctgcccagct gttggcgagg agtttctgt ttcccccgca ggcgtgagtt	2040
	gaagttgagt gagtcaactcg cgcgcacgga ggcgcacac cccgcgcgt gcacccgctc	2100
35	gggacaggag ccggactcct gtgcagttc ctcggccgc cggggccctc cccgcgcctc	2160
	gccggcctcc aggccccctc ctggctggcg agcgggcgccc acatctggcc cgacatctg	2220

	cgctgccggc ccggcgccgg gtccggagag ggccgcggcgc ggaggcgcag ccaggggtcc	2280
	gggaaggcgc cgtccgctgc gctggggct cggcttatga cgagcagcgg ggtctgccc	2340
	gggtcgaaaa ctgctcaggc gcctgtggcc gctgcacatc gtcctgtgga cgcgtatcgc	2400
	cagcacgatc ccaccgcacg ttcagaagtc gggtgagtgg tccccagccc gggctcggcg	2460
5	gggcgccggg ggtttcttg gggtccccgc ctctccgctg c	2501
	<210> 51	
	<211> 2500	
	<212> DNA	
10	<213> Homo Sapiens	
	<400> 51	
	ttcccatcaa gcccttagggc tcctcggtgc tgctggagt tgttgtctga acgcttctat	60
15	cttggcgaga agcgcctacg ctccccctac cgagtcggcgc ggttaattttt aaagcacctg	120
	caccggccccc ccggccgctg cagagggcgc agcagggtctt gcaccttcc tgcacatctat	180
	tctccaggct tcagacctgt ctcccttattt caaaaaatat ttattatcga gtccttactt	240
	gctacccagc actgatatacg gcactcagga atacaacaat gaataagata gtagaaaaat	300
	tctatatcct cataaggctt acgtttccat gtactgaaag caatgaacaa ataaatctta	360
20	tcagagtgtat aagggttgtg aaggagatta aataagatgg tgtgtatataa agtacatctgg	420
	agaaaaacgtt agggtgtgtt attacggaaa gccttcctaa aaaatgacat tttaactgtat	480
	gagaagaaag gatccagctg agagcaaacg caaaagctt cttcccttcca cccttcata	540
	ttgacacaat gcaggattcc tccaaaatga tttccaccaa ttctgcctc acagctctgg	600
	cttgcagaat tttccacccc aaaatgttag tatctacggc accaggtcgg cgagaatcct	660
25	gactctgcac cttccctcccc aactccattt ctttgcttc ctccggcagg cggattactt	720
	gcccttactt gtcatggcga ctgtccagct ttgtgccagg agcctcgac ggggtgtatgg	780
	gattggggtt ttccctcccc atgtgtcaaa gactggcgct aaaagtttg agcttctcaa	840
	aagtcttagag ccaccgttcca gggagcaggt agctgctgg ctccggggac acttgcgtt	900
	cgggctggga gcgtgcttcc cacgacggtg acacgcttcc ctggattttgg taagctcctg	960
30	actgaacttg atgagtcctc tctgagtcac gggctctcgg ctccgtgtat tttcagctcg	1020
	gaaaaatcgc tggggctggg ggtggggcag tggggactta gcgagttgg ggggtgatgg	1080
	gatgaaagct tggcttagagg gatcatcata ggagttgcattt tttttggaga cctgggtgtat	1140
	gatgatgggg atgtttaggg catccgaact caaatggaa cgcctaggca gaggagttgg	1200
	gctttggggaa accttggagcc ggcctaaagc gtacttctttt gcacatccac cccgtgctgg	1260
35	gcgttagggaa tccctgaaaat aaaagatgca caaagcattt aggtctgaga cttttggatc	1320
	tcgaaacatt gagaactcat agctgtatataa ttttagagccc atggcatctt agtggaaaact	1380

	ggggctccat tccgaaatga tcatttgggg gtgatccggg gagcccaagc tgctaaggtc	1440
	ccacaacttc cggacccttg tccttcctgg agcgatctt ccaggcagcc cccggctccg	1500
	ctagatggag aaaatccaat tgaaggctgt cagtcgtgga agtgagaagt gctaaaccag	1560
	gggttgcgc gcccaggccga ggaggaccgt cgcaatctga gaggcccgcc agccctgtta	1620
5	ttgtttggct ccacatttac atttctgcct cttgcagcag catttccggc ttcttttgc	1680
	cggagcagct cactattcac ccgatgagag gggaggagag agagagaaaa tgtccttag	1740
	gcccggttcct cttacttggc agagggaggc tgctattctc cgcctgcatt tcttttctg	1800
	gattacttag ttatggcctt tgcaaaggca ggggtatttgc ttttgc aacctaatac	1860
	cctcccccttc tttgaatggc gtgcggacc ccccggtcg cctgcacact aggcggacgc	1920
10	taccatggcg tagacaggga gggaaagaag tgtgcagaag gcaagcccg aggcaacttc	1980
	aagaatgagc atatctcatc ttcccgaga aaaaaaaaaa agaatggtac gtctgagaat	2040
	gaaattttga aagagtgcaa tggatgggtcg tttgataatt tgtcggaaa aacaatctac	2100
	ctgttatcta gctttgggct agggcattcc agttccagac gcaggctgaa cgtcgtgaag	2160
	cggaaaggggc gggcccgca ggcgtccgtgt ggtcctccgt gcagccctcg gcccggccg	2220
15	gttcttcctg gtaggaggcg gaactcgaat tcatttctcc cgctgccccca tctcttagct	2280
	cgcgggttgt tcattccgca gtttcttccc atgcacctgc cgcgtaccgg ccactttgtg	2340
	ccgtacttac gtcatctttt tcctaaatcg aggtggcatt tacacacagc gccagtgcac	2400
	acagcaagtg cacaggaaga tgagtttgg cccctaaccg ctccgtgatg cctaccaagt	2460
	cacagaccct tttcatcgtc ccagaaacgt ttcatcacgt	2500
20		
	<210> 52	
	<211> 286	
	<212> DNA	
	<213> Homo Sapiens	
25		
	<400> 52	
	tttgcactag gctggaagtgc cccgcgtgaa ttccattctc tggaaaagtgc	60
	gaatcagctg gcattgccccca gcgtgatttgc tgaggctgag ccccaacagt ccaaagaagc	120
30	aaatggatg ccacccctcgcc ggggctcgct cctcgcgagg tgctcaccccc gtatctgcca	180
	tgcaaaacgaa gggagcgatc ggaaggaaatc cgtcttgtaa agccattggc cctggtcatc	240
	agcctctacc caatgctttc gtgatgctgc tgctgatcta tttgggg	286
	<210> 53	
35	<211> 1400	
	<212> DNA	

<213> Homo Sapiens

<220>

<221> unsure

5 <222> (1371)

<223> unknown base

<400> 53

10	ttccagctgt caaaatctcc cttccatcta attaattcct catccaacta tgttccaaaa	60
	cgagaataga aaatttagccc caataagccc aggcaactga aaagtaaatg ctatgttgc	120
	ctttgatcca tggtcacaac tcataatctt gaaaaagtgg acagaaaaga caaaagagt	180
	aactttaaaaa ctcgaattta ttttaccagt atctcctatg aagggctagt aacccaaaata	240
	atccacgcat cagggagaga aatgccttaa ggcatacggt ttggacattt agcgtccctg	300
15	caaattctgg ccatcgccgc ttcccttgtc catcagaagg cagggaaactt tatattggtg	360
	acccgtggag ctcacattaa ctatttacag gttaactgct taggaccagt attatgagga	420
	gaatttacct ttcccgccctc tctttccaag aaacaaggag ggggtgaagg tacggagaac	480
	agtatttctt ctgttggaaag caacttagct acaaagataa attacagcta tgtacactga	540
	aggttagctat ttcattccac aaaataagag tttttaaaaa agctatgtat gtatgtgctg	600
20	catatagagc agatatacag cctattaagc gtcgtcacta aaacataaaaa catgtcagcc	660
	tttcttaacc ttactcgccc cagtcgtgcc cgacgtgact tcctcgaccc tctaaagacg	720
	tacagaccag acacggcgcc ggcggcgaaa gaggggattc cctgcgcggcc cggacctcag	780
	ggccgctcag attcctggag aggaagccaa gtgtcctct gcctcccccc ggtatcccat	840
	ccaaggcgat cagtccagaa ctggctctcg gaagcgctcg ggcaaagact gcgaagaaga	900
25	aaagacatct ggccggaaacc tgtgcgcctg gggcggtgga actcggggag gagagggagg	960
	gatcagacag gagagtgggg actacccct ctgctcccaa attggggcag cttccctgggt	1020
	ttccgatttt ctcattccg tggtaaaaaa accctgcccc caccggcgtt acgcaatttt	1080
	ttaaggggaa gaggaggaa aaatttgcgg ggggtacgaa aaggcgaaaa gaaacagtca	1140
	tttcgtcaca tggcgttgtt tttcagtctt ataaaaagga agttctctc gtttagcgac	1200
30	caattgtcat acgacttgca gtgagcgtca ggagcacgtc caggaactcc tcagcagcgc	1260
	ctccttcagc tccacagcca gacgcctca gacagcaaag cctaccccg cgccgcgc	1320
	tgcccgccgc tgcgatgctc gcccgcgc tgctgctgtg cgccgtcctg ncgcgtcagcc	1380
	atacaggtga gtacctggcg	1400
35	<210> 54	
	<211> 2501	

<212> DNA

<213> Homo Sapiens

<400> 54

5

	gataatctt tcataacaaga tgcattctgc ttttgtggc ctcttcgcagc cctcaagccc	60
	ccatctgatt tgtacacaat gatccagtgg gccagaggag cccagagcca tgagcgcccc	120
	atccctccaa gaactatttc tgactgtcca gtatcatgga gcaagtggaa agaagaaaaaa	180
	aaaaacccaa ttactttcg aagagcaaga tgaatgctgt agaaggagaa ggaaggggag	240
10	ggagatggat gggtgccgat tccagaatct tcagatctgc ttggatgaat cattacctat	300
	gatttgccgg acaagaatct gattttattc atcaaccagt agaaaactttt ctttctgcct	360
	cccaacatct gaaatccaac aaacatgtgc ctttaggaaca taccggcat cttttagagg	420
	cattttatat acatattgag taactagaaa acacttttc cgtaatacac acacacacac	480
	acacacacac acaccatctt gtcatacaac actcccacgc aagaaaagcg aaactgctgt	540
15	ttgatgaatg taaacacttg gctgttgca gcagtcggga gtcctgccag gtttaagtgc	600
	taagatggga ggtgaacccc aggggtttcc ccctgcccgt gctgagatcc ttatttggtc	660
	aagcttctac ctatgcctg gcctcggagc gagcccgata ggcgtggatc acagcagagg	720
	gagcggaggcg gctgacgtcc catccccaaag agatgaatgg aattccagga agctagagtc	780
	atgctggctt gggacagtgg cttggagacc agacttcaat gacagaagca ctggcagcg	840
20	gcactcatgg caatgtgtgc acccacagaa atgtaaccca cacctcggtt tcaggagccg	900
	aaaaatgaaa agaacgttta gggaggaaaa agggaaatac aataataggc agagagtaat	960
	ttattactct atgggtctgc tctgtaaata gctgaagact ctggagccag atggttctgc	1020
	aaattctcca aacaggagtc acgttaagaa gcacgagtgg gcacaaaaac tgttttcaa	1080
	gacacaattt caatttggct tggaaact ggatacggat aagtttctt aaaattcgag	1140
25	tagaaagcag ctgtcctccc cggccccctt gatgagaata cgcacaccgc ccccaagcgg	1200
	ccggccgagg gagcgcgcgc gcagcggag aggctctct gtggggccccc tggcagccgc	1260
	ggcaggaaag gccccgaagg cagcgaaggc gaacgcggcg caccaacctg cccggccccgc	1320
	cgacgcgcgc ctcacccccc tccggggcg gcgtggggcc agctcaggac aggcgcgtgg	1380
	gggacgcgtg tcctcacccc acggggacgg tggaggagag tcagcgaggg cccgaggggc	1440
30	aggtacttta acgaatggct ctcttggtgt cccctgcgc cccgtcgccc attttcttt	1500
	ttacaaaacg gccccagtc ctgttatcca cctctcgcca tcaaccaggc attccggag	1560
	atcagctcgc ccgaaagccc ctgcgcacc cccggggccc tccttaggtgg tctccccagc	1620
	cccgccctt ttggatgc ttgtgtatca ccccgagccc gcgtggcgca agagtacgag	1680
	cggccggccc gtgcgcgcca aggctgcgtg ggcgggcacc gactttctg agaagttcta	1740
35	gtgctcccaa gccccgaccc cccggccctt cactttctag ctggaaagtt gcgcgcagg	1800
	cagcgggggg cggagagagg agcccaagact ggcccccacc tcccgcttcc tgccggcccg	1860

	ccgcccattg gccggaggaa tccccagaa tgcgagcgcc ccttaaaag cgccggc	1920
	ctccgcctt ccagccgtg cggcgagct ggcctgcgag ttcaaggcgt ctgtcgct	1980
	ccaggagcaa cctctactcc ggacgcacag gcattccccg cgccctcca gcccgc	2040
	ccctcgccac cgctcccgcc cgccgcgtc cggtaacac acgttaagtcg ccccg	2100
5	ccgcccgggcca ccaaagctgc cgggacatc cacctggagc gctgaggctt cagtc	2160
	gttggacccc ggaacctaca ctctcccgcc tcgcctaccc cagccgcgtc ctctc	2220
	ctggaggact cttcaggca aggctccaga gccatcctct ccagccttga gttcac	2280
	ccaactcatc aggacacccc aagatttct tactcttga agtcctcctt aagc	2340
10	atcagcactc cagggaaagag tctgtacttc ccctgcctc cctgcaaccc caaacta	2400
	tccctgatct tgctcacctt cgacttccca aaagccccca aattgttgtt cttgc	2460
	ccacacttta aaaccagcat ctcttcctc cacctctctc t	2501
	<210> 55	
	<211> 7258	
15	<212> DNA	
	<213> Homo Sapiens	
	<400> 55	
20	ttcaatagga agcaccaaca gtttatgccc taggacttttgc ttc	60
	catacacgca cacctaaccctt aatccttac aagccctgtc aaaaacggac tt	120
	gctgcaaaattt ttcagtaatc tggccttgcc ttcccccctc tgatagcacc at	180
	cccccttact gccgaaagca ataagccggg ctttggtcca tccactgggtt gt	240
	tatctgggaa ctgccactga acagacgcac agagggagcc cctacaggca ggg	300
25	tgtctgtgct tcttgggaga gtatgtctcg tacatggcgc gctgtatgaa gac	360
	ctccatcccg cgaccagact cacagctcca tccagctgcg gcaaggggtt ctg	420
	cttaggcaag ttggggccca gccccggaaag ttgcagaaga actgattaga gg	480
	ggttcagag ctgggctgag gtagagagtc ttctgtgcgc ttctctcct ctct	540
	cgggactcc ttgcactggg gcaggccccg gcaggtgcattt gggaggaagc ac	600
30	tacaaggcctc tcgattcctc agtccagacg ctgttgggtc ccctccgtc gag	660
	ttcccccaaa tctttgtgag cggtgcggaa gcacgcgggg tccgggtcgc tg	720
	agacaggggg agggagccgg gccccggagg gaggggcggc gccccgggg g	780
	agagcaggcg cccgcgggtcg cagcacagtc ggagaccgca gccccggagcc c	840
	tccacctgtc cccgcagcgc cggctgcgc cctcctgcgc cagccacccgg tg	900
35	gttcctgaga tccccgggccc ggatgcgcgg cggcccccagc tccccagcgt ctgc	960
	cccccggggc tgccccggct ccctggcgc cccggggcgt gcacggagtc aagg	1020

	gtccccggcg tcccccgccg gtcccgatcc aggctcccg gagtccggag cccatagagg	1080
	agagagacag ctggggagcc tggtcaccgc gggcatctcc cctgcgtgc agtcggccgc	1140
	ctggcctgcc ttcccgttcc tccgcctttt gcctgactt ctcttcctt tgcaagagccg	1200
	ccgtcttagcg ccccgacactc gccaccatga gagccctgct ggccgcgtc cttctctgcg	1260
5	tcctggtcgt gagcgactcc aaagtgagtg cgctttgtct tgactgtatg ctgccaagg	1320
	acctctgatc agcaccaggg gagaggaggg gctgctcagg gagctgggt ctccggattc	1380
	catccacagc agggccagac tctcccaagg aaatggaca gggtggcagc ggaggcttga	1440
	gaaccacggg gttggcaact ggctggcaag ggaggaagag ggccacccggg actgccccag	1500
	cctgcgggca tctggtagat gaagcttaat ccatttctcc tggctggaaa ccatggtctt	1560
10	ccatttgaga actagatacg aacagggtga ggcgagaggg agagggaaaga gtgggttttgc	1620
	ggattggggc cagtttaccc tcaccctgga tccctggagc atgggacctt tgatgaagcc	1680
	tcctcccgaa tctcttccag ggcagcaatg aacttcatca agttccatgt gagtatccac	1740
	ccctacaaca gttggctgca cagacaagtt gggaggctt caggggacac tcccctccct	1800
	gcctctgct gcagcgtgcg ccaccctta ccacttccac tccccctcgc ttacccacc	1860
15	tttggttctct ccagcgaact gtgactgtct aaatggagga acatgtgtgt ccaacaagta	1920
	cttctccaac attcaactggt gcaactgccc aaagaaaattc ggagggcagc actgtgaaat	1980
	aggtatgggg atctccactg caactggag agaaatttgg ggacaggag ggatgggtgg	2040
	gaggcaagag caggcaggag ttaggagctg gaggtagggt gggtgacatc ttcatcccta	2100
	tgtgacaagc ataaacacac acacacgctc acgaaacagt gcccacacaa atgtgaggtg	2160
20	gggttggaaag gagaccctgt ccagtttctt ggcaggtctg aaacgacatc tttaaaatgt	2220
	ccgttggcag ccgggcatgg tggctcacgc ttgtaatccc agcatttga gaggtcaagt	2280
	ttgagtggat cattaggtc aggagttcaa gaccagcctg gacaacatgg tgtaaccctg	2340
	cctctactaa aaatgcaaaa atcagcctgg catggtgggt gatgcctgta gtcccagcta	2400
	cttgggaggc tgaggcagga gaattgcttgc aacatggag gccagatctc agttagctgaa	2460
25	gatcacaccca ctgcactcca actggcgac agagcaagac tccatctcaa aaaaaaaaaa	2520
	aaataaaaagt tagttggaat gttcttctct ttctcatatt ctctcatctt cctgtcccct	2580
	tgtagataag tcaaaaacct gctatgaggg gaatggtcac ttttaccgag gaaaggccag	2640
	cactgacacc atgggcccgc cctgcctgcc ctggactct gccactgtcc ttcatcaaac	2700
	gtaccatgcc cacagatctg atgctttca gctggcctg gggaaacata attactgcag	2760
30	gtgagggtggg ggcaacaagg accaaaagcc ctccctacag cttcccagaa accttggta	2820
	catcccttc tcccagaggg ctggccatag cacaagagaa gtgcggcctc tggtttagtc	2880
	tccctgagg ggaggaggca gggaaaggccc tctgggttgg aatgacatcc cctatcttc	2940
	tgtgttgtgc caggaaccca gacaacccga ggccacccctg gtgctatgtc caggtggcc	3000
	taaagccgct tgtccaagag tgcattggc atgactgcgc agatggtag catcaactgac	3060
35	ctgctgatga caggtgggtg gaaggggaca aacttacatg tcccatttatt ccacacagg	3120
	aggactgagg aggtgggggg tgcccgagag ggatgcttgc tccatccatgc ctccctaaga	3180

	catccctctg tttgtcctcc agaaaaaaag ccctcctctc ctccagaaga attaaaattt	3240
	cagtgtggcc aaaagactct gaggccccgc tttaagatta ttgggggaga attcaccacc	3300
	atcgagaacc agccctggtt tgccgccatc tacaggaggc accggggggg ctctgtcacc	3360
	tacgtgtgtg gaggcagcct catgagccct tgctgggtga tcagcccac acactgctc	3420
5	atgtacggcc ctgggtttct ccttcgcac tttctgccc caccccaagc acatccctt	3480
	ctcctccca gcaaagtgtt ccgcctcatt tccctcat ctgccccgt ccatgcgcc	3540
	atggccttgg ggacaagtctg tgcttgagg cctctaggga gggaaaggaaag aagtggcatg	3600
	atttcatggg actaagctgt ttatgggtt ttttttcca cagtgattac ccaaagaagg	3660
	aggactacat cgtctacctg ggtcgctcaa ggcttaactc caacaccaa ggggagatga	3720
10	agttttaggtt ggaaaacctc atcctacaca aggactacag cgctgacacg cttgctcacc	3780
	acaacgcacat tggtaggggg gaacgcgcg gactactgtg gccataatgg cttggggaga	3840
	gtgggaccca gggagagact ggagctgagt tgaagctgcc ggtggggcag gggtagggcg	3900
	aggagacctt aagcctcgat atacatgaca aaggatggca gggaaagat ttcatgaagtc	3960
	tgaggggcctt ggtgctcctc tggagagacc ctgaatttcc ccaacaagta gccccttgc	4020
15	gagtgaaac agccctgtgg gtatatggct tggctggga aggccctgtt tatatgaatt	4080
	agaaaaagac acacccctt ttgtggatg cagccctctgt ctgtcttagg atatagaact	4140
	tggagaatgg agccttggga tggattccag cctaactacc tcagggggat cctctagagt	4200
	gcagctggga gttttgcag aaacgacctg tacagctgtt tgcatggct ctggccatcc	4260
	aagcctttt caacacctgg aacaaaagccc ttggggcatg gggcaggggg ggtttccagg	4320
20	tgataagcga ccagcagacc tccctggatg actgacctag ggataggcat agctacttcc	4380
	tcggcactt gaggggacag atggggacccg cctaaccagt agtcatctt ctcctctgac	4440
	cctctgtcct ccccccgcct tgctgaagat ccgttccaag gaggcaggt gtgcgcagcc	4500
	atccccggact atacagacca tctcctgccc ctgcgttat aacgatcccc agttggcac	4560
	aagctgtgag atcactggct ttggaaaaga gaattctagt aagtgacaat tgcatgac	4620
25	ttagaaggtc ctgaggagtg ttttgcctg aaaatgagcc cagtgtgatc aaggaaagac	4680
	tgcagagtta gaggtgggag cactgaggcg gtggcagatg ggtccaggga tggatgaaga	4740
	gtgttgttta gggagcgatg ggctgcaaag gtaaatagat ggttagggct ataggtggag	4800
	gtaaatggct cagatttgca tggagagaga ataatggcc tctccctggg tgatgatact	4860
	ttatgggttc ccctctctgg cgagacgtcc cacgtggagg cagataaaatc ttgatgaaa	4920
30	cgcctccctg ttttctccac ctagccact atctctatcc ggagcagctg aaaatgactg	4980
	ttgtgaagct gatttcccac cgggagtgcc agcagccca ctaactacggc tctgaagtca	5040
	ccacccaaat gctgtgtgtc gctgacccac agtgaaaaac agattcctgc caggtgagtg	5100
	ttccaaagcat ctctctccac ctctccata tctcccccaga gctccctggc ttgttccagc	5160
	cagcttaagg gtgtctctct ctagccaaag ccctaagtag ccagaatcag gagctcaggt	5220
35	ctttgagggt ttaaaccagt ctttatgtgt ttgccagaca ttacaaaaaa aatcccagct	5280
	ctgcgctagt cacttcagac tggggcaccg agatcctaga aagagaaaaac agtaaaagac	5340

	aatgttaactc agtgc(cc)agg gtgttgttg aactataaaat gatcagggtgt tcaggagagg	5400
	gagggtgagtgc ccaacctgag ggtcagggag gggaggctt aaaggaaatg tgacttgata	5460
	ggcatttgaag gaggcagagg gaagaagga aggtgtttca gttgaaagat acaaaaactga	5520
	gaaggaggct ggcattttcc gggtggggag gagaactagg gtctgggagt gtggatggaa	5580
5	tagtggcaga tgacagggtctttaaagcca agcaggggat tttccaactt cgatgtggta	5640
	gaaatggggc tgcgtcaggc acagtggctc atgcctgtaa tcccagcatt gggctaggcc	5700
	gtagtcgatg gatcatttag gcacagatgg agaccggcct ggaccaacat ggtgaaaccc	5760
	tgtgtctact aaaaaatgca aaaaaaaaaa ttagccaggt gtggtgtgc ctgcctgtaa	5820
	tcccagctaa tcaggaggct gagacatggaa atcgctttag cacaggaggc aagtttgacg	5880
10	tgagctgaga tcacgtcatt gcacgccagc ctggcgaca gagcgagatt ctgtccccc	5940
	gccaaaaaaaaa gaaagaaaaat gggaaagtcgc taaggacttt gactggaaaa ctctccctc	6000
	tctctggtat ggttgggtga tggatcaga aatccccctcc tcacttctct agggctcatc	6060
	ttttgtatct ttggcgtcac agggagactc agggggaccc ctgcgtcttt ccctccaagg	6120
	ccgcatgact ttgactggaa ttgtgagctg gggccgtgaa tgtccctga aggacaagcc	6180
15	aggcgtctac acgagagttcacacttctt accctggatc cgacgtcaca ccaaggaaga	6240
	aatggcctg gccctctgag ggtccccagg gaggaaacgg gcaccacccg ctttcttgct	6300
	gtttgtcatt tttgcagtag agtcatctcc atcagctgtaa agaagagact gggaaagatag	6360
	gctctgcaca gatggatttg cctgtgccac ccaccagggt gaacgacaat agctttaccc	6420
	tcaggcatag gcctgggtgc tggctgccc gacccctctg gccaggatgg aggggtggtc	6480
20	ctgactcaac atgttactga ccagcaactt gtcttttctt ggactgaagc ctgcaggagt	6540
	aaaaaagggc agggcatctc ctgtgcattgg gtgaagggag agccagctcc cccgacggtg	6600
	ggcatttgtg aggccatgg ttgagaaatg aataattcc caatttagaa gtgtAACAGC	6660
	tgagggtctct tgagggagct tagccaatgt gggagcagcc gtttggggag cagagacact	6720
	aacgacttca gggcagggtct ctgatattcc atgaatgtat cagaaatata atatgtgtgt	6780
25	gtatgtttgc acacttgtgt gtggctgtg agtgtaaatgt tgagtaagag ctgggtctg	6840
	attgttaagt ctaaatattt ctttaaaactg tgtggactgt gatgccacac agagtggct	6900
	ttctggagag gttataggc actcctgggg cctcttgggt ccccccacgtg acagtgcctg	6960
	ggaatgtact tattctgcag catgacctgt gaccagcact gtctcagttt cacttcaca	7020
	tagatgtccc ttcttggcc agttatccct tccttttagc ctatccatc caatcctcac	7080
30	tgggtgggtt gaggaccact ctttacactg aatatttata tttcactatt ttatattata	7140
	tttttgaat tttaaataaa agtgtatcaat aaaatgtat ttttctgtat acaaattctcc	7200
	ctgggtgtttg tatgggaagg agttggagta cataaaaagg agaaaataac aaaggtgg	7258
	<210> 56	
35	<211> 852	
	<212> DNA	

<213> Homo Sapiens

<400> 56

5	cagctgcgct ggaggctgag gccgattgct tgagcccagg atttggaggc cagcatgcgc aacataatga gacccagtct ctaaatgcat gcctctctat atattaaaat tctgtatgtga aaatatttta aaattaataa catttcaaatt gtttttaatt gtataataaa caaatgtaa ataataaaat aatttaatat taaattcaaa aatgaggttag aaacaaagca cagcgatata aataataaaat ttcccttac attttgagg cggtctttg agtttggat ttcccttcta	60 120 180 240 300
10	ggtcactgaa atgtgctcct tggagccagc ccgcaaatca cgcatataga aaaacataac tatacactcc taaccctaag tattagaagt gaaagtaatg gaatctcgat gtaaacacaa tatcactttt ttgttagagct attttgagta taataaaattt gaactgtgcc aatgctggga aaaaaaattt aaaagaagaa cgagcgaac agtagcttcc tcgtccgctg actagaaaca gtaggacgac actctcccga ctggaggaga ggccttgcgcc tcgcactcag ttggcgcccc 15	360 420 480 540 600
15	ccctcctgct ttttccttag ccgcctttc ctctttctt cgcgctctag ccacccggga aggcactgct gtagctggc tctgattggc tgctttgaaa gtctacgggc tacccgattt gtgaatccgg ggcccttttag cgccgtgagt ttgaaactgc tcgcacttgg ctcaaaagct ggcttggaa aattgagcgg agagcgaacgc ggttggta gctcgctgctg gccgcccgg aataataaagc cg	660 720 780 840 900
20	<210> 57 <211> 2501 <212> DNA <213> Homo Sapiens	
25	<400> 57	
30	tcttgtcaact ccatgcactg tggccgtat gctaaatagt ttgagaaacc caaatggcc atgttcgcct acatttcatt gtccctgtact tcctgtcctg tactagcaaa gcagtcggat tggtcttct tctcctcatt aacaataaaag gtaacacttt tgatgttgg tcttcagaaa accttcattc atcaaaactg cctcaaagat catgtttgtt tgattccaga acttcctgt attacctgtt attgtAACAC tcatacgtt atttactta cttgtgtAAC taattttcca tattctgcac tagacaacaa agtcctttaa gtcaggact atatctattt acatagcatt cacatctcct acaataaggg acattagcag ataaacaaca catattaaat gaataatgaa 35	60 120 180 240 300 360 420 480 540
35	gtttctgaaa tactacgtt gaaaactata ggagctacat tatatagaat aaacatttac tttgctatag aattcagtgt aacccaggca ttatTTTATC ctcaagtctt aggttgggtt	540

100

	gagaaagata acaaaaagaa acatgattgt gcagaaaacag acaaaccctt ttggaaagca	600
	tttggaaaatg gcattcccccc tccacagtgt gttcacagtgt tgggcaaatt cactgctctg	660
	tctgtactttc tgaaaatgaa gaactgttac accaaggta attatttata aattatgtac	720
	ttgcccagaa gcgaacagac ttttactatc ataagaaccc ttcttggtg ctcttatct	780
5	acagaatcca agacctttca agaaaggctt tggattctt tcttcaggac actaggacat	840
	aaagccacctt ttttatgatt tggtaaatt tctcactcca tccctttgc tagtgcata	900
	gggtcctcaag aggtcagact tgggtcctt ggataaagag catgaagcaa cagtggctga	960
	accagagttt gaacccagat gctcttcca ctaagcatac aactttccat tagataaacac	1020
	ctccctccca ccccaaccaa gcagctccag tgcaccactt tctggagcat aaacatacct	1080
10	taactttaca acttgagtgg ctttgaatac tggatgtgc tggatgtgc tggatgtgc	1140
	catcttcctc tattgaagcc ctccttattcc tcaatgcctt gctccaaactg ccttggaaag	1200
	attctgctct tatgcctcca ctggattaa tgtcttagta ccacttgtct attctgctat	1260
	atagtcagtc cttacattgc ttttttcttc tgatagacca aactcttaa ggacaagttac	1320
	ctagtcttat ctatttcttag atccccaca ttactcgaa agttactcca taaatgtttg	1380
15	tggactgtat ttctatgtga agcacatgtg ccccttcaact ctgttaacat gcattagaaa	1440
	actaaatctt ttgaaaagtt gtagtatgcc ccctaagagc agtaacagtt cctagaaaact	1500
	ctctaaaatg cttagaaaaa gatttatttt aaattacctc ccaataaaaa tgattggctg	1560
	gcttatcttc accatcatga tagcatctgt aattaactga aaaaaataa ttatgccatt	1620
	aaaagaaaaat catccatgtat cttgttctaa cacctgccac tctagacta tatctgtcac	1680
20	atggtactat gataaagtta tctagaaata aaaaagcata caattgataa ttccaccaaat	1740
	tgtggagctt cagtattttt aatgttatatt aaaattaaat tattttaaag atcaaagaaa	1800
	actttcgatca tactccgtat ttgataagga acaaataggaa agtgtgtatga ctcaggtttg	1860
	ccctgaggggg atgggcccattc agttgcaaat cgtggaaattt cctctgacat aatgaaaaga	1920
	tgagggtgca taagttctt agtagggta tgatataaaaa agccaccgga gcactccata	1980
25	aggcacaaac tttcagagac agcagagcac acaagcttct aggacaagag ccaggaagaa	2040
	accacccggaa ggaaccatct cactgtgtgt aaacatgact tccaaagctgg ccgtggctct	2100
	cttggcagcc ttctgttatt ctgcagctct gtgtgaaggta aagcacatct ttctgaccta	2160
	cagcgtttc ctatgtctaa atgtgtatct tagatagcaa agctattctt gatgtttgg	2220
	taacaaacat ctttttattt cagaaaacaga atataatctt agcagtcaat taatgttaaa	2280
30	ttgaagattt agaaaaaaact atatataaca cttaggaaag tataaagttt gatcaatata	2340
	gatattctgc ttttataattt tataccatgt agcatgcata tatttaacgt aaataagtaa	2400
	tttatagtat gtcctattga gaaccacggt tacctatattt atgttataat attgagttga	2460
	gcaaggtaac tcagacaattt ccactcctt gtagtattca t	2501
35	<210> 58	
	<211> 2501	

<212> DNA

<213> Homo Sapiens

<400> 58

5

	attaattctg caaatttaa taaatgctt attttaagct aaatgctgag atgaaaaaat	60
	gaaaccatat gagtttagcaa agtagaaaaat ataggcataat taatcagtaa atgcagaatg	120
	ataaatgctc catcaatatg cacttgttgt agtgaggcca ccgaggaggg tgcaatcc	180
	tcaacctggg aggagcaggt aggacttcag atgtcatcca actcaaagat atagtgaggg	240
10	acttgatcaa acattgccca agaccactat gagttaaatg aatagattag gcatttctcc	300
	aatgttgcaa gcttcgaatc atatccaaac tcagaacaac atagcttgtt cataatgatc	360
	ccaaggatcc tattggccat tgtctttgag cctcaaagga acatattaaa actccataat	420
	accctttga tctattctga agttaagtag tgaatttaca ttagtgcatac acaaacactg	480
	taaaggacct ctgggttact tggttataag ctgttatttc ctgaatcaat ttttctgatc	540
15	cctagatatt tggtaggtga agtcataacct atatatcccc acaccctaga acagcatctc	600
	caacttattt ttccctccct gtcttttagt gggagccaca tcagtatcca agaggagatc	660
	cagaaggcctc tccaaccagg tagggacagt tatagattcc agacctcagc tatggcctt	720
	gttacagagt acaaatgtta tatagtacaa gtttattgtt cacatccat tgagtctctg	780
	agcttttagaa ttttctgtt gaatttaaca gttttttcat gccgtatTTTtta catattttg	840
20	ctagtatttta gaattttctt ctccaaatgt ataacgttta ttattgcatt ttttcttatcc	900
	actaagtggaa aaatcatgca ttagatattt tagaagttaga tacaacaatg aacaagaact	960
	ggtcctgacc atgagaggaa ctgtatgtcc aatgggggag atagacctgc acgtgtttaa	1020
	taaaaggaag tggctattcc ggttttttt tgatggcaaa gcattttgca aggccctggg	1080
	ctatgtgtgt gcaaggctaa gccagttgt taattgggat tttttttaaa aggcaacttca	1140
25	ctggggggaa aaggaacata gagttggta ttgtcccctt gcctataata aaaacctatt	1200
	attttaattt ttttaactgg gtttgcggtt aaatctcaca gcccagaga tttgccactt	1260
	cagatggatt ccatacactt gcatttaagt atgaaaaaaaa attccaatta tccagcaatt	1320
	taacccaaattt attggtaact tttctaaaac aaaaaaaaaat tgttccctt gtttggcag	1380
	caatttcagt tacagtccctt tacttctac tcaagaaaaat agttcaaaa agttgatgtt	1440
30	tgttgctaaa agaactatTTTt ttagaataa atataaaaact aagaagttat ggtgtccctt	1500
	ttttttttttt tgactcatca aaagaaataa cttttccctt tctcttgtaa gagaaaaaaaa	1560
	ttaatctctt ttagaattgc aaacatattt cttgtatggaa gaaaatcaat tcacatggca	1620
	tagtcgttat ttatccagtt caaaaaccag agttagaattt actactctgt ctccatTTTt	1680
	tctctccca ccccccttaac ccacattggaa ttcagaaagc ttcattctgc aatcagcatt	1740
35	gtcctttatc tttccagtaa agatgcctt ttggagtcga agatgaggaa aagcctgtat	1800
	tttatagtct tggaaagtgtc ttctttgcc aggacagaga gaggagcttc agcagtgaga	1860

	gcaactgaag gggtaatag tggaacttgg ctgggtgtct gttaaacttt tttccctggc	1920
	tctgccctgg gtttcccctt gaagggattt ccctccgcct ctgcaacaag accctttata	1980
	aagcacagac tttctatttc actccgcgt atctgcacatcg ggcctcaactg gttcaggag	2040
	ctgaataccccc tcccaggcac acacagggtgg gacacaataa agggtttgg aaccactatt	2100
5	ttctcatcac gacagcaact taaaatgcct gggaaagatgg tcgtgatcct tggagcctca	2160
	aatatacttt ggataatgtt tgcaagttgt aagttatttc ctttcacatcg tttcaaattgt	2220
	tagcattcaa ttttagccct ggtttggct tcagtcgtt ttgcgatagt agtgaagtaa	2280
	agacactagg attttaaaca gtaggaaaag ttaatttagt ctaactttta atatgcaatt	2340
10	gagtttgct atataccatt gtactgtcat agttagagct gaaaattgtat gttttggta	2400
	tcttttttc caaaggcaat tgagtaattt ggattctgtc tctagtcggc ctgtctttt	2460
	agtttcctat acttgacaat gaggtcaaac ttagcaaata a	2501
	<210> 59	
	<211> 2501	
15	<212> DNA	
	<213> Homo Sapiens	
	<400> 59	
20	ataaaaaaaag acatgaaatg aatcgaaaat aatatttgc acataactaa gaatgaaggc	60
	ccttaataaa atctgtaaaa ctatacacac ttttaggaat gaatcaacaa ataatttcta	120
	tgaatttagaa aaaagtgaca atccaactaa aaaatgaata agggatataa gcaatgtgtt	180
	tcacagaaaa aataaaaaatt gacaatgaag ttatgaaaa atgttcagtc tccttagtaa	240
	ttgcacaaaa caaactaaaa caatgagaca ttacccctaa gatttagtaaa tgttaaagaa	300
25	aaataataat tggtgagggt gtggggaaagt gggcacttac acctatgtt gaaatataa	360
	attggtgcaa ccttataggg agagcaatct cacaacattt tccaaagact tacatgcaca	420
	accctatggc agagaaattt attcctcttc caggattttt ttccttcaa aaacagtgtat	480
	gtggatgaaa aacacatgtt cactactgca cagggtataa cagctaaaa ctggaaacgaa	540
	taataactcac attcccttca gtagggaaat gttaaataa atttacaag ccacatggta	600
30	gataccaggc atgagctaaa agttagggtc cagtttagaga tggaaagcac accagtaatt	660
	tgaaagggaa aatgtatat gaagaattat taacttagtaa aagaaggcta actgctaaag	720
	gtacaagagc actcaagctg tctgcagtca gcaggccccg gctggtgagc aggaagctgc	780
	ccgctggag gctgccaag ttccctgaag gtgagcacca ctggttctac aagctgctgg	840
	cagtcatggc gttaaagagca ggaagagaag caccagaacc cggaagagaa atccagtcc	900
35	ctgctaggcc ttgcaccgtc cctctggcgc cctctactga caaagccagt aaaattgtgc	960
	cgcttagcaaa ggagatctt ttatggatg tagttggtg tcaccaaaga gaacagagt	1020

	gacttggagc tcagatgcaa cacaatgatt gatactggca cagtatactt accctgcttt	1080
	tgtaaacaaa atggtatatg tgatgtctct ctttgtctct ctgtatataa aacaatattt	1140
	gtttctactt attatgtatt tatgtcttta ctctgcatgc caggagctaa gtatTTTgca	1200
	tgtattaact cattttgttc tcataataac cttcacatgc aggaatcatt atagctactt	1260
5	tatgaatgag ccgaggaagg cactgagacg ttaagtaact tgcccaaggt cacgcagcta	1320
	gtaagtggca gagcaagaat tactatggct ttataagcct aggaaaaagt ctgaaagaat	1380
	caaaatgtta acagccccca cctcaaggaa gcattgaaga ggccatggga gaagttttca	1440
	ctttgttaaa aaatcagtcc ttcaaataaaa taaatacagt gaggcttccc cagaaggcaga	1500
	tgtcactatg cttccgtac agcctgtgga actgtgagcc agttaaacct ctttcttta	1560
10	taaatttatcc agtcttaggt atttctttat aacagtgcata ggatgagctg atacagtttc	1620
	ctacactgta acctaaggca atgctttgca caaaggatg agccagattt cttagtaatt	1680
	aaaacgc当地 tacaaaccac aagcatatcc attcatgaat tggggggctg ctttgtgtgc	1740
	atagataagg tatattttt aaaaaaatta ttttccaag aagaaaaataa accagttaat	1800
	aaacgacaac tcacagtgcc aggaagttagt aaacaagtgt gtgataaacg gtggagaatg	1860
15	ggagcactct ccgcagtggg cgggaggaga cgaggaggc gttccctggg gagtggcagt	1920
	ggttggagca aagggttggg ggaggtaagt catgtgctct gagttttgg tttctgtttc	1980
	accttgtgtc tgagctggtc tgaaggctgg ttgttcagac tgagcttcct gcctgcctgt	2040
	accccgccaa cagttcaga agaagggtgac tggtggtcctc ctgaggaata ccagtgggca	2100
	agagaattag catttctgga gcatctgctg tctgtgagat taagcactat gtatattgct	2160
20	ttattcactc cccacagcaa ctttaccaag cagttctttt ccacgtgaaa agatggaggc	2220
	tgggtggagc aaaaggaggt atttagagtc ctcagcaagt gagaggcaga gctgggattt	2280
	gaatccagat ctgcctgata ctgaagtcta ggctggttcc acctctccgg actgctttcc	2340
	agggagtaga agacagatatttttacccat taggctgtt cttagaagtct gaccctgtgt	2400
	gctcaaaacg acttttagttc cttgcccaga ggctgcgggc tgccggtaa gacatcagta	2460
25	gaaggcaggcc ccaaggcagaa aggctgacat ggacttctac t	2501

<210> 60

<211> 2501

<212> DNA

30 <213> Homo Sapiens

<400> 60

cgggcaggaa taatcactgc ctccccatccc cttaaaacatg ccaagatgct ttatccctag 60
35 gatgaggtga cttactccag gtaactccta ttgcctaacc actgaccaat tactctgcc 120
tttagtcttt atgtcattaa atctgcattt agaatttcat ggaataaggcc cqgcatttgt 180

	gctcatgcct gtaatcccag caccttggga gaccgagggt ggaggatcac ttgaggtcag	240
	cagttcgaga ccagcctgga caacatggcg aaaccccatc tctactaaaa acacaaaata	300
	actagccagg tgtggtggtg ggcacctgta atcccagcta tttggaaagc tgaggcagca	360
	ggagaatcgc ttgaactggg gaggcagagg ttgcagttag tcgagatcgt gccagtgcac	420
5	tccagcctgg gcgacagagc gagactctgt ctcaaaaaaaaaaa aaactcaggg	480
	aatggatagc agcattgtat aatattgcgt ctggagagat cagatcactt gtcacttgc	540
	tccaggcaca gggcttacca agaggcagat tccagattta aataattctg taacagcaaa	600
	gtccaagcta ttttactgc tttggagaaa agacccagac ccagagttt aacactcactt	660
	tgcagcaccc cagttctaat cttttaagtt tttttttttt tttttttttt tttctgctgg	720
10	gcacgggtggt tcatgcctat aatcccagca ctggaaag ccgaggggaa aggatcgctt	780
	gaggccagga gttcgaaacc agtctggca acatggcaaa accccatctc tacaaaaat	840
	acaaaaatttta ggccagagtgt gtggcgcgc cctgttagttt cagctacgtg agaggcggag	900
	gtgggagaat cgcttgaacc cgggaggcag aggttgcattt gagctcagat cccgccactg	960
	cactccaggt tgggcgacag agcgatacccc ttgtgtgaaac tttttttttt ttctccaacg	1020
15	ggcttccag agaagtgtgt gtatgtgcgt gtgtgtgcgc gagcgtgc tt gcttggc tt	1080
	aaactttctg tcgggcccaca ctttcccaag tctttgcact ggctgttaggg tgggcttat	1140
	cctcgggacg tcctccccc caagtccagc ctgcagctgg aagtcttcac tgatctccat	1200
	ctctccccc ttagtccctgt ctctccccc tgccgcctc aggactggga ggccgatctc	1260
	tctctctcgc cctccccc accagcctt tccagatgtat tgc tgc tccaa agacccccca	1320
20	gtgcagagga ttagtgcata agatccctga gccagcccg tggaaagtt tcgtgcctt	1380
	caaaagcgcag ggaaaggaa gggaaagttgg gggtagggaa aaagtttagag ctgagaggct	1440
	ggggcgcgcac gagtctggac accgggcggg gaccaagct ctctccgc agccaataaac	1500
	tgtgcctccc ttaggaaggc gtgaggaaat gctccatca atccctgcac tcctcccttgc	1560
	gaatttgggc tgcattttt tattttactgc aaaccccaatacccccag gggtttcccc	1620
25	agtgtttgcc tccagcggtc ccgggtcccc tttacttagtgc tgc tccctc tc tccgc aa	1680
	gactgcgc tca cagtcctcgc ctccttcgc gcgggtgcct cccaaaccgt tctatcatc	1740
	tcgggttcag ggaggcggaa tcgtgcctgc tctccggc tttaaaggagg cgtcggtcc	1800
	acccctctca gagtcgcgtt ctgcacgcgat atgacagca cagttcggt atgtctatgc	1860
	aaataagcgc cctcttgtgg gccaatgggg agcggagggtg ccggaaaccac ggaccaatgg	1920
30	ggcggggcg ctggggctca ccatataagg agcggcctcg ccataaaaagg aaacattgtat	1980
	tctcttata tggggggaaag ggtcgaaaaa tccctccgc cccagcgcgt ggtcccgcc	2040
	ccctccaccc gccgtctcgg ccgcggccag cagccctgc ccccccgggg acgctgacgg	2100
	ccgccccggcg cggcccccata gcagacggac agggggcgct gcgcgcggcc tggggcaacc	2160
	cggggccacag gggcaggaaa gtgaggggccc aggtcgccccc gggcgtgcag gggccccggg	2220
35	ttcgcagcg cggccgcggc agcgatagcg gcactagcag cagcggaggt gcccgggttgc	2280
	gccgggaagc cgatggcgcc ggctgcggcg gctccgattc ctgcgtact gcccgtccgc	2340

	cctcctgcat cgagcggccat gttaccgacc caagctgggg ccgcggcggc tctggccgg	2400
	ggctcgcccc tggggggcag cctgaaccgg accccgacgg ggccggccgg cggccggcggc	2460
	gggacacgca gggctaacgg gggccgggtc cccgggaatg g	2501
5	<210> 61	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
10	<400> 61	
	ggaaccctct gatagagagg gctgactgta tttattgaaa acaaaacaaa acaaaacaag	60
	ggttgtattt gtggacccat gcagctaaaa cccttgggt tcccagggtca actgttatatc	120
	cagagcttat aggaaaatac ctctccagt aaccctgctc accatttctc tcttaagcta	180
15	ttattatgt tagccacggt ttgctattta aatttaaatt taaataaaaa tgtggcctt	240
	cagttatgct agccacattt aaagtgctca atagccatat gtggctaattt gttactattt	300
	cggacagcac atatttagaa cattccatc atttcagaaa ttttcattgg gaacactctg	360
	cggaaaaagg gggccatcat aatgtgagtc catttctgg aaaaatctg ggaaggggac	420
	aaaggaggtc tggggcat tggtaatgg taatttgta ttaattttc aaaaatgttt	480
20	acccaattcc tattcatcag ccaggtgtgg tggctttgc ctgtaatccc agcactctgg	540
	gaggccgagg tggggaggact gctgcagccc aggagtttga gaccagcctg ggtataata	600
	gggagatcct gtttctacaa aacacaaaaa acaaaacaaac aactttgatg ttgtggagtc	660
	aggacagtcc tgggttaaaa ctttgcctt ctttagctgt gtaaaaccgtg ggtctcagct	720
	ttcttatctg ttaacggtag gtacttcttc ctaggcgtgt tttgaggatt aagtgaaagt	780
25	ccaagattgt gtctggcaca cagtagcttc tcagcaaattt ttttccttctt atgtcaggga	840
	atggctcctt tatcccggtt tggggccatg ggtggccctg aagggtgggt gctcagggtgt	900
	taagttctgt agatggcata tccttggaa aagcaaggca attaaaaaca gtgagaggtt	960
	gctctggtta agtttctcc tataactttc cccatgggtc aattgggttag aatctgccat	1020
	tttcctaata cttactgatg ttagtggcat tcggaagcac aatagctgaa gccggagctc	1080
30	ttagtggaga gaaaggctg tttctcaggc caaaaaagag gttacacacc catggctgtc	1140
	cagtttgggt gtgcaggccc tgaaatcaga ccaaactgga tttaaatccc caaacctata	1200
	ctctaagcta tggacccatg ggctagatac ttccacccctc tggccctttag aagtaggaat	1260
	aataataata ccgtcttaggt tgtagggat attaaatgag gtaaaagact gaaaacgttt	1320
	agggactgtg ttaaatcatt aaataaataa aaacggggat gaccttacatg gcttgcacaca	1380
35	ggggattaaa tgagataata tatgaagaca agtacacggc aaatgctaa ttaatgttgc	1440
	ttatTTTAT gtctgcaaaac tgacttaaag gggaggcctt taagaaagac agtggggcaa	1500

	tttgcgcgtt gatgcattgt aggagaaaaat gtgcaggggg cccgtggga ccagagttca	1560
	accaggttaag cgccagaaaa ccacaaatac ctccaggcgt tcctgggca gcgcgcctc	1620
	cccaaatac cgc当地actt ggttgctaa gaattgtcag ctcttctaaa ggaggcgctt	1680
	cacgc当地ctc agtctgtgaa atgggacca ggacccaggt agaggcgt tctcggcctg	1740
5	gggaccgagt attttgtcg ctccgtaac gcaggaagac agcgc当地ctg acactctaga	1800
	gaccagcggg caccgcctgg aggcgc当地tc accacttgc ggttccgggt ccgc当地ccca	1860
	ccgc当地ccaca agactcacgc ccgaaccacg tgatcaggc cgtggctccg cccgc当地ccc	1920
	gc当地ccgc当地ccgg tagggcggga aagcggaaagt gtgggagggt ctgc当地ggc当地	1980
	ggctcaggag gtccgc当地ggga ggatggagca gtgagcgggt ctggc当地ggct gctggcagcg	2040
10	ccatggagac ggtacagctg aggaacccgc cgc当地ccggtg agggccact ggctaagagg	2100
	acgggcatgg ggtcaggggga agaaaaggcg ggaactgggtt gaggggatac acctgtgtgg	2160
	gagtccccgg agctaagcga cccagccgat gggcacctg ctgagtgagg gggggacgt	2220
	ctgggggggtt agggtc当地ggc tgaggggagc atctgctaa gaggttagac ttgggaccgg	2280
	ttagagggag cactcgctgt ggtgagactg tgctgaggaa cgtgggacca agttagggag	2340
15	agtacctgct gaggc当地ggc cactc当地gggg aacgctatcc aacgaggac tcacggaggt	2400
	ggggc当地gaat gctgaagcag ggtgagaatc tgtgagggat ctcttaagg gggggatcg	2460
	agaactggcc aagaggaagg ccgggtggac tttctaaggg t	2501
	<210> 62	
20	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 62	
25	gc当地ggggc tcacgc当地gt aatcccagca ttttgggagg ccaaggcagg cagatcacga	60
	ggtc当地gggaga tc当地gggaccat cctggc当地ac acggtaaaac cccgtctctaa ctaaaaatac	120
	aaaaaaattag cc当地gggcatgg tggggggc当地 ctatagtccc agctactcgg gaggtctgagg	180
	caggagaatg gc当地gtgagccc aggaggcaga gcttgc当地ggtg agctgagatg atc当地ggccac	240
30	tgtactccag cctggc当地ac agagtgaggc tccgtctcaa aaaaaaaaaa aattactaca	300
	tgatactaaag taatgc当地ggaa ggtgactcaa agggggaaag gaacacagca gtgtaaagga	360
	aggagggtt agatggatct agaatttccc cctcatttcc atcaggtgaa agcctgagaa	420
	aactgc当地atc tttgtgc当地gg ctggggttgc tttgtacaca ctgggccc当地 agtgttcatc	480
	tccaataatg ctgacaactc tgaaaaccat ctgtagacat tctgc当地ggct ccatctcagg	540
35	aacaatggct atttttcgg gtagttgaag caaaattaag tccaatgata agcaaataata	600
	accattatca aaatcttcca tttatgtttg taaaagcaac ctaagtatga tctgagaagg	660

	actctgtatt ctatattga gtccttggg atgaactgta acctagctta ataggcagac	720
	aagattgaaa acctaattta ggagtatgtg cctttaacaa tagctgagtc ttggccaatc	780
	ccagtggcca tacttcaacc attcatacac tgctgagtgt tcaaactgtg ttcaaagaag	840
	gcaaaagcca acctgtaacc aatccagttg tttctctgccc ttaccccaa tttctgtatg	900
5	tcacttccct tttttgtct ataaatatgt tctgaccatg aggcattccct ggagtctctg	960
	aatccgctgt gattctggaa gctgccccat tcgcaaatca ttcattactc aattaaactg	1020
	ctttaaattt aattctgctg aagttttctt ttaacaggtt tagaaaaaat aatggcaaaa	1080
	atgaatgaaa atccaataac cctggaagca gaaaaggctg ggggctccaa taagtgtaaa	1140
	tagtcccatc cctatatttt ctccatggca attacaatcc agcacattat atatatattt	1200
10	tttgcttct cgcatttgg cttagggtaa agcttttaa aacaggcact gccaaccagt	1260
	gttatcaaga aggtctggat gccgtttgt gggAACATTAAAGAGGAA tgtccaaaag	1320
	gaaaaggggg atgggttggg agaagggtat caggcgggta tctcaaaacc attcttaggg	1380
	ctataggttt aatttatttg gtttggacg tcagagccgt catggtaaga aggaagcaaa	1440
	gcctttgtataaatttgc ctttcagaag cagcgtgccc cattgccac tagtgcgcgg	1500
15	tgaagtctgg tgttcaccta cagggtccct ctcagcactg cccaggcctc ccgagtgctc	1560
	cagcacagta gcttggagct tgttggtttgcgtaccaaga tacactccag ggaatatgcc	1620
	atgcagtggatgtcttccc cggcaactgca tagaaaaagg aaaggcccgc tgggtgtctg	1680
	tgggtctgg gcagtacag aagccaccgc gctggcgggg aggagggggg ccgatgcgg	1740
	ccatgtcccg ggcagcccca ctttctctgc ctgcgaaggg cccttgcgg gcgggaggag	1800
20	agaggcgcgc cccaccggg ctcctctaca ctcggccgc cctggccgaa ttccgcgggc	1860
	ctcgcccgcc gcttcagccg attcccgcccc agctccgggc tcatggcgc ggtcagcagg	1920
	gcgggcccagg gcggcggggc ggcacactgg gaggaagtgc gggccgcctg cccgggcgcg	1980
	ttaaggaagt tgcccaaaat gaggaagagc cgccggcccg gcccgtgagg ccacccggc	2040
	ggcggctgga gagcggaggag gagcgggtgg ccccgccgtg cgcggccct cgcctcacct	2100
25	ggcgcaggta ggtgtggccg cgtccctac cggccggga ctttctggta aggagaggag	2160
	gttacggggaa acgacgcgct gcttcatgc ctttcttgc tctacccatc tcggccgagg	2220
	taaaagtgcgt gaaaccatgt gaataaaata caggtgggtt ccgcgcgtt cgctccgtaa	2280
	cctaccggcg ctcgggatcc agaagctgca cggggagaga ggggctcagg cctggcgga	2340
	ggggacggag gtcagaccgt gcgaaagtgc acccgccgcac cccaggccgc ccaggcccc	2400
30	agggagcgcg gaaagtgcgg tcgcggcccg gcccctcgaa gacgcgggat tggatcagg	2460
	cacagcgcga ggaagtgcgtat cttggagcta gaacatttc c	2501

<210> 63

<211> 2501

35 <212> DNA

<213> Homo Sapiens

<400> 63

	ccaaaagat acaaagggtt ataaggtaa aaattattct aaccatccc tcagtgcac	60
5	agttcccttc ctctgagtg accaattct tggtatct tcctgagata atctatacat atagcaccaat atacaagcaa atgaaatatg ttttatttt tttttgaga ctgggtctca	120
	ctctatcacc caggctggag tgcaagtaca ccatttggc tctccgcaac ctctgcctcc	180
	tgggctcagg tgatccccc acctaacct ccagagtagc tgggactaca cgctcacacc	240
	accacaccca cctaattttt gttttttgt agagacgggg tttcaccatg ttgccaggc	300
10	tggtctcaaa ctccctgagtt caagtatct gcccacctcg gcctccaaa gtgtgagat tacaggcggt agcctccacg cccggccccca aatctgtt taaaagcaga catttcttgg	360
	tgattctaataa aaaaaaaaaa ctcagacata tttggaaaaa tatatcccta cttttatgc	420
	agaccctgtg ctgggtcccc gggctgtgtg acctgacact gcacagtcct gcttagaatg	480
	cttaaagaga gttaataagg taccacccctc tatgccatag gcggggagca aaggggctcc	540
15	agtgggcct gcctaggagg cctgaagcta gagctgctga gggcagggt gtgtgcaaa gaaaatgtct gagagctgca ggcgtttcat cttctgtcat cagctgtggc acctggcaga	600
	cactggatag gctttagac aaagacctgg taactcaagg agctgcttgg ctttcctgc	660
	cagtcccatc ccagaggcac tgtacatctc tggttcttc agggggccct gtgtggaagt	720
	atctttgtc ttccctgggt cagggatatac atcacgtgcc tgggtcttag gcgagcccg	780
20	cgcccagtc cctaggatgg ggagagtaat gttcccgagc agaacagggt ggggcttca gactactccc ttccctttac agctggcttc attccatcga cctcatcaaa gccttcctgg	840
	gagcacccta gagaagagtt acgtccaggc cggccctgg ctgcctgggt cacggcggaa	900
	tccccagcac cacgcctcgc acgtcgggtcaaagcatgt ttagtgaagg agtaggtacc	960
	tactgttaga tggaggccatc tctctagact tggggtttcc ctataacgt ggctatgttt	1020
25	ggcatggaaag cctctttaga agtcaatagt aggaaataag ggctaacagc acctaattgt ggagtaaggt tcaaataccta gctctgccac ttaaccgttc cgaacctgtt ccctactgc	1080
	agagggcgaaa aggctaacac tatttcaccc tggagggta ccgtggagaa tggaaagctgg	1140
	acaagctgta tcagttcagt agtaaaacac acacacacaa gcgcacccacc cccacccac	1200
	ccaccccccac gaatgaacac acacacccgc ggcgcacat acacccatgg aatgaacaca	1260
30	cgcgctaca cacacacgca gccccccca ggagtgaaca cacacacaca cggccgttc tgttggccc aggaacacac acagagacgc acacactcgc cgggtttgtt tttttccagg	1320
	cttttaact ggggttttc actcggtta gggcaccgt gcctgaaaga cctttctagg	1380
	ccagtcgggg tccggcaccc agttgacgag acagcgcggc gcttcagag ctggggagag	1440
	gcaaaaaactc ttccggcccc ccgatcccccc ggccagccgc ccccgccagc tccttgccg	1500
35	ctccccggct gggccggccc agccgttctc ggctgcccgt caggcgatct cggcgccag	1560
	cccaagccgcg atgtgacgccc ggcgcggccgg gggtctcgg cgcctgcgc ctctccata	1620
	ctcccgccct gggccggccc agccgttctc ggctgcccgt caggcgatct cggcgccag	1680
	ccagtcgggg tccggcaccc agttgacgag acagcgcggc gcttcagag ctggggagag	1740
	gcaaaaaactc ttccggcccc ccgatcccccc ggccagccgc ccccgccagc tccttgccg	1800
	ctccccggct gggccggccc agccgttctc ggctgcccgt caggcgatct cggcgccag	1860
35	cccaagccgcg atgtgacgccc ggcgcggccgg gggtctcgg cgcctgcgc ctctccata	1920
	ctcccgccct gggccggccc agccgttctc ggctgcccgt caggcgatct cggcgccag	1980

	aaggcagacgc	cgccgcgc	tgcgacgctg	tagtggcttc	gtcttcggtt	tttctttcc	2040
	ttcgctaact	cctccggct	ctcgtcagcc	tcccgcggc	cgtctccctta	acaccgaaca	2100
	ccgtgagtag	ccgcccactg	aactggaaag	ggtcgtggct	accggattgc	gtgcggctg	2160
	gcctcaccgc	tgccgtttgg	gcctccccgc	ggccggcggt	gactgggcct	ggcccttcttt	2220
5	cggggcccggt	ggatcgcgtt	gtcgaccctg	ttttcggga	gacactacca	ggttccgttc	2280
	acctgccccg	cccccgactc	agcgaggcct	cctctggccg	ggcgtcttca	cgccgctcca	2340
	taagtgagcc	gaaccccggg	ctgggccttc	tctgcaccgg	ccgagcgtca	gccggcgcgg	2400
	agctcggctg	caaggcccag	gctgcggccg	ggggcctctc	ttggtcttaa	gcctgctgtc	2460
	ccggggacca	gggcgggggt	ggccgcgggg	ttgtgaatgg	g		2501
10	<210> 64						
	<211> 2501						
	<212> DNA						
	<213> Homo Sapiens						
15	<400> 64						
	gatctgacag	gttcaaagggtg	tacacttatt	ttctctgtaa	gaagcgtcat	ctggtaagat	60
	gatcaagaat	ggtgcaaagc	aggatgggaa	gtttaaaatt	gtttccaaat	gtggaaatgt	120
20	aatgaatat	aaacatgtaa	gatttaata	taccaaactg	atcagattct	gtgttaatttc	180
	caagtttctt	ttttcttca	aaactcctct	gaaatctgac	tgtccacaaa	aacttacttt	240
	atagaatttt	atgtgattta	tttactcaga	tattatactg	acctcacatc	cagtagtgaa	300
	aacagatttt	attgtagaat	ctggaaagat	agagggccat	ataggttgta	ttttcagttt	360
	tgtttatact	aacacgtgtt	tacaacccag	ttaatttac	accctgtatt	gtattattgt	420
25	tgtcatatct	ctgtatgcat	gtaagtataa	tatgtgttgg	caaaggaaaa	ttttgagtaa	480
	gaagaagctc	tctgatctat	ttgattcaat	atgtatttga	gtgtctaaaca	gacactgttt	540
	tagacactgg	tgataacaaca	ctgaacggag	caccaaatac	tttacagcgt	ctcctggagc	600
	tgttgtcaag	acatacttcc	caagggaaat	atttcagaat	agggtataac	tagtcaacga	660
	aggaaaaagta	ccttagtcat	ctaggagagt	tgtactttaga	gtgaactgaa	ataaaactaag	720
30	ctcacgaaag	acagagattt	tttggggc	ttttgtctgt	tgcattcact	actgttatctc	780
	cagggcccaa	aatagtgctc	ggctcataat	aagtattcag	caaatatatg	ttgttgattg	840
	gagtgtttgt	tttgaatttc	tgtaatcaa	cacatacctt	ggtaaattat	cttacatct	900
	tgcttagttga	aaattttatc	tcagttgctt	tgtttttaat	gttacctgc	ttttgtttc	960
	tacttgtgcc	atacatcagg	atgctggaaa	agcttattaa	tattgacagt	catacggtt	1020
35	tctgatattg	aaaagaatag	atttggaaag	gaacctaaga	ggtcatctt	tgttcagctt	1080
	cctgcctagg	aaaactaagt	aagatgatta	ggtatgtata	tttaatttagt	cattaaaaaa	1140

	aaaaccagga caacataatt gagtccctc ttgagaaaaat ggagaaagg acttaaccct	1200
	agctataaaag ggactaacct ggaaattttt gaacttctgt gtgggaaagt ggaaaaaaaa	1260
	aaaaagcaca actaagctgc tcttggta ttcagaaat gggcctgtca ttcattttgg	1320
	cattgaagca tagcctccta tctcgggca ggactgggac attttttcc tcccacaaga	1380
5	gctggacagt tattacaggt tcaaaaagcc ccgaccagtt tttcaagagt ttctccctct	1440
	cttttccccc tgaaactcgt ggtgctttt ctctgcttc aagatgcatt aagtctcctg	1500
	ctttgtgact gctttggagc cagcagatac tctgatatgt ataattcaa ttatgcaggt	1560
	ttcacgagta agttaatct tatttttaa gttagttaa aggcaagtga tatttagaaa	1620
	aatgttaact tgttagttt tcacccttt tactttaagc atttttattt cttctcgcc	1680
10	ttttggctaa gatcaagtgt gtactttaag catttttaa aataaaaata tcctttaat	1740
	ttaataagaa aacaagggtt tacatagaaa agcccctca tctaagacct gcactttca	1800
	atttcttttg agatgtctt gttgtaaaca gtattcatat gtctttgaa agccagttaa	1860
	ctaaacagtt ttcttgagca tcttttagt ttactgaga agtattttaa attgagcttt	1920
	tctgagctcg attgcttacg tctgacacag tctcaagttt ccactgaatg gtaacaaaga	1980
15	ctgtagaatg ttgttgtac tgcagtgaga ggcatgcttc cttagaccag gtaagagaga	2040
	tcagtttgtt tctcactgct gggtgagttt ttacagctct tattttat tctttaagca	2100
	gcagcaatat taaattgata aatagccagg agcacgctga tttcaagacg tccttgctt	2160
	ttgcagacag aaaaactaca gggttatgta tgggggttgg ggtggggggg gaggggaaga	2220
	attagtttat tactcagttt cttatataaa ttaattttaa tgtgaaaata attctggagc	2280
20	tcagtttct taattcagga actaaaggcag cagttgagga aatcagtaat tttaaggta	2340
	cttcatgggtt attacttgc aaagcaattc aaaggatagt ttttacttcc attttttcc	2400
	ccagtagtttta ataaaataag ctttgcctt aactaaacat ttttccact tacgaaaact	2460
	tttaaattgc caacagcaaa atataacttcc caaggatcct t	2501
25	<210> 65	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
30	<400> 65	
	cacaagtcaa gaccgctccc tgcttcttag cccgctgggg agccaggcca gcaggcccc	60
	cattcctgag gaagggacag ggttctggcc tggagggtct agcagaagcc accccagggg	120
	agggcccgac aggaaggaag gtaggcctgc cggagggca tacaggagct tcctctccg	180
35	ccacagtgtc cagggccaac tgctccagcc ctcaggctgg gtcaacagga tggacagcc	240
	caggcggaaag gaaacctgtg gggagggaca ccccgacagac agaaggcagg acatggggtg	300

	gggagaggca ggaagagctg ccgggctgct gagctggcgc ctctccagca gactcaggag	360
	gggcggtgac aggaggccat tccctcctca tccccgcagc cctgggcctc tctggtcctg	420
	gccaacagta ttactatcat tattattgct gttgtcgct agcctggcc ttagatacat	480
	tagaaaaaaa ccatcggaaag atacgcatac cattggcagt ttctaaaaga attaattccc	540
5	ttcctgtgtt cattctgtga ttactggat agaaatgcta tttgcattac cagccttca	600
	ttcagttaca gagacgtgag tgctcgagg agagacagtg atttttgcct taaattcagc	660
	ctgtccaaat cgataaagat ctccgatttgc tttaagccc cgttatcact gccttcctct	720
	ccaacaacag ctgctgtgat cacgcacaaa cggccaaacg gggccaaatc cgtgccaaag	780
	cagggccatg ggcttcctg atcagaaggc cttagccccag cccccaggcg cagcacacgg	840
10	gcggcttcct ttcagaaacc cagcctgcct cccaccagct ggagtgggtg ggtggggcgg	900
	tagtggtgcc agtttcaggg aacggccggc aaaccacccctt ccaggcgtgc tccagcggga	960
	gcctggagac cctaggagag ccctccac aagcggcttc caggcaggac gcttccagag	1020
	gtcttggtcc aggggtgggg gtgaggtggg gtctacctt gaaacagcta caattaaac	1080
	ttcagctaca ccgagctcaa actcgattcc gcagccgagt gtcggcgcca gagaaggata	1140
15	aaaactcggg tctacggctc cccaccacgc ccctggtccg gtccctctggg cttccaggag	1200
	tcctcagcc atcctctggg ttgcccagga ggaaggatgg ggggggggg caggcgtgc	1260
	ggcgcgtgca gatggggagg gcgagccgc ggcacggcgt gagcggggga gaggcgcgcg	1320
	agcaggtgtc ggctccgtga cagggtcccc catccgcgc cccagtgcctc cccaggctt	1380
	agtgaggcaaa aacccagcaa atgcttcaga aatgcagtc agtcggtcac cgggttctgc	1440
20	ttcctcatca gacgcgcaag aggatggcgc ttccaatgca aatctttgg ctccggccccc	1500
	ttggctggca gccgcgcgt ccccccgcctg cctggcgtcc cgccccactcc gtgggggct	1560
	gagacgagggc cggcgcggg gggacgggg cggagcgggc atccctcccc accccccacg	1620
	tggggctggc cctccgcagt gcctggcgc gctcgtcg ccgcgcctcc cggccgcgg	1680
	caccgcctct ctaggcaggg gcgggggacg agggcaagg agtggcgag ggtggggcga	1740
25	ggggcggggg gcgtcactca atcaggtggc ctctggagtt cccggggca gggcagaggg	1800
	aacacgcgtc cggggattgt gtacacgcctc cactgacacc agcttcacgc tgccggcag	1860
	tcgcccata cgcgtggccc cgcgagccca ttggccggcg cctcacacac ctttgcgtt	1920
	gattggccgg cctcaggctc cgccccacc cccgcgcgc ggcggggca ggctgagcgg	1980
	ctacctaata ggggaggggg cagacggcgc tgagcgcggc ggccggggga gcggcgtcga	2040
30	gtgtctccgt gcgcgcgtct gtggccaagc agccagcagc ctagcagcca gtcagcttc	2100
	cgccggcggc caagcagcca accatgctca acttcggtgc ctctctccag cagactgcgg	2160
	taagtcattt gggatgccc ctgtgtttcc tcgcctggtc ttgtctgggg ggcggaaagg	2220
	ggcgcgaacc ccgagccccg gacatcagcc atgcctgaga attggggctg cagcggagtc	2280
	gtggggaaagg aaagggttcc ctgcctgcag actatggca ttagtgaggc cgtgtgtgtt	2340
35	ggggaggggg tcgaaccagg gggctggat cttcagacag ggacagggt cttgccttag	2400
	atgtactgag ggaaaggac aactccgcata gtagacccga gagggctggc gaggaggagg	2460

	atgacgagcg ggggaggagt ggggaggggg ccgttgcct g	2501
	<210> 66	
	<211> 2501	
5	<212> DNA	
	<213> Homo Sapiens	
	<400> 66	
10	ggggctgttag aaatggcggc cccatctccc aacaacttgg gcattgtcaa tatcacctcc ttaaaggggg ttcctttgg tcataccgtc tagagcagcc accataactt ctgagcgttt attgctagct gatataatc agaaaaatac aaattccaca aaagcagggg ctggctgt tctctccctg cagggccca gttctggcac atagttgggt cagaaagtgt gcagcctcag gtcctatcca agcccccaagg gcatcacact cgggacttgt tctgcattt tttactttt	60 120 180 240 300
15	cctcccaactg gtacttagttc ttccgtggaa cagcctgagt cccttcagat acttaatgtt ttttctcaag tgctgccatg aagccagatc tccaccgtct tggggcattc ctttttaggg atgggaagta tatgtcgctc ctttatgtg atttacattt tatcttgat aatttggcca tcaccgttagt tcattcagat ctgtttggat cctgcccacat tcagcttcag tccattttcat tctttaaat ctgatcgaca gttacctcca acagcttcat cacaatcac tcacaaaaat	360 420 480 540 600
20	ggcctaatac ctgaagttt tttacggaga gcacacttgc taggtgtgtg gcagatatac aggaagcaca agatgaggca gcagatctag aggcaaataa cttcccttc cctgccttagt ggtgactgcc agcatcacgc cttccgggaa gaggtgagaa acccctccac gcaagcactg gaaccttcac agtcaagagt ggcaaacagct cccgttactg gacttggcc tggtaattc taataactctg tgactccaca tctggctga attttgctg agtatgtatgg aatttacatg	660 720 780 840 900
25	cttcctccct agccctact tgtctgtata gttgaaatat ttgggtgcct cctctggagg gatctagtac gtttagagtc tagacgctgg aactgtcaaa gttcagagga aagagctcca gctgcaaagc aagagaaaatg ggctgaaatt ctgcattcac cccttaatga atgcattctga ttttttttt ttttttttt ttgagacgta gtctcactct atgcggcagg ctggattgca gtggccacga tctcagctca ctgcaacctc cgcctcccaag actcaagcga ttctcgtgcc	960 1020 1080 1140 1200
30	tgagccctcct gagtagctgg gattacaggc gtgcgttacc acgccccggct aattttgtt tttttagtag agacagttt tggccatgtt ggtcaggctg gtcttgaact catgacctca agtgtatctac cttccctccgc ctccgaaagt gctgggatta caggccccag ccaccgcgc cagccgcttc tgatcattaa aaaaaaaat ttttttggc gggggaaacg aagtgtccct ctgttgcctca ggctggagtg cagtgcagtg atctcggttc actgcataatct ctgcctccca	1260 1320 1380 1440 1500
35	ggttcaagcg atttcctgc ctgcgcctcc tgagtagctg ggaatacggg tgccccccac cacacccagc taattttgc attttagta gcgatgggt ttgcgcattgt tggccaaggc	1560 1620

	tggtctcgaa cttctggcct cagggtatct gccttccttg gcctccaaa gtgctggat	1680
	tacaggcgtg agccaccgtg cctggccaaa aaatttatgt tttaaaaaga ctgtcaagt	1740
	gcagtagtga gaagggggga aagagttagag caaggagttt tatctttgc ttctgaccat	1800
5	tttgaacaag ttacctaatt ctctgaggac aagctcgag aatggagag acagttatct	1860
	atttgcaggg ttgttggag gaataagtga catcatgagt gtgtgccagg tgtctgatta	1920
	cagaagggtgt tcaattaatc tgcaatcatt aattaaccct tcagtcgtg gtattatgg	1980
	ccatccatcc tccgagtgtt gccaagttat gggtgcgttc tgccagcgct ctagcagtgg	2040
	taaggcttct ggctgccagc ggccaacctc tcccttcgag tatttctctt cttgtgaga	2100
10	tgaaatgcga ccgggtctct ttaaggccca ggccgcggga tccaggcggc gccccacggc	2160
	tggacttagca gtcgtcccgcc cccgactcgca caagaaggaa ccccccggct ctggatccgc	2220
	tcggccggct atgctgtgt ggccgtcg gggctggcc gccccggcgc tgctgtgtt	2280
	tggggccggga agtcgcggga gccccggctc aggccccggg ccgcggaggg tgcaagcgccg	2340
	ggcctggcct cccggtaacg cgctgtttgg tcccgctcc caggagcccc tatgcgccc	2400
15	cctactcccg gccccctcgcc ttccggaaacc cgccccgagcc cgaagcgctt cttccgaggc	2460
	gcgggatttc ctccccggct gcggctggga cggggcgcc c	2501

<210> 67

<211> 2501

<212> DNA

20 <213> Homo Sapiens

<400> 67

	atggtctcgaa tttcctgacc tcatgtatccg cccacctcg cctccaaaag tgctggatt	60
25	acaggcgtga gccactgtgc ccggcctcta tcagcatttt ctttctttt ctttttcttt	120
	ttttttttt gagacagagt ttagctttg ttgcccaggc tgaaggccaa tggtgtgatc	180
	tcggctcaact gcaacttctg cctccaaagt tcaagcgatt ctccctgcctc agccctctga	240
	atagctggga ttacagggtgc ccaccaccaat gcccagctaa tttttgcatt ttttagtagag	300
	acagggtttc accatgttgg ccagtctggt cttgaactcc tgacccctagg tgatccgccc	360
30	gcctccaccc cccaaagtgc tgggattaca ggtgtgaaag agaccattcc cgatctttt	420
	cagcattttc atactgaatg tccacagctg ccctgtgagg aggctttta cccatatttt	480
	ctgactcaga gagaaggcgc cacatgtccc ttggccatgg cagttagac caactccatg	540
	gagctgggtg tcttagctca catctgtaat cccagcacct tggaaagcca aggccaggatg	600
	attgcttgag gccagaagtt caagaccgc ctggcaaca tagccagacc ccatctctac	660
35.	aaaaatttaa aaatttagcca caaaatttaa aaattaacaa caaaaggcc gggtgcggtg	720
	gctcacgcct gtaatcccag cgctttggga gggtgatca cgaggtcagg agttcgagac	780

	cagcctggcc aagatggtga aatcccatct ctactaaaaa tacaaaaatt agccgggcgt	840
	ggtggcgggc gcctgttgc ccagctaccc aggaggctga ggcaggagaa tcgcttgaat	900
	ccgggagtct gaggttcag tgagccgaga tcgcagcatt gcactcaagc ctggcgaca	960
	agagcgaac tccatcttaa aaaaaaaaaaaa aaaaaaaaaagt ggaagatgag gaagttgatc	1020
5	agacatcaag gatgagcgg a tgacttaata ggcttcttg ctaagacttg gctggcgagg	1080
	tgaaagacaa agtcgaggag tggtatggt gtggcacaga agaagggtca gaggacggc	1140
	tttgttacct cttcatgcct gagttcttc ctctgtgaaa tgggataat aagagccgccc	1200
	atacaggaa ttgctgtag gatcaa atga gataatgtat gtgaaacgct ctggctgttag	1260
	gcttcgcagc aaatggc acacttgcga gtggggattt gaattcacgt ctggcggtat	1320
10	gtccaagctg ctaccctgac cgctaggag cttcagagga caggcgtca ggtgatcagg	1380
	aagaggactg gggcagggtgg gcgaggaatg cctccaggaa gtgaaggagg gggattcta	1440
	gtcagcagga tggagtcggc caggtagaaa cgagggaaag gagacaggac cgatggAAC	1500
	ggggaaagcca aaggcagggg cgtcgagggtt tggatgggtt gcccgtcag cttaaacac	1560
	cgaggtgagg acatgcagct gtgtcttagg gtcaggaccg tacacgcctg acccaattcc	1620
15	acagcacgga gggaaactcc aggtccggc cgcgttgcac acacacttgc ctctccctcc	1680
	cgcctctcgcc aagccccctcc cccgtctcccg tccaccgagt gccagccaat agcagaagcg	1740
	acagcgcaccc tgggtgccga ctcagccaat cgcggctgag tgacgaatga gccccaggac	1800
	caatgagagt gcccacca tggaaaaaaa aaaaaaatcc aatggtgacg agcaggaga	1860
	acagagcagc tgccaatggg cgtgtcggtt tcaggcggcc aatgggagga ggcgtctcg	1920
20	cgggggacaa gcagtagcta cccgcggag cggggggggg tccgggttcg agcttgtt	1980
	cccccgaaag ggtgagtcg gacgcggcggc cggaggagc gcggccggag gtcctcagga	2040
	agaagccgcg gggactggct ggccttgaca ggctgcactt ggatgggagc acctgggtcc	2100
	tcgggactgc tccgatgccc ggtgggtgca catcccgat tccgccttgc cggccgggt	2160
	ttagaggttt tggggggagg acatgggggc gtgcagcctt cccagttgca aacttcactc	2220
25	cgcctctgac ttcaaagctg ggtctggc cagtggggac gagaaggag gaaggaggaa	2280
	gtaggctccg cggaaaggccc atccccggaa tctcatctat aacatgaata ggtattaatg	2340
	gcaaaggcta attaagcgct tactgtatac caggcacttt ctctgcctcc tcgcgttaaa	2400
	tcctcccagc agcctttga ggttagacact gttacatgcc cattttccag atgaggaaac	2460
	cagcaacatg ggtggaaagt acagccccctc cacttccata c	2501
30	<210> 68	
	<211> 2455	
	<212> DNA	
	<213> Homo Sapiens	
35	<400> 68	

	ggagtgc	aacacagaac	taaaacagag	cttgc	aaactt	aaagaaagg	agagactt	gg	60
	gggaggagt	gggtggagt	acgtgatgt	ctgctggaa	ccagcagtt	gtggttt	cct	120	
	cttgc	tcc	gttcgt	gtttctcc	tgctt	gtggg	agggc	180	
5	cgacagaa	gctat	cttgc	ccttgc	actg	taacat	cctg	taagggtat	240
	attccat	gcc	tctgtgt	gggtt	tgtga	attcc	ctcat	gggt	300
	gacc	cc	cattgaggg	agggat	caa	aaca	actcta	ttc	360
	ttcca	actgg	tctgtgt	cca	agaga	aggct	taggt	aaatg	420
	cagg	tttgc	gc	agc	c	cc	tttata	gctac	480
10	ccttgc	atata	tttg	gtgg	ctgg	gc	tttgc	tttgc	540
	aatttac	ccag	gtgac	aggca	acg	ctgc	cccttgc	ac	600
	gtac	cccc	ccaa	atc	c	cc	cttgc	tttgc	660
	tc	ctat	ctca	gtag	cttct	tttcc	cttct	tttcc	720
	tgg	gttgg	aaact	tagt	cc	taat	ctt	cac	780
15	ctgac	actcc	ccag	agctgt	cacca	ac	ccaa	gttt	840
	agat	tttgc	ccca	gggt	taacca	ttaa	ccc	ccgc	900
	gg	ggg	tttgc	tttgc	tttgc	tttgc	tttgc	tttgc	960
	cta	actt	ctca	gggt	gggg	at	ctcc	ccca	1020
	ag	ctgg	gggg	at	ctcc	ccca	ttc	tttgc	1080
20	ttc	ccct	ca	ta	cccc	cc	cc	cc	1140
	ac	ac	ac	ac	ac	ac	ac	ac	1200
	at	ac	gc	ca	ca	cc	cc	cc	1260
	tt	gag	tcc	aa	aa	at	at	at	1320
	tt	ct	tc	tt	tt	tt	tt	tt	1380
25	cttcc	ac	tc	tg	tt	aaata	aaat	tttgc	1440
	gt	gg	tc	at	tt	tttgc	tttgc	tttgc	1500
	tttcc	cg	ctt	ttt	ttt	tttgc	tttgc	tttgc	1560
	tt	tc	ta	tt	tt	tttgc	tttgc	tttgc	1620
	agg	aaaa	aa	at	aa	tttgc	tttgc	tttgc	1680
30	acgg	cc	cc	cc	cc	tttgc	tttgc	tttgc	1740
	tttcc	act	cc	cc	cc	tttgc	tttgc	tttgc	1800
	tttcc	cc	cc	cc	cc	tttgc	tttgc	tttgc	1860
	cac	gg	gg	gg	gg	tttgc	tttgc	tttgc	1920
	agg	ctt	cc	cc	cc	tttgc	tttgc	tttgc	1980
35	ac	ctc	gc	tc	ttt	gc	agg	tcgt	2040
	tt	tc	cc	cc	cc	tttgc	tttgc	tttgc	2100

	gctgggggag gaggaagata agcgcgtgag gctgggtcc tggcgctgg ttggcagagg	2160
	cagagacata agacgtgcac gactcgcccc acagggccct cagaccctt cttccaaag	2220
	gtaacctcc gcgtgacagg aatgagggtg gggcgctgg agttccac aatctgtact	2280
	ttagttaaat acccgagaat tcacctcctg tgtccacagc tctccacgcc ctcagccct	2340
5	gccccgcagc cctgttagcag aagtacttag tgcttgcat tctgcgcgcc accctacccc	2400
	ggcctcctct gtgaatcggt gcttccgaac cgccctcaact ttttgcattcc gcaga	2455
	<210> 69	
	<211> 2625	
10	<212> DNA	
	<213> Homo Sapiens	
	<400> 69	
15	ttttaaacga gaagtgtatgt ttccggagca taaaactga agtgattca aaaccatgtt	60
	gcactcacac gaacagggtgt gcacttaatg gactaaacta gttcagctga catgtcttct	120
	tcatttagaa cagtgtggag actgaaaaac taatttagcc tagagcagct atttaattgt	180
	aaagtctccct ttctcaataa ttgatttact atgtgaggaa atatttactt tgtatagaag	240
	tgtgtgaaat tggacgaggg ggttgcaccta cacatgtggt ttggtataaca catatcctca	300
20	ttacagaggg tgtaatgaag atatagggtt ttcagcacca taggaaaggg aaaaaagaaaa	360
	aaaaaaaaagac ggttagagggtg gcctcccaag catccactcc cactcctctt gttaatgatt	420
	cacaattttgt ttttattgtt gtcatttact gttctccaca ctttccaca aggctgtgt	480
	gctttgaaaa aatatgtctc tactccggat agaagtgggg cacacagggc caggcgccgt	540
	ggctcacgccc tgtaatccca gcactttgggg aggccgaggc aggcagatca caaggtcagg	600
25	agttcgagat cagcctggcc aatatggtga aaccccatct ctactaaaaa tacaaaaatt	660
	agcctggcgt ggtggcacgt gcctgttagtc ccagatactt gggaggctga ggcagaagaa	720
	tcacttgaac ccgggaggca gaggttgcag tgagccgaga tggtaccact gcactccagc	780
	ctggcgaga gtgcaatgag actccgtctc caaaaaaaaaa aaaaaaaaaa aaaaaagaaaa	840
	agtaagtggg gcacacgatt caggcctaag ctaaccagac caacccatt cctgatggtt	900
30	gttaatgttt cagatacggg cccgcagccc tacgttagaga agaggccaag gtagaaaaaca	960
	tgaatctgag gtaaaaaagaa atgaggtaact ttttgcctc atcaagcctc tcaattaaac	1020
	taaccttgaac gcctgtctta ctttggact tctagtgtatgc tcaaccggta aagccattt	1080
	gtttcaggac gtaagagttt ggtttctgt gacttggaaac caaaaccatt ccaatttaca	1140
	aatgagcaa cttaatatt acccatgaga aataacttcat tggtatatgc tctttcctag	1200
35	cgttttgaa aactaaacta ggtgggtgaa aagtatactt ttgcatgaaa ctttttcatt	1260
	ccagaaaaaca ttttgtcattc ttgataataa tggccaatgc tactatatcc aaatttttgt	1320

	ctttttttt ttttgagaca gagtctcgct ctgccgctca ggtgtatgg cgcgatctcg	1380
	gctcaactgca acctctgcct ccctggttca agcgattctc ctgcctcagc ctccctgagt	1440
	agctgggatt acaggcatgc gccaccacac ctggctaatt tttgtatTT tactgttagac	1500
	ggggtttcac cattttggcc aggctggtct cgaactcccg acttccagtg atccctcctgc	1560
5	ctacacctaaa aagcaacttg ataaatccac aggctcggtt tattttaaaa attctttaa	1620
	atacagtata cttttctctt ttttccaga attaaccatg aatcgacac acagccagag	1680
	gcttttaacc cgagaacgga caaaggggccc tgcttgcata atacaattat tttaatgg	1740
	taaacaaatt aatacataag accagctta ctaatataa taataacgaa ccaaagttt	1800
	caacagacaa gaaaagcacc agctgtcccc gccaccccg agcgatctcc aaggggacgc	1860
10	gggagagcgc cgccggggac gcggaaagtct gacgtcacag gaactggggg cggggcgggg	1920
	aggcccgcac accctattgc gcatgtccc gcctccccgg ccgcggcctg ggcgcgtgc	1980
	cacgcgcgcg ggtggcggg tttgactggc cgtagagtct ggcgcgttgg tgaatggcgt	2040
	tggtggcggg aaagttagt ctctctgcg ccgagccttc ggggcgtatgt gtatgcctt	2100
	ccatagggct gagtctggga ccgaggtgag agccgcggg ttgggagatgt gggagatggg	2160
15	aacaaggccg ccgtggcgc aggggagccg agggAACCCG ggggattttggg aggcttgggg	2220
	cggcgccgcg tggccggct gggaccggcc tctcgcccta gacgcccgcg atgcgtggcac	2280
	cctctgccac ctctcacctg ggccccaggg gtccgcggctg ggcgcgttgg gagtcctccg	2340
	aggtgggagg accggggcga ggtggaggaa gtctttctt ggaagacttg ctgcctgccc	2400
	agatcgatat aacatacggag gtctctccctc ccaagagtta tggctaaaa acccctcaca	2460
20	aattaactac cggtggaaat gtcaagctat gcaagaaaag ctagaaaagg ggaggggtcg	2520
	cccggtggag cattttggc ttttctggaa caggtgggtgt ttgcggaggt tgcctcacct	2580
	ccctgttagcc cacgtgtctc tgcttagggc agctggccct cgcca	2625
	<210> 70	
25	<211> 2540	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 70	
30	tagtcccagc tactcgggag gctgaggcag gagaattgct tgaacccagg aagcagaggt	60
	tgcagtgagc tgagattatg ccactgcact ccagcctggg caacagaggg agactccatc	120
	tcaaaaaaaaaaaaaatcat taaaatacag taattcaggat ttattaatgc attaccattg	180
	ggttacctca caaataaaact aagtttagat gcgaactcaa agatactgag acactaatcc	240
35	atttcttaag ctgctaagtt agccttcttgc aaacctcaact tcgtagctct gcaaacaatg	300
	tacttttgac atcccaagct cacaggaata aaaaaccacc tgccagttgt ttccgttttc	360

	cacctatgtc taatttatgt acttataattt ataagaaaaca aatcaactaag tcttatttca	420
	tccttagtta tgttgtgtt ctatcgataa cagcatgaag atttcgggaa cctggacatt	480
	aaaataagtt tgagtactgg ctttacaatc tactagggt gatccgaggc aagtcagtct	540
	cttcatgttt cacttcttc acttgaaac atctattcag aagttgtgt gaacttgata	600
5	tttccatgct tataaaactga tttttgaaa agagcctggt acataggacg tgataataaa	660
	tgaaaggcatt tgctactttt ggaaaaacaa gcatgacaag atagttata tactgttgat	720
	cttaaggcaca gtatatgcat cttatttta gctagtcga cagttagata ataaaaagag	780
	ttatcttga cttgcactac gagtagaaga attcaacttc agttctaga aagatgtata	840
	agaattaaga gtggcagtct tcctagtctc aactgccatc ttcccaccag gtggtaaatt	900
10	cgtccagaga agaaaatgaa ttattgctat atgggattct gcagcaactt ctgtgaacat	960
	aggctcataa ttttcacca tggagactca agcttttgg agtcatagtt gttttgggt	1020
	ctatttgcag gcatgcattc tttgtccaga aatatacata acatggca catggacctg	1080
	gaggtaaaag aggaggaagg cctgaggcta gacaccactc caataagtac attaagctcc	1140
	tagaagggca atccacctt gcagagaact cttaactatt aaaacctata gcttgtaaag	1200
15	cagcattttc aaagttaaga gaagaaggtg gaagggtctt gagaggctac tgactaaaca	1260
	gatgaaaatg aaggatggaa gtttgggcc aaaagaaaact ccccccaaaa atcaaacaat	1320
	aacaccagag taaagccctt agggcgagat aaggagttgc aacaaaacaa gcggaaactc	1380
	gagaagcgcct aatgctcaa aggtcaatg accacacata atctacgtag ccaacgtgtt	1440
	aaaacacacc aacgcatttt ttttcctaa acaaagttagg aaagcggact ttgcatgagg	1500
20	ggcgggctgc cgaccagca gtcttcctcg gacagtccgt cctgattctc tctgggtggc	1560
	cgtggaggga ccacatggct ccaaggcctc ttagctccgg gcccacacac cccgggctgc	1620
	cgcacaaact ccagccctag tctagatcca caacccttc tcgaagatca accgcgacct	1680
	gggagcccca cttcttacca tagcgaggcc ggcatgccc cagccacatc acccttccgg	1740
	ggctcaggcg gaagaggctg catgtccgt ctgccttct cgcctctcc agccgtccgg	1800
25	ttgggcttgt cacggcaccg cctaccaaga cggcggtta agacactagg ataggctct	1860
	ctccacccgga aaaggcgaaa tttagatcac gtcccgagg ccggcgaaag tagctgatac	1920
	tctcattgggt tgcaaaacct tgatctgtga aagcggcggt tttggaaagat accggaagta	1980
	gagtcacggg gaggtaggat ccgaaagtgg ggctgcctct taaaataaca aaaatctgag	2040
	gttctgttct ttttatctt ttgcttctt ttaaaaaaag ttccctgcta cttaccccta	2100
30	gaactccaca atgcgagaat cccctcaat ttgtgagctc ccgcgacttc ctcttgtgg	2160
	cttttgggaa tgcttagggtt ctggcattt tcctcagggt gcgcacgttt cacccttctt	2220
	tcaagttctc cgtttgcattc tgaggattc ttggaaatgc gaagcacttt tgaaatgctc	2280
	tgtgttggtt gtgggattgg gaggacgggtt gaatccagag ggttagtgg agtaggctgt	2340
	ttgagcattt ccccagcact gcctgtcct tcaatcccc agatattgtt aaactgtggg	2400
35	ttccaaccag gcatcgaggc tgaaacgtac taggcaattt gaggtcagga aagaacttcc	2460
	tgtggtaacc aatgggaagg aactgccgtt tgccgactgc agcgattgt tagtacttt	2520

	aaagagatca actggcaaga	2540
	<210> 71	
	<211> 2610	
5	<212> DNA	
	<213> Homo Sapiens	
	<400> 71	
10	ctacaggctc gtgtcaccac actgggcaat aaaaaaaaata caaaaaaaaaa attttgtatt ttttgttagag acgaggctt gccatattgc ccaggctgga attcttacct ttgttactgt	60 120
	attnaacgta tcttttcctt ccggccatct tcattgtttt ctctctgatt tccacagttt gaatacactg catgtgtcag gcaggggctc atatttatca agttttgtgt gtgctctgag	180 240
	ctcaggctt tcattatttt gggaaaatta ttggtaattt tctcttcaaa catttttat	300
15	gatttgttct ttcttcttct tttgggagtc ctattacatg catatgatat catttgatat tttcccacag ttcttgatg cttttttaa aaaaaaaactt ttttcttct ttatttcca	360 420
	acgtgggtaa ttcctatttt ttcagctgt gtgtatccta ctgctcccc atcagaaaaa ttacctgtta tcagcgttct tccttctta taatttgatg agtttctcc tcattgcata	480 540
	tgttcacctt tcgtacaaga gacccacata tattaatcac agttaattta aatttccagc	600
20	ctgtttcaat ttctcgatca cctctgagtc tagtccctgtt aattgcttag tgttatTTT tgTTTTGAA acagggtctt gctctgttgc ccaggctgga gtgcagccgc gcatctcag	660 720
	gctgttccct gagttcacac catccccctc aaccagcaga ttgcaaagtg tccgagtcgg gccgtgcagg agtcttgtg gggTTTcat ggactccgaa ttctcatttc tgctccatcc	780 840
	ccatctcatg aatccaaggc cccactctgt gcctcggctc ttctttgtg gtgcgtacg	900
25	tcatctacgt catctacgcc atctacgtaa tcaacacaat aaagacgcct gccgggaacg cgccccctcg gctgaatccc ttccgggttt ccaaggccac tgccagagga tgccgacggg	960 1020
	tctccagggc ctctacttac ccaggacttt gaggcacatt agcttcgcct aggcaactcgc ttttacgaat tctttagttt ggtttgttt tgagacagag tctcgctctg cggcccaggc	1080 1140
	tggtaaaag atagggtctc agccgggtgc ggtggctcac gcctgtaaatc ccagcacttt	1200
30	gggaggccga ggcggccgga tcacctgagg tccggagttc gagactagcc tgggccaaca tggcgaaacg ctgtctctac taaaaataac aaaaatcatc caggcgtggt ggcgcgcacc	1260 1320
	tgcaatccc gctactcggg aggctgaggc aggagaatca cctgaaccca ggaggcagac gttgcagtga gccgagatcg cgccactgca ctccagcctg ggcgacagag ggagactccg	1380 1440
	tctcaaaaaa aggaaaaaaaaa aaaaaaagaa aagaaacaaa agtgtgggg tctcgctctg	1500
35	ttgcccaggc tagtctggaa ttccctggct caagcgaccc tccagcctcg gcctccaaa gcgctggaa tacaggcgcg gctaccgcgc ggtctccggc tgccgaaaca ccgcctcg	1560 1620

	cgcggaccgt tcggccgccc ggaggaacag cggctgccc gagctcagag gcgcgcgcgg	1680
	ctttgcgctc cccgcggcgc tctgagcctg ctcggcttg gttggccagg tggtctttc	1740
	aggaccaacc ccagtcattc cccgcaggaa ccacgcttga ggggcggcag tctgcccgcg	1800
	cgagacgccc cccgcggacta caccgcggcg gcaaagccaa acgcaaaaac tacctcaccg	1860
5	cgcgcaggcg cctccccag gaccaacatg gccacgacgc aaggcctgca cctgaggggc	1920
	gtggcctggc cgccgcgcagc caacgggtgt gcgccctgg ccgcagccaa taggaaggca	1980
	gcgcgggctc gggcgcaggg agccgcgc ggggctgttag ggcgcctggc catgtccgac	2040
	tcgtgggtcc cgaactccgc ctccggccag gacccagggg gccgcggag ggcctggcc	2100
	gagctgctgg gttaggtggc gccgcaggcc gcgggagtgg gcggcgtccg gcccgggacg	2160
10	gtttcgccgg ttccccgatc cttcccgcc agagcctccg ccggtcggat ccccgacgc	2220
	cgcccccggg gggctgtgcg gggtggcgc ccggctgggg cggcgcggct gcctcgacc	2280
	cggccctcc tgcgcctggg cggacgccc ccagaccgc gcccgcgggg cgctcccttc	2340
	tttcccgAAC gcccggggcc cccggccccc tgcaggcgg gcctgggtg cgcggctgg	2400
	ggctcccttc agcgcagagg ccgcgcctcg ccagccgtcc ccgggctccc ctgcctcggg	2460
15	ccctcctggg ccgtctccc cggcgtccgc ggtggggccg tctccgttag tttcccgaga	2520
	cctgcgcctt ggggaggagc cccggccctt ctccggagg gtgtcgctgg tgggttctc	2580
	cgcggcgtcc acctgcgcgt cggccgggg	2610
	<210> 72	
20	<211> 3076	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 72	
25	gctgggatta caggcataac atggccggc cctggccatg ttttaactg tgtttctcta	60
	atagctaata atgccgagca tcttttatg tgtttcttag ccattagtag atcttttttgc	120
	gtaaaaatgtc tttttttttt ttttggtcc atcttaaat tgtttttgt tttgttttga	180
	gacagggtct cacttgttg cccacgctgg agtgcagtgg ctcaatcatg gctcaactgca	240
30	gcttcgacat ccctgagctc aggtgatcct cccacctaag tttcccgagt agatggact	300
	acaggtgtgt gccaccatgc ccagctaatt tttgtatTTT ttttgttagag gtggggTTT	360
	gctatgttgc ccaggcaggt cttaaacttc tgaggctcaa atgatcctcc cacctcagcc	420
	tcccaaagtgc ctgggataac aggcatgaac caccacaccc agctaagatt gttttaaaa	480
	atctttttct tgagttttgg gagttttat gtgttaggaa taccagtccc ttatgaggta	540
35	tataattagc aagtagtttc tcccaactctg tgactgtgac ctttctttt ttgaggcagg	600
	gtctcactct gttactcagg ctggaggcgt gtgggtgtat catggctcac tgcaacctgg	660

	aactcctagg ctcaagggtc cctcccaccc cagcctcccc agtagctggg tctacaggtg	720
	tgttattgtg ccagggtaa tgtttaaat tttttgtaga gataatgtct ctacaaaaga	780
	caccatctt gttgcctagg ctggcttga actcctggct tcagggaaatc ctccagcctc	840
	agcctcccaa agtgctggg ttacagcatg agccacatcc agcctatgtat ttttcttctt	900
5	ttctttctt ttctttttt tttttttga gatggagtct cgctgttgcg caggctggag	960
	tgcagtgggg cgatctccgc tcactgcagg ctctggcccg cggggttcac gccttctcc	1020
	tgcctcagcc tcccagtag ctggactac aggcccccgc cacatcccc ggctaatttt	1080
	ttgtatTTT agtagagacg gggtttaccgt gtgttagcca tgatggtctc gatctctga	1140
	cctcgtgatc cgcccgccctc ggtctcccaa agtgctggg tcgcaggcgt gagccacggc	1200
10	gccccggcccc agcgtatgac ttcttaatga tgtctttgtat gtaaagagt ttttaatttt	1260
	aataaagtta actttttttt aaattgtaca agcttttagt gctgtgtcta acaacttgtt	1320
	gccaaaccca aggtcataaaa gctgttctct tacgttttct tttttttt ttttgagac	1380
	ggagtctcac tctgtcaccc aggctggagt gcaatggcac gatgtcggtc cactgcaacc	1440
	tccggccaccc gggttcaagc gattttcccg cctcagccctc cggggtagt gggattacag	1500
15	ggcgcacgaca ccacgcctg ctaattttt tttttttgtat gagaaggttt caccatgtta	1560
	gttaggctgc tttagtgc ttttagaag ttttatattt ttggcttta tatttagttt	1620
	gtgatccatt gagttgattt tatgtacgta tgtatggtcg cgttctttc tttcgttct	1680
	ttttttttt tttttttt catatggata ttcaattctc ctatgtccat ttaatttga	1740
	atgattgggc aggtactttt gagcagtgcg agtacagacg ggcactgcca gcagactaca	1800
20	cgcggtagaa agccgaccc tggtagcgtg ttgggtctcg acagtgcgca gagaaaggat	1860
	ggacgattac ggagccccc cgttccagt taccgtttc tggaaacacc atccggccgg	1920
	gcggagctgt tccggccgg tgccgtacta cgaatcccag catgcaccc tcagtcggcc	1980
	ctcgggtggaa gccccaaaccc aggaggaccc ggggggtgtgg cagcgaggaa gggccgagcc	2040
	acggactgtg gggccgaaac tcgctccgc ccacccttc tcgaggctgt ggcctccgcg	2100
25	agagccgagc gggccgcacc gcccggcgtg cgaatgcggcc agtcagacac gacccggct	2160
	tctagccgc ctaagcctgt ttgggttgc tgactcgat cctcccccggag tttcccgccg	2220
	gaactaactc ttcaagagga ccaaccgcag cccagagctt cgcagacccg gccaaccaga	2280
	ggcgggttg agagccggc gggccgggg gagagagcgt cccatctgtc ctggaaagcc	2340
	tgggggggtg gattgggacc ccgagagaag cagggggagct cggccgggtg cagaagtgcc	2400
30	caggccccctc cccgctgggg ttgggagctt gggcaggcca gttcacccct tcctaagtcc	2460
	gtttctggtc tccggggccca gcctcgccca ccatgtcccg ccagaccacc tctgtggct	2520
	ccagctgcct ggacctgtgg agggaaaaaga atgaccggct cgttcgacag gccaaggtaa	2580
	cacgggtgtc ggcaccctcg gtttcgaccc tcaagatccc tgaaagccggg tttcgtgg	2640
	atttacccca acagatgggg agggactgag cttgacccaaa gagccagaaa tgactggaga	2700
35	atgcatccct tgccactgct gcaagggag aaaaaggat tgatcctcag tgacaacccc	2760
	tccctcatgt ggcagggtggc tcagaactcc ggtctgactc tgaggcgaca gcagttggct	2820

	caggatgcac	tggaagggtc	cagagggctc	ctccatagtc	tgcaaggtag	gcgggtcctc	2880
	cccaggatgg	tcagttcccc	tcttccatag	ccagagaaac	atccgctcct	gcgtttttgg	2940
	gatcgatata	attactcggg	gcagggagtc	ctgtttaagg	cacagaggag	actggagtgg	3000
	aatcatctt	gtacaggcaa	atccctctct	tccttacaca	ctcacagagt	ggcatttgaa	3060
5	aaatggtttc	caagat					3076
	<210>	73					
	<211>	2567					
	<212>	DNA					
10	<213>	Homo Sapiens					
	<400>	73					
	cacaccatct	cttgctccgt	gagtatcttt	gtctctctag	ctccttcttct	tctctcagta	60
15	catgtccctc	cttgactccc	gcctctctgc	aaggtgtatt	tggctgcctc	agttggcctc	120
	tccccctctg	catctctggg	tgggggttcc	tctgcccgtc	tcccacccac	acccacccccc	180
	ggtgctcccc	ttccccccag	caggacagcg	gctcaggttc	acgcacccca	cggcgggccc	240
	gctgggcgca	cgcacgtcct	tgcacacaag	ccgcacgtag	ctgtacttga	gcacgtcgat	300
	gagcgtgtag	agcgggggcg	caactggccca	gcggcagcgc	gccaggtgca	tggagctctt	360
20	gacgaagaag	agcgccagcc	gctgctggca	ccacgcgtcg	aagaagcggc	tgaactcgcc	420
	ccacgagaag	aaggccccgt	cccgagctc	ctgctctcc	tgcggccag	ccgtgcccgg	480
	tgggggctcc	ggccgctcca	tcctgggggc	ctgcgtggag	gaggggagaa	caggtggata	540
	ttagacccat	tcccacccgg	ggtatctcat	ctactccatt	cttggctgc	cccgtcggtt	600
	gctggtgcct	ctatcgaggt	ggtagcccg	gggtcggacg	tgcctgttt	tctccaaata	660
25	tataaatatc	aacctccatc	ctatctttgg	cctcctccca	ccgccttatac	cctggttcac	720
	ttggagcctg	tcatcttgat	tcctaattcc	aactcgctc	ctcctccgca	gatgtgaccc	780
	ttaggtacag	ttggaatctc	tcctccaaa	atacgaccct	taagctcaga	tgttccttaa	840
	ggacatctcc	tcaaatgtgt	tctcaaattc	cagctaaaac	ctcctccct	tccagctgtg	900
	tctctcaccc	aagagtaact	tctaaactctc	gtattcatct	ggaactctc	cttccatgtg	960
30	ccaacagttg	gctgtaaacc	ctccaaagac	gctccatctc	cagatgtgt	cccacatcca	1020
	ggccacggac	ccctcaccgg	gtcacatgt	tcatgcacct	gtggctccgc	actccccaga	1080
	tgtgcctctg	gcgtgcagct	gttgcggcctt	ccccgatta	tgaccctatg	gctcgccaca	1140
	tgcagctgt	gctggggcgtt	ccctgagaca	ctctcatctc	cagatgtact	ccccacatgc	1200
	agttatccac	gcttcgccta	caggtgtgt	ccccacttgc	ggctagttct	cctcgaaagt	1260
35	gtcaccagta	ttcacctgt	gtccctctct	cctcagatgc	ggcccccaagt	ccagctgtgg	1320
	gccccctcctc	ccagttacat	ccaccatccc	ccgcaatatg	catttcggtt	ctagacatgg	1380

	ccccctcgcc tcggatggc tccttcaccc cagatgctcc ccccacgtcc agctgcgcgt	1440
	ctccccctcgaa gcagccccat ccagcccgct cccgacgctc ctactccccc cttccccgcc	1500
	cgctgcggca cttccagcc ccggcgcccc acctagctgt gcctctcccc tccccaaagat	1560
	gtgcaccctt cccgccccctc cccactcacc taccgcggcc ggagcggcggt ccacctccca	1620
5	caatgcccccg cgccccaggcc tggcccgcc cttgctcccg ggatgcccccg cgccggctcc	1680
	cgcctctctt cccgcgtgc ctgcgggggg cgcttccacc gattcctctt cttccctgc	1740
	cagtcaactcc tcagaccctc agccacaccc gctcatccag ggcgaggaa agcgcggca	1800
	ttttcccaagt gtgctctgca ggagggtcg cccacttca cccctttcc cgccctccctc	1860
	ccattcggga gactacgact cccagtgtcc tccgcgcgac ggccggcggtg cggacgggtgc	1920
10	ccaggtcccg ccccttaggct ctgccccggcc cccgccccca gacgtctgca cgccgaatgcc	1980
	gtggcgccgaa cttggactg cagaggcgcg cttggcgat ctgagtgtgt tgcccgccgaa	2040
	gcggcgccgca ggaccaacgc aaggcaagtg gggccgtccg caagcagatg ggaggcgag	2100
	ggccggcggtt gcgccgaatg cttggggcct atgcttcgc atgtcggtt gtctcgagag	2160
	gagtggcggtt ggggacgctg aggctgcga gagcgcgggtg gagacgaaag agcgcgggct	2220
15	gcgggcccgc ggagagtgcg gagaggtgtc tcccagaggg aggggggcca ggtagagggt	2280
	agacgagaga cagagacagt tggacaggc ctctgagaag aggccctttag gtgcgagttc	2340
	accttggaaagg gggagaggcc aaatggaaact gagggggcggtt gccccgggggg ggaaaactgt	2400
	gtggggcggtt ccagctggaa atcggaaaggc ccccccgggg ggcggggctt tctggggagg	2460
	ggaggggctt aaggagacta aggggggggg ccggggaaaa gattgcgtgt gggccgggccc	2520
20	accttggaaagg gggaggtgcc aagggtgggg ctggctggga accggaa	2567

<210> 74

<211> 2278

<212> DNA

25 <213> Homo Sapiens

<400> 74

	tcacagaagt caaagctcg gaaaagcccc tcgagggttt ttgtgcggca gaggtgggtt	60
30	gtgggggtggg attgtgcctg ccacagtggaa gggccctgc agacccagat aaaccccaa	120
	gtggccagaa gcgggggatg gctctgctgg gtgctggggc tgccatgggc cgtgggagcc	180
	agcagtgtgc ccagctccct cagggccgtt cccctaggcc cttccgtcca ctggggcaag	240
	caccgtccctt gcccctccctt agggcatgg atctgacttg agaggttgtt agagcttaca	300
	ggcgctgggc cgtcggggag gcctcagaag cgtaggacgg ctgcgcactg ccggggccgtg	360
35	ttcagccctg gtctggccctc ggcctctaga ggaggctgcc tgcgctccag caggcccaac	420
	ccagaacgtg ggcgagctcc cttcagcatc cttggggcgaa aagagggatg ggggctctgc	480

	tgcagaggca gaatccgcgc cgctccctcc ttccctcccc cgaccagcct gtgacaaccc	540
	cggccagggg cgggggcctc cgacacaagcc tggcggtccac ttccctggata aggactcccc	600
	ggcccactcc ggaccagggc tggggcggcc tcccaggcgc tcactccgct ggcaccccac	660
	cggaaaacac gtctcgccgc cgccccctcc cccaaagcac gaccactccg cccggggcccc	720
5	tcgaggatcc actcaggatcc acgacaggcc cgtcctctcg gtggtctgac caccggctgg	780
	tggagtgggc tctggggccg ccaggcgacc agggcgccagg cggggcgga cagctcattg	840
	ggaggggcgc cggggcacag tgcggggctc gccccacccc caggtcccc ttcccgctc	900
	tcgcctcgca ggcaccccat cgggccccggg aatcggtccg gacctggcg tggcgctgg	960
	gaagaggatc cacctccacg tggcccgccc cgccccgggg gcgcagccag ttcccgccgc	1020
10	tcactgcccc ctttctcccc gcttccgtcc ctttctgcgc aggcccccgt ccgccccgggt	1080
	ccttaggggt cttccgttgt cggcggtcgc tgggctccgc gccgggtcc gagtcccacg	1140
	aagccccggc ccgagccgcc ggatgcccgc gcgcagcggg gcccaggtga gcgcgcgcct	1200
	cggccggccc gcggaacaga cgcgccccacc cccaggcgcga gcagcagcgc cggccgcggg	1260
	agcgggagtg ccggggacgg gcgtagcgcc caccggcccg agggttcggg gcagagccag	1320
15	agcataggcc aaggccaag ctggggccga gagcagtggc cgcagccccc gggggctgaa	1380
	cccacggcgc gctggcagcg cggggcgagc tgccggagacg gtcacgtcag cgtccgttcc	1440
	aggccgactg gcagtctccg ttctacatta acgtcagcac tccctttaaa aataatgcata	1500
	ctctccatcg ccaggaggac ttaggtgctg cttaagacca gccctccggg tgctgccagg	1560
	ccggcgctca cccgccccct tcatctcccc ttctcccttg ccccaggaca gccgaggatg	1620
20	tgtggttagg ttccccctac ccatggggag gccagagggtg ggaggctggc ggcctgctcg	1680
	gtctcagcag accctccatg tccctcagga gacttgcct ttgccccact tgctcggttat	1740
	ccagcctggg ccatgaagca gaggacagtt agggaccctg agcacgcgggt ggtcaccccg	1800
	gtgctcaccc ctccctgtgt gtccgacctt ggccctgcta agatcctgtg ttttgaattc	1860
	tggcaagggt tggatgaaag ggcaggcgcc cagaaaccag ctcagacgtt tgcttgggac	1920
25	ctgcatgatg agtgggaatc ggagggcacc agccctgctg tcccaggcctc aggccccat	1980
	ctgctccccca ggtcatgcag cctggggccc catgccgtgc agctcgacata tatgtggggc	2040
	agagcagcca ccctgcccccc agcagcagcc gtccatcgatc agacgtgatc atttcctgag	2100
	gcctcgagtg tgtcagggtg tttgtgcctc ataacaaccc acaggatgtt caccggcgt	2160
	ttgcagatga agaaacaaaa gcaggtggtc agatccagtc cttgacttc ctgagcctga	2220
30	ccttaccaca cagctgtctc ctattcggat gcttatttat ttttttcccc attacagt	2278
	<210> 75	
	<211> 2401	
	<212> DNA	
35	<213> Homo Sapiens	

<400> 75

	tcatgcctgt aatcctaaca ctttgggaag ccaagggtggg aggactgott gaggccagga	60
	gttcaatact agcctggca acacagcaag atctcatctc taccaagaaa aacaaaggat	120
5	agaggagtca actgaaaaag atcccagtga ctaaagctcg aacaattta gcaataaaat	180
	aaatacgcatt gatataaaata catggctgaa taaataaaact ggggagaata gaaaaatatc	240
	ctgtgcagaa gaattccaag taacttatagatattta ccttacctt caaggaagta	300
	gaacataact tttcattcct tccaggatg ggctaggcat gatgacttcc ttccaaagag	360
	tacagaacgg aaacagggca gggggattaa cagtgagaa acctgaccaa cgctactgca	420
10	gctagggtat caaggccaaa acatcgacag tgataaagca tgctgagagc acctttgatt	480
	tgatgtatgt aaaatcgtgc tttacctctg taatcttcct gccaaaaacc cataatccca	540
	gcccccaatta tgagagaaac attaggcaaa tatcaattga gaaatattct aaaaaatacc	600
	tgactggtagt tcctgaaaac tgtcaaggc accaaaaaca ataaaagctc aagaaactgt	660
	cacagccccag aggaacctaa gatgtgacta ctaaatggca tgttagtaccc taaatggat	720
15	cctggaacac aaaaagagta tcaggtaaaa actaagagaa tcagaataaa gaaaggactt	780
	ttgttaataa tagtgtatca atattggttc atcaattttt acaagtgtac catactaata	840
	atgcaaggtg ttaataagaa acattcagca tgagatttt aggaattttc tatattatct	900
	tcacaatttc ctgttaatct aaatctctcc taatgacaag tttatTTAA aagtaaaaca	960
	aaacttgaag gagggaggaa acaagaaggg agggaaacatt ggagacagaa ccagcttggc	1020
20	aagttgacag ataaggctg agaagtaggc aggggaaaga tcattcattt caggcaatat	1080
	ttttccattt tacctgtata agaaccatat gagccctatt tttctttctt tctttttct	1140
	ttctttcttt tctttttttt tttttttgt agagatgaag atttcactat gttgaacagg	1200
	ctggtctcaa actcctggcc tcaagcaatc ctcccacctc agcctcccaa agcatgagcc	1260
	accatggtgg gcctgtatga aggaactttt taaaaaatgc tacaagccgg gtgcagtggc	1320
25	tcattacctg taatcccagc attctggag gccaaaggtaa gaggatcaact tggcccaga	1380
	agttcaagac catcctgaac aacatagcaa gaccctgttc tctgcttaaa aaaaacaaaa	1440
	acaagctggg cgtggggat cacgcctgta atcccagcac tttgggaggc tgaggtggc	1500
	agatcatgag gtcaggagtt cgagaccaga ctgaccaaca tggtaaacc ccatctctac	1560
	taaaaataca aaaattagct gggcacggtg gtgtgcgcct gtgatcccag ctactcagga	1620
30	ggctgaggca ggagaatcgc ttgaacccgg gagacggagg ttgcagttag ctgagaaagc	1680
	agttagctga gatagcacca ctgtgtctc gcctggaga cggagtgaga ctctgtttca	1740
	aaaaaatcag cctgcccagt cagagcgct cagcgccgtg ctcggacat cccgcccgc	1800
	ggccagcccc cgcgtgacgt caccgcattc cggctccgt cctccgccc cggccccgc	1860
	accgcagtga cagccagccg gccccggc cggagaggaa gtgcggtccg cgccaagccc	1920
35	gtccccgccc acgcccggctc cccgcggctc gggtgacagc gtgcggccg cggacgcag	1980
	cgcggggcag gcgccggcag agccgagcgc agcggaggct ccggcggagg cgccgggaaa	2040

	atggctgatg actttggctt cttctcgtcg tcggagagcg gtgccccgga ggcggcggag	2100
	gaggaccggg cgccgcctt cctggcccag caggagagcg agattgcagg catagagaac	2160
	gacgagggtc tcggggcacc tgccggcagc catgcggccc ccgcgcagcc gggccccacg	2220
	agtgggggtg agtcagcgcg gggcctggag aggggctca ggcgcgcacc cgggggaccc	2280
5	cggccggggc ccaggggcac agggaaagaga gcctgctcta ggccacccgg ggcaggagct	2340
	gggagacgtg gggaaaatc ttcttgaga tctccatgt a ggacttccga gctggggatg	2400
	a	2401
	<210> 76	
10	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 76	
15	 	
	ccagcctggg ccgcagagtg agaccctgtc tcaaaaaaag aacctactag tctacataacc	60
	acacttcctc atccccatct gagactatat atatttttc taacatgagg caatgc当地	120
	aagagggggct ggtgagtgaa agtaagaaca gaaagacatg gaggcaagtc ttatagaata	180
	atagccaaca cttaaactta cacttaacag cgtataggt attgttccaa acacattaaa	240
20	ttcatttaat ggtccttaca tgtctatgt a tttggtgatt attatcctta ttattcacat	300
	tgctgagtgt attattctgt tctcatgtg ctgatagaga catacccgag actggataac	360
	ttattaaaaa aaaaaaggaa taatggactc acagttccac gtggatgggg agtcctcaca	420
	atcatggtag aaagcaaag acacgtctt a catggcagca gggaaagagag agaaatgaga	480
	accaaacaaa aggggtttcc cttataaaa ccatcagctc tcatgcgact tattcactac	540
25	catgagaaca gtatggggaa aaccacccccc atgattcaat gatctaccag gtgcctccca	600
	caacctgtgg gaattatggg agctacaatt ccagatgaga tttgggtggg gacacagcca	660
	aaccacatca ctgagggaaac tgagttatag ggagatttagt aacgcccac acagctggta	720
	ggtggtggag ccaggcagtc tgactctagg gtctggactc tgaactgcat catgctgcc	780
	agaagttccct catttttcc tctctctaag tttcccttat tccctacag tcattccttc	840
30	aacagcattt ctttccaccat cttttctact tctactatat aattaatttt ttcttcttgg	900
	tcccaattt caacgtgcaat atgcagccctt atatacccta attcatctt accttttagac	960
	tttcttccaa tgtttctact tcattccatt taaaattt ccatgagatg cctatttaca	1020
	agctgttaacc atcatgaagt gaatgaagaa taataccctac tactgtacaa tagaattcca	1080
	agagtataaa taggagttat ggcttctga cttgaaacta aataacttgat acttgatttt	1140
35	gctgtctgag atcaatctga aaagtaataa taatcactaa catttggta gcatcaattt	1200
	tggggccaaatgt gtcatttcaa tcactctgt a catattaact catttcatcc tacaacaacc	1260

	cggtgaggca agttctgtta ttctgttta cagttgagga aacagaggca tagagagctt	1320
	aagttagttt cccagtagat agccagaaga ggagccagga tgggtctcg ggagtttac	1380
	agcacagctg aagtcttaac cactatgcc aacagttttt ggtcctacac atcccatggg	1440
	aagaggaaaa taaaaaggta tctatttgc tacctttta tttctgatata aagaagcaga	1500
5	atcccttca catgaccatat gtctatttaa tacgtcattt tgaaacttac caataaaatt	1560
	tcccaagcgc cagaaaaactg tttagtggctt tttccatttc tctctatTTT ttttgtgct	1620
	actaatttttgc ttctttccc tcagaaggctt gccggaatAG taaacattca ctgacatgtc	1680
	ataattactg gaaaatgggc actggaaaat cacattgtaa ttaattcaaa gcatgtttc	1740
10	caaatgtact acattaaattt ggagcttata tcataatcca aggaaacctt tgtgtgtgta	1800
	ctgttccccac attgctcagc ctgggatatac caggagtaat tcaccttgcg cctgcctcca	1860
	gaccatcttc catggaaggg ggtgaccctt tgcctttgg caaccactat ttctaagctg	1920
	ccaacattac tcttgcatta tcaacattct aacttcatgg gaagggtgtt ggtgagttc	1980
	tggaatgtga ataggaagtt gttttctaa acagcctgac actgaggggg ggcagtgaga	2040
	ctgtaagcag tctgggttgg gcagaaggca gaaaaccagc agagtacacag aggagatgg	2100
15	gagtttattt ttttctgcat gggaaagtgg tgaagtggat tggagtggta tggagtaaag	2160
	tcaggcaggta aaagggttcag aaagtgagga acagcgatAG ccatggagtt ttatgttga	2220
	ttgccttatta gatTTTGTGA gtactttaa acttgctgtc cactttgacc ctcccaacac	2280
	ccttggatgtt gtaggttgctt atttcttattt tacaataaa gccatgtgg tttacagagg	2340
	ctgtgtttta tctaagcttc actgttaggc tacatgtatgt tggatctgg ggcctgtcct	2400
20	ctggctccgc agctgctgtt cctcctacta gaatttataAG gggctctgtc agaatagatc	2460
	atggtaaacc tgcacccca ttttccaaga ctgtacttct c	2501

<210> 77

<211> 2501

25 <212> DNA

<213> Homo Sapiens

<400> 77

30	cctgggtcct ctcttccagc tccaaaatg tactctattt ttatctgttt cacgaacgct	60
	ggtccagata gtcttccatc ccccactgac tggtagaagt gactctcagc ttttgtccat	120
	ctcgaagttt ctgtgctcag tggcctctc agactaaagg cttcccttgg gaagccccga	180
	ctctcgcttc tcaggacaga gatccagggg ttgggggagg aaaaggttga ccagaagcca	240
	tagcggagca gggagagaga gtgtgaaaga cagaccccgcg gccaggctcc cagttctcca	300
35	gctcgtagag ggcggaaagt ggcgtataa tctgaaagag cagatatgt aatccatag	360
	tacttcctat tggctgcagg acacagttct gtcctgacac tggatTTGG gtgtgtcagg	420

	gttctggaa ttcacaacgc tcacaacttg tgaagcagct gtggggtggg ggatggggag	480
	ggtttcagca gaggaagtga ggtcagtcaa taatttgcgct ctgtctgagc ttttagccat	540
	tatctccccc agccttattt cctgtcaaaa ggtggggcg ggcaggagga ggggtccctg	600
	gctcatcttg tagaattccc atatttagt aagacacctt agaggtctac tcctgcttct	660
5	aatacccacg tctttccaag tgtctctgag gccacccctt ccccagcctt ttcatttattt	720
	catttaatta acgaacgcct tcattgaggg cctcctctga gtcaggctca gccagccagc	780
	atctttgcta tgagctgaga taagcatcat ttccgtctat tctcacaacc accctatgag	840
	gctggcacgg ttactatgc ctathtagca gatggggac tgaagcatgg agaggtgtca	900
	ctagcctacg gtaacacaac cagcctgcat tcctagtagg tagtttactt tcagagtctc	960
10	tgtggataac caggaggcta ggactaagac cagagtcctg caggtactta gatgggttgg	1020
	gcaaaaggcagg gcagtggaggc cagtgctccc agcctgtca ggagcatcag gaagagtctg	1080
	tgtccccctc ccctgccggt atgaagccat tctgcttccc tccccagctg ccttgggtca	1140
	gcagagttcc agggaggctc cattccccac ctctatctaa agtccattt gctggggtgg	1200
	gggcctgccc tggaaagggaa aggtccaagg ctgctccctc cgtgtccctc catcctgact	1260
15	gtccctggcg gggcgggggt gtcttgcata cccagctgca caacggccag gaagggtca	1320
	aaccatcctc agggctaaacc caaggccgtc ctctgggcct gtataccctt gtgctgagtg	1380
	cggatcggga gaggctgctg aagacaggag gggacaaatg gggacgaag gggcccgagg	1440
	gaggggactg aaggatttgg gccaagtcgg gagttcccga gggcggagtc aaaacgcattc	1500
	tggattttgc tagccccaaa ctctggccctc attgctgcaaa gcctcctaga ccgaggaccc	1560
20	ccgggctgag ggtgggtaa ggataggtag tgccttccc cgtcccaccc cgcctgtcc	1620
	cttcctcggt ggcgcgttcc cggccggccattccaggcg gcccctccgc tgctgccagc	1680
	cgtatccccctt ctaccccccac ccactactcc gcccggccaga cggtgcctac agtctcggt	1740
	ctgtctccca cggctgtggg tccggacccc acgggacccc tatgggaccc ccacaggacc	1800
	cccacggccct gagtccaagg cccggccctt cggggaggcg gatgtgggag gcccggcccg	1860
25	ggtgcgggccc agcgaccggg gagctgcggg cggctggaggg gggaggccgc cctgaggggc	1920
	tgggagcggc gcgggggtgg gtcccggtcc tgcagccca gcgaggggcg agcggccggcc	1980
	agtcggcgag ctggcaata agaaaacgggt ttatttaggag ggagtgggtgg agctgggcca	2040
	ggcaggaaga cgctgaaata agaaaacattt ttgctccagc cccatccca gtccgggag	2100
	gctgccgcgc cagctgcgcc gaggcggccctt ccagccgggtt ccggggccgc	2160
30	gcccggaccc cagccggcccg tccagcgctg gcggtgcaac tgcggccgcg cggggagggg	2220
	gagggtggccc cggtccggcccg aaggctagcg ccccgccacc cgcagagcgg gcccagaggt	2280
	gagtcgaggt cgcggacgg gaccgggtgg cggggccctt gaccccccgt tcagtgggccc	2340
	cttccttcgg gcccggccca gagtcaccgc agatgtggtc cggggaggctc agtcccagct	2400
	cattagaaag gcaagctgct cctggctgac cacgcacagc tcccatgacc ctacactgaga	2460
35	cttggagggg aatggacgag actggactgg aaatcagaaa c	2501

<210> 78
<211> 2501
<212> DNA
<213> Homo Sapiens

5

<400> 78

	tggctaattt tttgtatTTT tagtagagac ggggTTTctc catgttGagg ctAGTCTcgA	60
	actcCTgacc tcaggTgatC tgCCCGCCTC agcCTCCaa agtGtGggA ttacaggcgt	120
10	gagccaccac gcCTGGCCGc taactacatg tGTTCTatga ggtGaggTcc ttcccAGACC	180
	ctggAACATCAG gggTTGCAAT tagggTCaaA ataATGAGGT tggACTACAG atAAcCCCATC	240
	tccTTTCTTA CCTTTGACTA gATCCAAAGGA ctaAAACTCCA AGAACCCGAG CATCTGTCCC	300
	caAAACTGAA aggATTGGAC tagTCACCCCC ttGTTTCCCT acAGCCACAT CCCAGGCACC	360
	tggCCCTTgc tttgtccaga aattcagcta taactCCACA catCTGATgg ccCTTCTgg	420
15	caAGCAGGCA tttccatCAG gaccCTCAGC tgCCAGACAC atttACTGGA ggtCACTTAT	480
	taAAACCTGGG CTCAATTCC ACACAGGGAG GCTACTGAAg CATCACACTG ggtCTCCAG	540
	CCCTTCTCA tagAGGAAAG ATCTCTGT CTCAGGGT tggCAGTCAG CGCCAAgTAA	600
	AGGGAAATTtA gCTCTTGCC CAAGATCCCT GCCCAGGAAA ggtACTTGCg CCTGCTGAA	660
	ACTTTGGGCT gaAGTATACT CCTTCCAAA AACTCAGGTC TGATATTAC ACAAAgTCTG	720
20	AAATTAAATGC agAGAAAAct TCCAAGTgCT tggACTGGAG cagaAGGCTG agAACAGGAA	780
	ggggCTGGTC CCTGGTACTA GTTTGGTTT TTGGTGGTT TTTTTTTTc TTGTTTTTc	840
	TCACAGAAACA gggCAAAGCT gagTGTCCCT GGATGAGTGA AGCAGGAGGA TTAATCATGC	900
	CCAGTGTTC TCCACTTAA ACTGGTTTC CTGGGAATTt GCAATTGAGA GTGGGGAGGG	960
	GTAAGAAATCG TGGAAAAGG CTGATGGTGT TCAGCCAAAT TCATCCTCA CGTCCCCACC	1020
25	CTTCTACAGG CACATGCTT gggGCCATCC acggCTGcAG CCACCCATC CTTAGGAAGC	1080
	accACTGGCC TTCCTTCCG GTACCTGGAC TCAGCATCAC TCCCAGCCTC TTGGAGATGC	1140
	AGCCTTCATT CAGCACACAG CTCAGCTCTG AGTCTGTtT TTGTCCTAG ATGTCTCTGG	1200
	GGTCACCTAC TACTCCCTGC TTGGTGGCCC AGGCCATCC TTCTCCACTC TTGcacCTCT	1260
	TTTAGCAGAA AAGGAGTGA G ATGGATATT TCCATGGGCC GTGTGTGcAC TCCCAGCTAC	1320
30	CCCTGACAGC TCTACTCAGA GCTACCCtCC CTCCTGGGC TTCTTATGTG TTCTAAGGCT	1380
	GAGGCAGGAA GACTGTGAGA TCAGGTGACA CTCAACAGTT ATGATCGGTc TTAAGATTAA	1440
	CAGTCCTGGC CGGGCGCAGT GGCTCACGCC TGTAATCCCA ACACTTGGG AGGCCGAGGC	1500
	AGGCAGAGCCA CGAGATCAGG AGATCAAGAC CATCCTGGCT AACACAGTGA AACCCCGTCT	1560
	CTACTAAAAA TAACAAAAAAT TAGCCAGGCG TGGTGGCGGG CACCTGTAGT CCCAGCTACT	1620
35	CAGGAGGCTG AGGCAGGAGA ATGGCGTGAa CCCAGGAGGC GGAGCTTGCA GtaAGCCAAg	1680
	ATTGCGCCAC TGCACTCCCG GGTGACAGAG CGAGACTCCG TCTCAAAAAA AAAAACAAACA	1740

	acaacaacaa aaagattaac actccttcta cttccaaacc taatacaaag ggacattgcc	1800
	tagtgattaa gagaattcat tcattcaaca aatacttgtt gagcacctac tatgtgcca	1860
	gcactgttct aggcacccga aatacagcag tgagaaaaac caaaaaaact ccctgccctc	1920
	atggggtgta tattcaagta gctgaaacag acagtgaaca aaaaaaaaaag gacaataatt	1980
5	tcaaataata atgatgctat cggccaggtg tggtggtca tgcctataat cccagcattt	2040
	tgggaagcca agtcaagcgg attacctgag gtcaggagtt caagaacagc ctggccagca	2100
	tggtaaaacc ccatctctac taaaaataca aaaattagcc agacatggtg gcacacacct	2160
	gtaatcccag ctacttggga ggctgacgca ggagaattgc ttgagcccg gagggtggagg	2220
	ttgcagttag gcaagatctg acaggccttc agcaccactg cactctagac tggctgacag	2280
10	agcgagactc tgtcaaaaaa aaaaaagcta taaatagact ttaacagggta aacatgatag	2340
	ggagggaggg ataggggagc agggtggta aggaagggac atttaaacag gctagaatga	2400
	caatggccag cgagggaaag atccagaagt gtgtgctgga agaagaaaga gcaagcacaa	2460
	aacccttagg acaaaaatcag ctcgtgtggt caaggcacag c	2501
15	<210> 79	
	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
20	<400> 79	
	.	.
	tgtttctgac ccctggctgc agcctaattgg gccgactgct ggacagcggt cctgagtcc	60
	gtttgaattt gtgctcccc gacatcctct gacccatgtt aatgatcctg cctggccagg	120
	gcagacaggt ctctgcaacc ctatgggtgg taggggtggt gatgagagga gaggtgtct	180
25	cacttgcaca gatttgggtg tatggttctg tctttgcac tctttcaaca gaggtctgtc	240
	cagtccctct tgcaagtgtg gggaggggt ggtgcaggac tatgaggtaa ctgtgagaag	300
	aggggctcca gcagaaccag ggtccaatgg ctttgaagag atggctgggg acagctggac	360
	tcattacgtc tactctaaa tggagggaaac gacccttcag ctacacagca cctgagccag	420
	aatgtcacca tggtgctgct ccacaggatg acagctaccc ttgttggatgg gggccctatt	480
30	ctagggacag ctacttcatt ctgcctccc agagcagcaa gcaacaaccc tatgccagga	540
	ggccaattgg cacgtcaagt gccagctcca atcgattgtt agtagctgcc tggctctgaa	600
	aggcagctgg gatcgattca ccatgctgcc agcacacaga tggaccacgc ggtggtccc	660
	gcagtgagtt cttgccttgg gccatattcat ttttttgc ctggccaagg aatgattgg	720
	tgaacacact ggactccaa tatgggtgga taagacaaga gtgtctggtc acaccctcc	780
35	accactcata agcatggttt tggcagttt gttccccag gccccttgg agaattgcaat	840
	gagccgagga actggtcatc tccaggtgca tccagggcag gaaaggatga cagcatgcgt	900

	gagccagggt cactggctaa gaagtcatct caggacctcc ccctagaaaa gcccactggg	960
	cagcatccct gctgggcccc ccctacacca caaggttacg cagagctggc ggagggtcat	1020
	ggtcccactc atgtcagggt ctcataatct ggcaaggaaa tgtaacctac gtgaatctca	1080
	acaggcagtg aagcacccgtt tcttcctgac tccaggtagg gtgaagaaaa tgggacagta	1140
5	gtacggggtg cgggcataaa cgacacaactc tgcctccccca gacgcagagc tgtgggctg	1200
	tgagaatgcc aggaggaggt aagaaaggc ggccccatgg ggggcctgca ggggtgggaca	1260
	agcccaagag gtctctacat ccaggcctgg tgggggaggt gagccctgg ttaccgagg	1320
	gggtcccttc ctgcctcgg aaatactgca gtcctactt ccatcgctc cccgctgcgg	1380
	ggacccaggg gcgtgaggat gagagagccc ccaggccccca gggtcagacg actgtgttca	1440
10	agcaagttag aacctctctg aggctgttcc ccaactgtaa aatggggata gcagcagaac	1500
	tctctctcgc ggcttgcgtg aagaatacaa ttcgatgtcg acaggaggga gcccgcgcga	1560
	gcccgcagcg agtagcagggc gctgaagaag gatacctgtg aactgggagt ggtggcggag	1620
	gctacgcggc cagagtccgg ggaaggggcg ccggctctgc cagtcctgc tcggggctgg	1680
	atggtcgggg gatgttctcg taagtcggct gggagggagc ggtccgcgt accctgccc	1740
15	cgccgcccga gaggttcggg caggtgcggg gcccgcggccc ctccgcgagg gggccggta	1800
	tccgccccga ctgacatccc ggaggcccaa tggcaagccg tcattccgc gcatccgc	1860
	aatcggcgc ggttgcgtg ccgcgcggg tctctcgacc aatggaaaa tttgctgtca	1920
	gatggggccgg ggcggagatt cgcgtcgccg gcccggctcg ctttgcgcac gggccgcgt	1980
	agggccggag ggctggcccg ggttctcggg ttgcgcgtc ggcctggagg gggggccgg	2040
20	ccccccgacc ggtccgagtt gcggccgcgt ggactgcgcac ccgcgcgcgc ccgcaccgc	2100
	ccgcgcctcg ggaacgcgc tccccgcgc ccaacggacc cggggaaagcc cttctgggt	2160
	ccgaggccgc gtcgcggggc cggccacgct ggcgtccagg taagcctgag ccagtggggc	2220
	gggtgtggga cccggggctg gggcctcggt tcggagccgg gactggggc ggggctgcag	2280
	atatgggacg cattccgggc agcggtccgg acagggtcct atccctggag tcgagatccg	2340
25	ggcgagggtc tgggccccac gtcggagcca atctccgc caccgcgtc ttgtccgc	2400
	gctctgcggc gtccgagacc ccggccggc gggggcgggt ctcttgtgc gtggccttgg	2460
	ggccctaccc taccgcgtccg ggcgtctgc actgagact c	2501
	<210> 80	
30	<211> 2501	
	<212> DNA	
	<213> Homo Sapiens	
	<400> 80	
35	acagatgacc gaggggctcc cagccggga ggtggaaatc cagcaggat ttccaaggcc	60

	tagttgcag ggctccagga tcgttcctag atcctggct tgcagccctg acaaggggaa	120
	ggagggaggc agcagaagga gggcagaaca atccatgcca ggctgtgatt tgccaagtga	180
	ccatctggga agaatggct ctcagaccag ggacagggag cagaggcaag ccccatctg	240
	ccctgggtgc agaaccggta ttcaactca gggcccccgt ttctgcctgg atcgctccac	300
5	tgggcggagg agtgactgtg gacacatcca gggttctctc caagtcggct tcctcatctg	360
	ccaaatagag accgcagacc accagctccc aggccaggcgt tactcttccg gcccctccca	420
	aggcaggagg gccaggcgta ctcgagacac aggtgtgctg ggggcccagg tggccagcc	480
	agcagcatcc tgcagggtaa tgggagcagg tggcaccccc gaggctggca gttaaacactg	540
	gttatctgcc cccaggctcc caggagggtt cttggccctc acctcctccg gccgaaacag	600
10	gaaagcagct ccaggcagct gggtccacaa aaatctccgt tccctgaggt ctcagaggca	660
	gtggcccagg agcatcttgt caccttcggg aaaaaccggc ttggcaaagg ctcccccgag	720
	ggcacgcgtt tcccgacag tgaggcagga cctaaactct tccgttaaca ctacatTTT	780
	cgcatttctg cagtgtttgc acttcaggg cccaccatt cccgcatact ctttagggaga	840
	agttctcgac gtcccacctc cccttggaaagg gtgctgtcc cagagacatt caggccaaatg	900
15	gccccatctc agtgcctca ggggagaggg gggtgcagaa aaacagcctg gtcacaaaaa	960
	gaggtgcgag ggctgtgaga tcccgaggc accgacgggaa agcgagacgg agaacaggag	1020
	ggcaggacgg gctggaggtg gggatactg cagatggagg gagccacggt gggggagggc	1080
	gtggacctga ccgtccctggc acaaggcggt cgggtgcaga cttccaggcc ctccgggtta	1140
	aggtgccgccc cagagccctc aggccgggg cgcacggaaa ccacaggcag ggtgcgcgtg	1200
20	gagggacggg gaaagcgggg cgggttgggg aaggcgcccc gggAACCTGA acctcccacc	1260
	ccgcctcagt ctcgaccact ccttaagccc cacccggcc caggttaaggc gcagtccacc	1320
	cccattccca gtagattaac gcacaggtgg ggcgcgcgtc gggacatagc tgcgttaggg	1380
	gacagcgcgc ccagccca gtcggggcg aggagcaggc cggggccag caggaaccca	1440
	gctttgttag cgatgtccccc cgtgagccac ggcgcacgcg tacgcgttcc ctcaatgggg	1500
25	ccgggcgtgg agccgcgccc tgcgcgattt gccaaacggg tggccacga ttggctgaga	1560
	ccctggcccc cgcctcctcg gccccaggag ggtggggcg ggggtgtggc tgcgcggcgc	1620
	gtgctgcccc cggggatctt ggcgcctcc cgaacagccg tgggtgcgc agggccgcgc	1680
	cttccctccc acagcgcgcg ctgcgcgtgc gaaggctgg cggctttgg gactggcggg	1740
	gctgcgcgcg gggtagggt ggggtacgg gaaggctcaa cccaggacat gctaccttg	1800
30	ctttgggggc gcactaagca cctgcggga gcagggggcg caccggaaac tcgcagattt	1860
	cgccagttgg ggcactggg gatctgtgga ctgcgtccgg gggatggct agggggacat	1920
	gcccacgcattt tgggccttac agaatgtgat cgcgcgaggc ggagggcgaa gcgtggcg	1980
	aggggcaggc gaaggaagga gggcggtgaga aaggcgacgg cggcgccgcg gaggagggtt	2040
	atctatacat ttaaaaacca gcccctgcg cgcgcctgc ggagacctgg gagagtccgg	2100
35	ccgcacgcgc gggacacgag cgtcccacgc tccctggcgc gtacggcctg ccaccactag	2160
	gcctcctatc cccgggctcc agacgaccta ggacgcgtgc cctggggagt tgcctggcg	2220

	cggccgtgcca gaagccccct tggggcgcca cagtttccc cgtcgcctcc ggttcctctg	2280
	cctgcacacctt cctgcggcgc gcccggacct ggagcgggcg ggtggatgca ggccgcgttg	2340
	acggcggcac actgccagg tccgcgcccc ctgcgcggcc cgtccctgtc ggctgcgcgtg	2400
	cccgccggag acccgcggtcc ccggaaactgt tgcgctgcag ccggcggcgg cgaccggcca	2460
5	ccgcagagac cggaggcggc gcagcggccg tagcgcggcg c	2501
	<210> 81	
	<211> 22	
	<212> DNA	
10	<213> Artificial Sequence	
	<220>	
	<223> primer	
15	<400> 81	
	aatcctccaa attctaaaaa ca	22
	<210> 82	
20	<211> 20	
	<212> DNA	
	<213> Artificial Sequence	
	<220>	
25	<223> primer	
	<400> 82	
	aggaaaaggga gtgagaaaaat	20
30		
	<210> 83	
	<211> 22	
	<212> DNA	
	<213> Artificial Sequence	
35		
	<220>	

<223> primer

<400> 83

5 ggataggagt tgggat~~ta~~ag at

22

<210> 84

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 84

aaatcttttt caacacccaaa at

22

<210> 85

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 85

aaccctttct tcaaattaca aa

22

30

<210> 86

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 86

5 tgattgggtt ttagggaaat a

21

<210> 87

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 87

ttgaaaataa gaaagggttga gg

22

<210> 88

20 <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 88

cttctacccc aaatcccta

19

30

<210> 89

<211> 18

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 89

5 tgtttgggat tgggtagg 18

<210> 90

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 90

cataacccttt accttatctcc tca

23

<210> 91

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 91

tttttagattg aggttttagg gt 22

30

<210> 92

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 92

5 atccattcta cctcctttt ct 22

<210> 93

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 93

ggaggggaga gggttatg 18

<210> 94

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 94

tactatacac accccaaaac aa 22

30 <210> 95

<211> 19

<212> DNA

<213> Artificial Sequence

35 <220>

<223> primer

<400> 95

5 ttttggaaat gggttgtat

19

<210> 96

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 96

ctacccttaa cctccatcct a

21

<210> 97

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 97

ttgttggag ttttaagtt tt

22

30

<210> 98

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 98

5 caaattctcc ttccaaataa at

22

<210> 99

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 : <400> 99

gtaatggaa gaaagttag gg

22

<210> 100

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 100

ccaacaacta aacaaaaacct ct

22

30

<210> 101

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

140

<223> primer

<400> 101

5 ggagttgtat tgttgggaga

20

<210> 102

<211> 21

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 102

taaaacccca atttcacta a

21

<210> 103

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 103

tttgtatttag gttggaagtg gt

22

30

<210> 104

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 104

5 cccaaataaa tcaacaacaa ca

22

<210> 105

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 105

gatttttgg a gaggaa gtttta ag

22

<210> 106

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 106

aaaactaaaa accaaaccca ta

22

30

<210> 107

<211> 20

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 110

5 cccaaactatc tctctcctct ataa

24

<210> 111

<211> 25

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 111

attagaagtg aaagtaatgg aattt

25

<210> 112

20 <211> 19

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 112

tcaatttcca aaaaccaac

19

30

<210> 113

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 113

5 gggatgggtt attagttgta aa

22

<210> 114

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 114

ccttcacaca aaactacaaa aa

22

<210> 115

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 115

taattgaagg ggttaatagt gg

22

30

<210> 116

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 116

5 aaaacccaaaaa cccaaaactaa aa

22

<210> 117

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 117

agtggatttg gagtttagat gt

22

<210> 118

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 118

aacaaaataa aaacttctcc ca

22

30

<210> 119

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 119

5 taggggaaaa gtttagagttg ag 22

<210> 120

<211> 18

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 120

cccattaacc cacaaaaa

18

<210> 121

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 121

attttagttt gtgaaatggg at

22

30

<210> 122

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 122

5 tcttaaccaa taaccctca c

21

<210> 123

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 123

gtgggttttg ggtagttata ga

22

<210> 124

20 <211> 20

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 124

taacctcctc tccttaccaa

20

30

<210> 125

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 125

5 taggatgggg agagtaatgt tt

22

<210> 126

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 126

acaacttatac caacttccat tc

22

<210> 127

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 127

tccccacaaaa actaaaacaat ta

22

30

<210> 128

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 128

5 aggttttaga tgaaggggtt t

21

<210> 129

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 129

tttggagggt ttagtagaaag tta

23

<210> 130

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 130

cccaataatc acaaaataaaa ca

22

30

<210> 131

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

150

<223> primer

<400> 131

5 atacaacctc aaatcctatac ca

22

<210> 132

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 132

agggagaagg aagttatttg tt

22

<210> 133

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 133

ggaagatgag gaagttgatt ag

22

30

<210> 134

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 134

5 cctacaaccc tatacctctaa aa

22

<210> 135

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 135

ttagtagggg tgtgagtgtt tt

22

<210> 136

20 <211> 23

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 136

caaacaaaaac ttctatctca acc

23

30

<210> 137

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 137

5 ttatagggtt gagtttggga t

21

<210> 138

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 138

taaacaaaca acaaatcttc ca

22

<210> 139

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 139

tgaaaatgaa ggtatggagt tt

22

30

<210> 140

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 140

5 ttaaaaaccat ataatccctc ca

22

<210> 141

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 141

tatgtttggc tttgttttqa qa

22

<210> 142

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 142

aaccccatca cttttatcc tt

22

30

<210> 143

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 143

5 ggggtgtagaa gtgttaggt tt 22

<210> 144

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 144

tttctccct tacaacaata ac

22

<210> 145

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 145

1

210 140

- 22 -

312 DNA

<213> Artificial sequence

۵۵

<220>

<223> primer

<400> 146

5 tgagagtgtt ttagggaagt tt 22

<210> 147

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 147

aaaaccaaaa cataaaccaa aa

22

<210> 148

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 148

gattaggagg gtttgtag at

22

30

<210> 149

<211> 21

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 149

<210> 150

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 150

actctttcc ctataccct aa

22

<210> 151

20 <211> 24

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 151

tgttagtqa qtttttaqqqa qqtt

34

30

<210> 152

<211> 22

<212> DNA

<213> Artificial Sequence

35

≤220≥

<223> primer

<400> 152

5 acactaccta tccttacccc ac 22

<210> 153

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 153

tttttgtttt tatggggtgt at

22

<210> 154

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 154

ttaaatatcc cttccttaac ca

22

30

<210> 155

<211> 23

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 155

5 agttagaaga ggagtttagga tgg

23

<210> 156

<211> 22

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 156

taattttcca atacccattt tc

22

<210> 157

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 157

tgggtagtat ttttgttggt tt

22

30

<210> 158

<211> 22

<212> DNA

<213> Artificial Sequence

35

<220>

<223> primer

<400> 158

5 cctaaaaact ctctcatcct ca 22

<210> 159

<211> 23

<212> DNA

10 <213> Artificial Sequence

<220>

<223> primer

15 <400> 159

agtggtttag gagtatttgg tta

23

<210> 160

20 <211> 22

<212> DNA

<213> Artificial Sequence

<220>

25 <223> primer

<400> 160

aactccctcc atctacaata tc

22

30

Claims

1. A method for the amplification of nucleic acids comprising the following steps
 - 5 1) isolating a nucleic acid sample,
 - 10 2) treating said sample in a manner that differentiates between methylated and un-methylated cytosine bases within said sample,
 - 15 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that
 - 20 a) each primer molecule sequence reaches a predefined measure of complexity,
 - b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature,
 - 25 c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template,
 - 30 and
 - 4) detecting said amplified target nucleic acid.
- 35 2. A method according to claim 1 wherein said primer molecules do not contain nucleic acid sequences com-

plementary or identical to nucleic acid sequences of the target sequence which prior to treatment of step 2 contained a 5'-CG-3' site.

- 5 3. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 32 primer pairs.
- 10 4. A method according to claims 1 and 2 wherein said set is comprised of at least one but not more than 16 primer pairs.
- 15 5. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of linguistic complexity.
- 20 6. A method according to claims 1 to 4 wherein the primer molecules are reaching a specified value of Shannon entropy.
- 25 7. A method according to claims 1 to 6 wherein the nucleic acid sample is isolated from a bodily fluid, a cell culture, a tissue sample or a combination thereof.
- 30 8. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of plasmid DNA, BACs, YACs or genomic DNA.
- 35 9. A method according to claims 1 to 7 wherein the nucleic acid sample is comprised of human genomic DNA
10. A method according to claims 1 to 9 wherein said sample is treated by means of a solution of a bisulfite, hydrogen sulfite or disulfite.

11. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in step 2) of claim 1.
5
12. A method according to claims 1 to 10 wherein said primer molecule comprises of at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by bisulfite treatment.
10
13. A method according to claims 1 to 12 wherein each of said primer molecules is characterized in that the last at least 5 bases at the 3' end of said primer molecule are not complementary to the sequence of any other primer molecule in the set.
15
14. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
20
15. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 20% of the number of nucleotides of the primer molecule.
25
30
35

16. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
5
17. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 10% of the number of nucleotides of the primer molecule.
10
18. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
15
19. A method according to claims 1 to 13 wherein the number of nucleotides creating one gap, when aligning the primer molecule sequence with the template sequence, allowed for, when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than 5% of the number of nucleotides of the primer molecule.
20
- 25
20. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is less than seven.
30
21. A method according to claim 20 wherein the number of mismatches allowed for is less than five.
35

22. A method according to claim 20 wherein the number of mismatches allowed for is less than three.
- 5 23. A method according to claim 20 wherein the number of mismatches allowed for is one.
- 10 24. A method according to claims 1 to 13 wherein the number of mismatches allowed for when virtually testing the amplification of unwanted products according to step 3 c) of claim 1 is determined by a pre-specified maximum melting temperature.
- 15 25. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than eight 5'-CG-3' sites.
- 20 26. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than six 5'-CG-3' sites.
- 25 27. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than four 5'-CG-3' sites.
- 30 28. A method according to claims 1 to 24 wherein said primer molecules are used to amplify nucleic acid sequences that prior to treatment of step 2 comprised of more than two 5'-CG-3' sites.
- 35 29. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR.

30. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the treated sample, the non-coding strand of the treated sample and both of the strands of the untreated sample.
5
31. A method according to claims 1 to 28 wherein the ability of said primer molecules to amplify an unwanted product is tested by means of electronic PCR, taking as template nucleic acid the coding strand of the bisulfite converted human genome, the non-coding strand of the bisulfite converted human genome and both of the strands of the untreated human genome.
10
32. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 50 bp but not more than 2000 bp.
15
33. A method according to claims 1 to 31 wherein said primer molecules are used to amplify nucleic acids which are comprised of at least 80 bp but not more than 1000 bp.
20
34. A method according to claims 1 to 33 wherein said primer molecules are comprised of 16 - 50 nucleotides.
25
35. A method according to claims 1 to 34 wherein said primer molecules do not form dimers with each other.
30
36. A method according to claims 1 to 35 wherein said primer molecules do not form loops or hairpin structures.
35

37. A method according to claims 1 to 36 wherein said primer molecules are complementary to target sequences which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
- 5
38. A method according to claims 1 to 37 wherein said primer molecules amplify regions of the treated nucleic acids which prior to the treatment performed in step 2) of claim 1 did not contain specified restriction enzyme recognition sites.
- 10
39. A method for designing primers according to claim 1, comprising the steps of
- 15
- a) selecting a pool of possible primer pairs per amplicon by means of a standard PCR primer design program using said nucleic acids as template
- 20
- b) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set exceeds a threshold melting temperature
- 25
- c) excluding those primer pairs which comprise of a primer that does not reach a specified level of complexity
- 30
- d) excluding those primer pairs which comprise of a primer that in combination with another primer molecule in the same set, under conditions allowing for one or more base mismatches per primer, amplifies an unwanted product when virtually tested using the treated and the untreated sample nucleic acid as template.
- 35

40. A method for designing said primer molecules according to claim 1 and 43, adding the step of
- 5 e) excluding from the remaining confirmed primer pairs those pairs which in said amplification step do not result in the amplification of the intended product when performing a single PCR experiment.
- 10 41. A method for designing primers according to claims 39 and 40 , wherein said template nucleic acids are masked for repeats and SNPs before designing said primer molecules and wherein said standard PCR primer design program considers one or more of the following factors
- 15 length of amplicate, length of primer, melting temperature of the primers, dimer formation parameters, loop formation parameters, exclusion of unidentified or ambiguous nucleotides in the primer sequence, exclusion of restriction enzyme recognition sites.
- 20 42. A method according to claims 39 to 41 wherein said measure of complexity is a measure of linguistic complexity.
- 25 43. A method according to claims 39 to 41 wherein said measure of complexity is a measure of Shannon entropy.
- 30 44. A method according to claims 39 to 43 wherein the following step is carried out prior to performing step d)
- 35 excluding from the remaining primer pairs those

pairs, which consist of a primer molecule that comprises of at least one CpG site.

- 5 45. A method according to claims 39 to 44 wherein the following step is carried out prior to performing step d)

10 excluding from the remaining primer pairs those pairs, which consist of a primer molecule that does not contain at least one nucleotide within the last three nucleotides from the 3' end of the molecule wherein said nucleotide is complementary to a nucleotide of the target sequence that was converted to a different nucleotide by the treatment performed in 15 step 2) of claim 1.

- 20 46. A method according to claims 39 to 45 wherein the following step is carried out prior to performing step d)

25 excluding from the remaining primer pairs those pairs, which consist of a primer molecule that contains more than 5 bases at its 3' end that are complementary to any other primer molecules' sequence in the set.

- 30 47. A method according to claim 39 to 46 wherein the following step is carried out prior to performing step d)

35 excluding from the remaining primer pairs those pairs, which amplify a nucleic acid that did not, prior to the treatment in step 2 of claim 1, contain at least two CpG sites

48. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5 excluding from the remaining primer pairs those
pairs, which comprise of one primer molecule that in
combination with another primer molecule in the set
amplifies an unwanted product, when virtually testing
according to step 3 c) of claim 1 under conditions
allowing for a number of mismatching nucleotides of
10 20% of the number of nucleotides of the primer mole-
cule.

49. A method according to claim 39 to 47 wherein the following step is added before performing step d)

15 excluding from the remaining primer pairs those
pairs, which comprise of one primer molecule that in
combination with another primer molecule in the set
amplifies an unwanted product, when virtually testing
20 according to step 3 c) of claim 1 under conditions
allowing for a number of nucleotides creating one
gap, when aligning the primer molecule sequence with
the template sequence, of up to 20% of the number of
nucleotides of the primer molecule.

25 50. A method according to claim 39 to 47 wherein the following step is added before performing step d)

30 excluding from the remaining primer pairs those
pairs, which comprise of one primer molecule that in
combination with another primer molecule in the set
amplifies an unwanted product, when virtually testing
according to step 3 c) of claim 1 under conditions
allowing for four or less mismatching base pairs.

51. A method according to claim 39 to 47 wherein the following step is added before performing step d)

5 excluding from the remaining primer pairs those pairs, which comprise of one primer molecule that in combination with another primer molecule in the set amplifies an unwanted product, when virtually testing according to step 3 c) of claim 1 under conditions allowing for two or less mismatching base pairs.

Abstract


The present invention relates to a method for the amplification of nucleic acids comprising the following steps
5 1) isolating a nucleic acid sample,
 2) treating said sample in a manner that differentiates between methylated and un-methylated cytosine bases within said sample,
10 3) amplifying at least one target sequence, within said treated nucleic acid, by means of enzymatic amplification and a set of primer molecules, wherein said primer molecules are characterized in that,
 a) each primer molecule sequence reaches a predefined measure of complexity
15 b) every combination of any two primer molecules in the set has a melting temperature below a specified threshold temperature
 c) every combination of two primer molecules, under conditions allowing for one or more base mismatches per primer, does not lead to the amplification of an unwanted product when virtually tested using the treated and the untreated sample nucleic acids as template
20 25 and 4) detecting said amplified target nucleic acid.

The invention describes a method for amplifying nucleic acids, such as DNA with means of an enzymatic amplification step, such as a polymerase chain reaction, specified for template nucleic acids of low complexity, e.g. pre-treated DNA, like but not limited to DNA pre-treated with bisulfite is disclosed. The invention is based on the use of specific oligo-nucleotide primer molecules to solely amplify specific pieces of DNA. It is disclosed how to 30 optimize the primer design for a PCR if the template DNA
35 is of low complexity.

10/523062

1/4

Figure 1



10/523062

2 / 4

Figure 2





Figure 3

10/523062

4/4

Figure 4

	A	TP	FP	FN
11-a		9	8	0
11-b		9	7	0
12		7	9	0
13		7	6	1
14		9	11	1
15		7	5	1
21-a		8	4	2
21-b		8	4	0
22		8	9	2
23-a		7	5	0
23-b		7	10	1
24		10	17	0
25		8	0	0
31		9	3	0
32		4	7	4
33		6	9	2
34		8	3	0
35		7	4	2

	C	TP	FP	FN
11-a		8	7	1
11-b		8	4	1
12		7	6	1
13		8	6	0
14		6	6	2
15		4	9	5
21-a		7	3	0
21-b		8	4	0
22		4	6	3
23-a		6	4	3
23-b		8	5	1
24		8	10	4
25		5	1	3
31		7	2	1
32		8	3	1
33		2	3	7
34		7	8	1
35		6	3	1

	TP	FP	FN
\emptyset	7,67	6,72	0,89
STABW	1,37	3,86	1,13

	TP	FP	FN
\emptyset	6,5	5	1,94
	1,76	2,45	1,89